

PRICE BOOK









UNICO FITS
YOUR DESIGN. YOUR BUSINESS. YOUR HOME.

ORDERS: ORDERENTRY@UNICOSYSTEM.COM SUPPORT: SALES@UNICOSYSTEM.COM



Part Number	Description	Qty	Carton Dimensions (Inches)	Ship Weight (Pounds)	List Price
al Air Handlers	A2L Compliant, TXV must be ordered separately				
0	7 ZE Complain, 17X mad be didded separately				
V2430B-1EC2BH01	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 3 Row Coil, (AC/HP) with HWC, A2L Compliant	1	27x22x44	169	\$6,96
V2430B-1EC2BHC1	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 3 Row Coil, (AC/HP) with HWC, E-Coated, A2L Compliant	1	27x22x44	169	\$7,1
VZ-100D TZ-0ZBT101	Voltada, A. C. Carlotte, C. C. Car	'	ZIAZZATT		Ψ,,
V2430B-1EC2BX01	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 3 Row Coil, (AC/HP) NO HWC, A2L Compliant	1	27x22x44	177	\$6,42
V2430B-1EC2BXC1	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 3 Row Coil, (AC/HP) NO HWC, E-Coated, A2L Compliant	1	27x22x44	177	\$6,6
	,,,,,,,,,,,,,,,,				***
V2430B-1EC2CH	Vertical Air Handler, SCB Variable Speed, 120/208/230V, Chilled Water, with HWC	1	27x22x44	202	\$6,9
V2430B-1EC2CX	Vertical Air Handler, SCB Variable Speed, 120/208/230V, Chilled Water, NO HWC	1	27x22x44	202	\$6,4
V2430B-1EC2EH01	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 4 Row Coil, (AC/HP) with HWC, A2L Compliant	1	27x22x44	210	\$7,2
V2430B-1EC2EHC1	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 4 Row Coil, (AC/HP) with HWC, E-Coated, A2L Compliant	1	27x22x44	210	\$7,4
V2430B-1EC2EX01	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 4 Row Coil, (AC/HP) NO HWC, A2L Compliant	1	27x22x44	177	\$6,7
V2430B-1EC2EXC1	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 4 Row Coil, (AC/HP) NO HWC, E-Coated, A2L Compliant	1	27x22x44	202	\$6,9
HW-V2430	Hot Water Coil for V2430	1	29x8x19	33	\$1,0
TXV-2T-454	TX Valve Kit, Chatleff, 2 ton, R454b, (compatible with 1218 and 2430 units)	1	5x5x5	5	\$1,0 \$1
TXV-2T-32	TX Valve Kit, Chatleff, 2 ton, R454b, (compatible with 1218 and 2430 units) TX Valve Kit, Chatleff, 2 ton, R32, (compatible with 1218 and 2430 units)	1		5	
	11A valve Init, Chaulett, 2 tott, Ind., (Compatible with 1216 and 2430 units)		5x5x5) ၂	\$1
cement Filter	Either Placeted 19 v 19 v 1 MEDV 7 fits V2420	1	20×400	1 2 1	•
A00558-005	Filter, Pleated, 18 x 18 x 1, MERV 7 fits V2430	1	29x19x8	2 2	9
A02654-005	Filter, Pleated, 18 x 18 x 1, MERV 13	1 1	19x18x15.5	2	3
6	New York As the allow OOD Versity Over Land (00000000 Day of the Asset Day	, , ,		101	
V3036B-1EC2BH01	Vertical Air Handler, SCB Variable Speed, 120/208/230V,3 Row Coil, (AC/HP) with HWC, A2L Compliant	1	27x25x44	191	\$7,6
V3036B-1EC2BHC1	Vertical Air Handler, SCB Variable Speed, 120/208/230V,3 Row Coil, (AC/HP) with HWC, E-Coated, A2L Compliant	1	27x25x44	191	\$7,9
V3036B-1EC2BX01	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 3 Row Coil, (AC/HP) NO HWC, A2L Compliant	1	27x25x44	200	\$6,5
V3036B-1EC2BXC1	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 3 Row Coil, (AC/HP) NO HWC, E-Coated, A2L Compliant	1	27x25x44	200	\$6,7
V2020D 4E020U	Vertical Air Handler, SCB Variable Speed, 120/208/230V, Chilled Water, with HWC, A2L Compliant	-	27,25,44	239	f 0.0
V3036B-1EC2CH		1	27x25x44		\$8,0
V3036B-1EC2CX	Vertical Air Handler, SCB Variable Speed, 120/208/230V, Chilled Water, NO HWC, A2L Compliant	1	27x25x44	239	\$7,6
V3036B-1EC2EH01	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 4 Row Coil, (AC/HP) with HWC, A2L Compliant	1	27x25x44	248	\$7,6
V3036B-1EC2EHC1	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 4 Row Coil, (AC/HP) with HWC, E-Coated, A2L Compliant	1	27x25x44	248	\$8,0
V3036B-1EC2EX01	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 4 Row Coil, (AC/HP) NO HWC, A2L Compliant	1	27x25x44	191	\$6,8
V3036B-1EC2EXC1	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 4 Row Coil, (AC/HP) NO HWC, E-Coated, A2L Compliant	1	27x25x44	191	\$7,0
	,,,,,,,,,,,,,,,,				Ψ.,σ
HW-V3036	Hot Water Coil for V3036	1	29x8x19	48	\$1,2
TXV-3T-454	TX Valve Kit, Chatleff, 3 ton, R454b, (compatible with 3036 and 3642 units)	1	5x5x5	5	\$1
TXV-3T-32	TX Valve Kit, Chatleff, 3 ton, R32, (compatible with 3036 and 3642 units)	1	5x5x5	5	\$1
cement Filter	1 2 2 7 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2			1	
A00558-008	Filter, Pleated, 18 x 22 x 1, MERV 7 fits V3036	1	26x23x5	6	9
A02654-008	Filter, Pleated, 18 x 22 x 1, MERV 13	1	27.6x18x15.5	2	\$
	1,, ,				·
2	No. of the second secon			1 015	
V3642B-1EC2BH01	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 3 Row Coil, (AC/HP) with HWC, A2L Compliant	1	31x26x46	215	\$8,1
V3642B-1EC2BHC1	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 3 Row Coil, (AC/HP) with HWC, E-Coated, A2L Compliant	1	31x26x46	215	\$8,4
V3642B-1EC2BX01	Vertical Air Handley CCD Verichle Coard 420/000/020V 2 Pay Coil (AC/HD) NO HWC ACL Compliant	1	31x26x46	227	\$7,3
	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 3 Row Coil, (AC/HP) NO HWC, A2L Compliant Vertical Air Handler, SCB Variable Speed, 120/208/230V, 3 Row Coil, (AC/HP) NO HWC, E-Coated, A2L Compliant			227	
V3642B-1EC2BXC1	vertical Air Haridier, SCB variable Speed, 120/200/230V, 3 Now Coll, (AC/FF) NO HWC, E-Coated, AZE Compilant	1	31x26x46	221	\$7,6
V3642B-1EC2CH	Vertical Air Handler, SCB, Variable Speed, 120/208/230V, Chilled Water, with HWC, A2L Compliant	1	31x26x46	263	\$8,3
V3642B-1EC2CX	Vertical Air Handler, SCB, Variable Speed, 120/208/230V, Chilled Water, NO HWC, A2L Compliant	1	31x26x46	263	\$7,6
		1	31x26x46		
V3642B-1EC2EH01 V3642B-1EC2EHC1	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 4 Row Coil, (AC/HP) with HWC, A2L Compliant Vertical Air Handler, SCB Variable Speed, 120/208/230V, 4 Row Coil, (AC/HP) with HWC, E-Coated, A2L Compliant	1	31x26x46	275 275	\$8,3 \$8,7
		+		007	
V3642B-1EC2EX01	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 4 Row Coil, (AC/HP) NO , A2L Compliant	1	31x26x46	227	\$7,5
V3642B-1EC2EXC1	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 4 Row Coil, (AC/HP) NO HWC, E-Coated, A2L Compliant	1	31x26x46	227	\$7,9
HW-V3642	Hot Water Coil for V3642	1	31x8x22	48	\$1,4
TXV-3T-454	TX Valve Kit, Chatleff, 3 ton, R454b, (compatible with 3036 and 3642 units)	1	5x5x5	5	\$
TXV-3T-32	TX Valve Kit, Chatleff, 3 ton, R32, (compatible with 3036 and 3642 units)	1	5x5x5	5	\$1
cement Filter	The second secon				Ψ
A00558-009	Filter, Pleated, 21 x 22 x 1, MERV 7 fits V3642	1	26x23x5	6	5

^{*}For capacity and usage questions call 1-800-527-0896 or email service@unicosystem.com



Part Number	Description	Qty	Carton Dimensions (Inches)	Ship Weight (Pounds)	List Price
ir Handlare					
	ad descriptions carefully as some parts have been updated				
-1.5 Ton Modular Ur	nit				
Blower Module					
M1218BL2-ST2	Module, Blower, Standard Control, Single Speed, 208/230V only	1	24x22x14	60	\$1,52°
M1218BL2-EC2	Module, Blower, SCB Variable Speed ECM, 120/208/230V (Wifi Board)	1	24x22x14	60	\$2,533
Refrigerant Module A2L C	Compliant, TXV must be ordered separately				
M1218CL2-E0C1	Module, Refrigerant Coil (6 Row)*(AC/HP), E-Coated (Chatleff connections), A2L Compliant, TXV sold separately	1	24x22x14	60	\$2,23
M1218CL2-E001	Module, Refrigerant Coil (6 Row)*(AC/HP)(Chatleff connections), A2L Compliant, TXV sold separately	1	24x22x14	60	\$2,110
TXV-2T-454	TX Valve Kit, Chatleff, 2 ton, R454b, (compatible with 1218 and 2430 units)	1	5x5x5	5	\$184
TXV-2T-32	TX Valve Kit, Chatleff, 2 ton, R32, (compatible with 1218 and 2430 units)	1	5x5x5	5	\$184
	Module for indoor coil replacement only (R410A), unit includes TXV				***
M1218CL2-E-R	Module, Refrigerant Coil (6 Row)*(AC/HP)(Chatleff connections) for indoor coil replacement only	1	24x22x14	60	\$1,782
M1218CL2-E0C-R	Module, Refrigerant Coil (6 Row)*(AC/HP), E-Coated(Chatleff connections)	1	24x22x14	60	\$1,89
	for indoor coil replacement only				Ψ1,00
TXV-2T-410	TX Valve Kit, Chatleff, 2 ton, R410a, for indoor coil replacement only (compatible with 1218 and 2430 units)	1	5x5x5	2	\$18
Hydronic Module				, ,	
M1218CL1-C	Module, Chilled Water Coil	1	24x22x14	60	\$1,238
M1218CL1-X	Module, Heating (without Hot Water Coil)	1	24x22x14	60	\$46
M1218CL1-H	Module, Heating (with Hot Water Coil)	1	24x22x14	60	\$90
Return Air Components	,				***
UPC-01-1218	Return Air Box with Grille and Filter, 14" x 20"	1	23x9x17	8	\$284
UPC-04-1218	Return Air Duct . 12" D x 10 ft.	1	26x18x18	9	\$374
UPC-04R6-1218	Return Air Duct, R-6.0 12" D x 10 ft	1	27x18x18	12	\$529
UPC-04R8-1218	Return Air Duct. R-8.0 12" D x 10 ft	1	28x18x18	15	\$50
UPC-104-1218	Return Air Adaptor, for 12" duct	1	19x5x13	30	\$259
UPC-105-1218	Return Air Adaptor, for 12" duct with filter rack and filter	1	19x5x14	30	\$550
Drain Pan				1	***
UPC-94	Secondary Drain Pan for 1218	1	42x24x2	12	\$502
Accessories					·
UPC-62-1218	Adapter, Supply, Square, 8.5" ID	1	10x10x2.5	3	\$75
UPC-61-1218	Adapter, Supply, Round, 7"	1	16.75x11x9	3	\$10
UPC-98	Mounting Rails for 1218	1	36x25x21	5	\$15
HW-1218	Hot Water Coil Only	1	25x11x7	12	\$533
UV Module and Accessor	ies			, ,	***
UVC1-09	UV Light Module Assembly, Cabinet Only	1	15.25x15.25x14	7	\$58
UVL1-09	UV Light Module Assembly	1	28.25x15x13.25	11	\$1,43
A02647-G01	UV Light	1	11.5x11.5x5.5	4	\$846
A02649-G01	UV Replacement Bulb	1	10x10x10	2	\$130
Replacement Filter	· ·				\$(
A00558-010	Filter, Pleated, 14 x 20 x 1, MERV 7 fits UPC-01-1218	1	21x15x9	4	\$1
A02654-010	Filter, Pleated, 14 x 20 x 1, MERV 13	1	20.7x14.6x8.6	2	\$10
A00558-013	Filter, Pleated, 16 x 12 x 1, MERV 7 fits UPC-105-1218	1	23x9x17	2	\$1:
A02654-013	Filter, Pleated, 16 x 12 x 1, MERV 13	1	17.75x12.25x5.25	2	\$10

^{*}For capacity and usage questions call 1-800-527-0896 or email service@unicosystem.com



Part Number	Description	Qty	Carton Dimensions (Inches)	Ship Weight (Pounds)	List Price
Air Handlers *nlea	se read descriptions carefully as some parts have been updated				
2 - 2.5 Ton Modula	ir Unit				
Blower Module					
M2430BL2-EC		1	29x16x20	62	\$2,534
M2430BR2-EC		1	29x16x20	62	\$2,707
M2430BL2-ST2		1	29x16x20	62	\$1,579
	N2L Compliant, TXV must be ordered separately				
M2430CL1-E00	3	1	29x16x20	60	\$2,545
M2430CL1-E00	Module, Refrigerant Coil (6 Row)*(AC/HP), E-Coated, A2L Compliant, TXV sold separately	1	29x16x20	60	\$2,801
M2430CR1-E0	Module, Refrigerant Coil, (6 Row) (AC/HP) Right hand, A2L Compliant, TXV sold separately	1	29x16x20	60	\$2,581
M2430CR1-E0	Module, Refrigerant Coil (6 Row)*(AC/HP), Right hand, E-Coated, A2L Compliant, TXV sold separately	1	29x16x20	60	\$2,996
M2430CL1-BA	Module, Refrigerant Coil (4 Row)*(AC/HP), Aluminum, A2L Compliant, TXV sold separately	1	29x16x20	60	\$2,276
TXV-2T-454	TX Valve Kit, Chatleff, 2 ton, R454b, (compatible with 1218 and 2430 units)	1	5x5x5	5	\$184
TXV-2T-32	TX Valve Kit, Chatleff, 2 ton, R32, (compatible with 1218 and 2430 units)	1	5x5x5	5	\$184
Replacement Refrige	rant Module for indoor coil replacement only (R410A), unit includes TXV		u.		* -
M2430CL1-BA		1	29x16x20	60	\$2,248
M2430CL1-E-F		1	29x16x20	60	\$2,211
M2430CL1-E00		1	29x16x20	60	\$2,477
M2430CR1-E-F		1	29x16x20	60	\$2,195
TXV-2T-410	TX Valve Kit, Chatleff, 2 ton, R410a, for indoor coil replacement only (compatible with 1218 and 2430 units)	1	5x5x5	2	\$184
Hydronic Module	17. Valve Nit, Orlandi, 2 tori, 1410a, 101 Indian con repracement only (companion with 1210 and 2430 units)		3,3,3		ψ10 4
M2430CL1-C	Module, Chilled Water Coil	1	29x16x20	60	\$2,152
	, , , , , , , , , , , , , , , , , , ,	1	32x16x19	20	
M2430CL1-X	Module, Heating (without Hot Water Coil)				\$404
M2430CL1-H	Module, Heating (with Hot Water Coil)	1	32x16x19	53	\$1,329
HW-2430	Coil, Hot Water (fits M2430CL1-X, M2430V2)	1	33x8x17	33	\$975
Vertical Plenum Mod			1		
M2430V2	Module, Vertical Plenum (includes Spacer & Filter)	1	29x27x20	33	\$1,691
Horizontal Return Air			•		
M2430R1	Module, Horizontal Multiple Return Air (Includes Filter)	1	29x16x20	33	\$418
Return Air Compone					
UPC-01-2430	Return Air Box with Grille and Filter, 14" x 25"	1	23x8x17	8	\$308
UPC-04-2430	Return Air Duct , R-4.2, 14" D x 10 ft.	1	18x18x26	9	\$367
UPC-04R6-243	0 Return Air Duct , R-6.0, 14" D x 10 ft.	1	19x18x26	12	\$538
UPC-04R8-243		1	20x18x26	15	\$540
UPC-59-2430	Return Air Adapter (fits to M2430CL1-A,B, C or E coil modules),14" duct	1	23x15x13	6	\$218
UPC-104-2430	Return Air Adapter (fits to M2430CL1-X or H, M2430V2), 14" duct	1	26x22x5	6	\$308
Drain Pan					
UPC-20B	Secondary Drain Pan (2 Module 2430)	1	29x32x2	11	\$480
UPC-20C	Secondary Drain Pan (3 Module 2430)	1	29x44x2	14	\$430
Accessories	· · · · · · · · · · · · · · · · · · ·		•		, 199
UPC-63A	Vertical Installation Kit with 6" spacer module (2430)	1	29x19x8	11	\$282
UPC-62-2430	Adapter, Supply, Square, 8.5" ID	1	10x10x2.5	2	\$104
UPC-61-2430	Adapter, Supply, Round, 7"	1	16.75x11x9	3	\$87
UV Module and Acce			10.1.0/11/10		φοτ
UVC1-09	UV Light Module Assembly, Cabinet Only	1	15.25x15.25x14	7	\$585
UVL1-09	UV Light Module Assembly	1	28.25x15x13.25	11	\$1,431
A02647-G01	UV Light	1	11.5x11.5x5.5	4	\$1,431 \$846
A02649-G01	UV Replacement Bulb	1	10x10x10	2	
	To s reherequent prin	1	TUXTUXTU		\$130
Replacement Filters	Filtre Diseased 44 v.OF v.4 MED) / 7 file UDC 04 0400 M0400D4		20.47.0	1 4 1	004
A00558-001	Filter, Pleated, 14 x 25 x 1, MERV 7 fits UPC-01-2430, M2430R1	1	28x17x8	4	\$24
A02654-001	Filter, Pleated, 14 x 25 x 1, MERV 13	1	27.88x14.25x12.88	2	\$23
A00550 004	Eiter Pleated 49 v 95 v 4 MEDV 7 file M2420V2		22700.0	_	A
A00558-004	Filter, Pleated, 18 x 25 x 1, MERV 7 fits M2430V2	1	33x29x9	2	\$25
A02654-004	Filter, Pleated, 18 x 25 x 1, MERV 13	1	27.63x18x15.5	2	\$24

^{*}For capacity and usage questions call 1-800-527-0896 or email service@unicosystem.com



M3038BR2-EC2 Module, Blower, SCB Variable Speed ECM, 120208230V Right hand (WR) Board)	Part Number	Description	Qty	Carton Dimensions (Inches)	Ship Weight (Pounds)	List Price
2.5 - 3 TON Modular Unit	Air Handlers *pleas	se read descriptions carefully as some parts have been updated				
M3938BL2FC2 Module, Blower, SCB Variable Speed ECM, 120/2009230 (PMR) Board)						
MS039801_2FC2 Module, Blower, SCB Variable Spanet ECM, 120/2006230 (PM) Board)	Blower Module					
M3338BR2-EC2 Module, Blower, Size Variable Speed ECM, 120208230/V Right hand (Will Board) 1 34416220 73 \$2,2		Module, Blower, SCB Variable Speed ECM, 120/208/230V (Wifi Board)	1	34x16x20	73	\$2.843
Misspecific Module Richards Standard Control, Single Speed, 2087-2097 only 1 34416-20 73 31, Refrigerant Module Richards						\$2.848
Refrigerant Module ALZ Complant, TXV miss to endered separately 1 34x16x20 78 \$2,1						\$1,637
M3038CL1+E01 Module, Refrigerant Coil (R Row)*ACH*PL, AZL Complant, TXV soid separately 1 34x16x20 78 52.2						+ .,
M3038CL1-EDC1 Module, Refrigerant Col. (8 Row) (ACMP) Right Stant AZ, Compliant, TXV sold separately 1 34x16x20 78 53.1			1	34x16x20	78	\$2,888
M3036CR1-E001 Module, Refrigerant Col.; (8 row) (ACM-P) Right hand. A2L Complaint, TXY sold separately 1 34x16x20 78 \$3.						\$3,219
M3038CR1+EROLT Module, Refrigerant Col. (it Row) (ACHP) Right hand, E-Coated, ALZ Complaint, TXV acid separately 1 34x16x20 78 \$2.2			_			\$3,028
M3395CL1+BA001 Module, Refrigerant Col (4 Row)*(ACHP), Alminum, AZL Compilate, TXV sold separately 1 34x16x20 78 \$2.2 TXV-31+34 TX Valve kit, Chatleff, 3 ton, R454, occupratible with 3036 and 3942 units) 1 5x5x5 5 \$1 TXV-31+32 TX Valve kit, Chatleff, 3 ton, R32 (compatible with 3036 and 3942 units) 1 5x5x5 5 \$1 TXV-31+32 TX Valve kit, Chatleff, 3 ton, R32 (compatible with 3036 and 3942 units) 1 5x5x5 5 \$1 TXV-31+32 TXV						\$3,348
TXV-31-451 TX Valve Kii, Chatleff, 3 ton, R3 (compatible with 3038 and 3842 units) 1, 55:55 5 5 5 5 5 5 5 5						\$2,662
TXV-31-32						\$184
Replacement Refrigerant Module for indoor coal replacement only (Ref 10A), unit includes XV						\$184
M3395C1-15-R Module, Refrigerant Coil (& Row)*(ACHP), Aluminum, for indoor coil replacement only			<u> </u>	3,3,3	3	Φ104
M3036CL1-ER Module, Refrigerant Coil (8 Row)* (AC/HP) For indoor coil replacement only			1 1	24v46v20	70	PO 470
M3356C1+E-DC-R Module, Refrigerant Coil (6 Row)* (ACHP) Right hand, for indoor coil replacement only 1 34x16x20 78 \$2,5 M3356C1+E-DC-R Module, Refrigerant Coil, (6 Row) (ACHP) Right hand, for indoor coil replacement only 1 34x16x20 78 \$2,5 M3356C1+EDC-R Module, Refrigerant Coil, (6 Row) (ACHP) Right hand, for indoor coil replacement only 1 34x16x20 78 \$2,5 \$2,5 \$3,5						\$2,472
M3036CR1-ECR						
M3036CR1-EOC-R Module, Refrigerant Coil, (6 Row) (ACM-PI) Right hand, E-Coated, for indoor coil replacement only 1 34x16x20 78 \$2.5						\$2,904
TXV-3T-410						\$2,635
Hydronic Module						\$2,966
M3036CL1-C Module, Cooling (with Chilled Water Coil)		TX Valve Kit, Chatleff, 3 ton, R410a, for indoor coil replacement only (compatible with 3036 and 3642 units)	1	5x5x5	2	\$184
M303SCL1-X Module, Heating (with bott Water Coil)						
M3036CL1-H Module, Heating (with Hot Water Coil)	M3036CL1-C	Module, Cooling (with Chilled Water Coil)	1	34x16x20	78	\$2,580
HW-3036	M3036CL1-X	Module, Heating (without Hot Water Coil)	1	38x16x19	28	\$403
Vertical Plenum Module M3036V2 Module, Vertical Plenum (includes Spacer Module and filters) 1 34x27x20 45 \$1,1	M3036CL1-H	Module, Heating (with Hot Water Coil)	1	38x16x19	76	\$1,662
M3036V2 Module, Vertical Plenum (includes Spacer Module and filters) 1 34x27x20 45 \$1,8	HW-3036	Coil, Hot Water (fits M3036CL1-X, M3036V2)	1	45x8x17	48	\$1,217
Module	Vertical Plenum Modu	ile				
Module	M3036V2	Module, Vertical Plenum (includes Spacer Module and filters)	1	34x27x20	45	\$1,829
M3038R1 Module, Horizontal Multiple Return Air For 3036, (Includes filter) 1 34x16x20 30 \$8	Horizontal Return Air	Module				
Return Air Components UPC-01-3036 Return Air Box with Grille and Filter, 14" x 30" 1 33x8x17 10 5; UPC-04-3036 Return Air Duct , R-4.2, 16" D x 10 ft. 1 22x22x29 14 5. UPC-04-8036 Return Air Duct , R-8.0, 16" D x 10 ft. 1 22x22x29 17 5. UPC-04-8036 Return Air Duct , R-8.0, 16" D x 10 ft. 1 22x22x29 17 5. UPC-04-8036 Return Air Adapter (fits M3036CL1-A, B, C or E coil modules) 16" duct 1 1 1 1 1 1 1 1 1			1	34x16x20	30	\$514
UPC-01-3036 Return Air Box with Grille and Filter, 14" x 30" 1 33x8x17 10 \$\frac{1}{5}\text{UPC-04-3036} Return Air Duct, R-4.2, 16" D x 10 ft. 1 22x22x29 14 \$\frac{1}{5}\text{V} UPC-04R6-3036 Return Air Duct, R-6.0, 16" D x 10 ft. 1 22x22x29 17 \$\frac{1}{5}\text{V} UPC-04R8-3036 Return Air Duct, R-8.0, 16" D x 10 ft. 1 22x22x29 20 \$\frac{1}{5}\text{V} UPC-04R8-3036 Return Air Duct, R-8.0, 16" D x 10 ft. 1 22x22x29 20 \$\frac{1}{5}\text{V} UPC-95-3036 Return Air Adapter (fits M3036CL1- A, B, C or E coil modules) 16" duct 1 17x38x13 8 \$\frac{1}{5}\text{V} UPC-104-3036 Return Air Adapter (fits M3036CL1- X or HM3036V2 Module) 16" duct 1 39x22x5 9 \$\frac{1}{5}\text{V} UPC-27B Secondary Drain Pan (2 Module 3036) 1 45x42x2 14 \$\frac{1}{5}\text{V} UPC-27B Secondary Drain Pan (3 Module 3036) 1 45x42x2 20 \$\frac{1}{5}\text{V} UPC-27B Secondary Drain Pan (3 Module 3036) 1 1 1 1 1 1 1 1 1	Return Air Componer	its				
UPC-04-3036			1	33x8x17	10	\$352
UPC-04R6-3036		· · · · · · · · · · · · · · · · · · ·				\$410
UPC-04R8-3036						\$581
UPC-59-3036 Return Air Adapter (fits M3036CL1- A, B, C or E coil modules) 16" duct						\$563
UPC-104-3036 Return Air Adapter (fits M3036CL1-X or HM3036V2 Module) 16" duct						\$202
Drain Pan						\$202 \$321
UPC-27B		Return Air Adapter (fils Nisosoce1-A or nivisosov2 Niodule) 10 duct		3982283	9	Φ321
UPC-27C Secondary Drain Pan (3 Module 3036)		Davidson Davis Davis (a Markly 2000)	1 4	45400	1 44 1	0.440
UPC-63-3036 Vertical Installation Kit with 6" spacer module 1 17x38x6 13 \$\$ UPC-61-3036 Adapter, Supply, Round, 9 1 11x11x4.5 4 4 5 5 5 5 5 5 5						\$446
UPC-63-3036 Vertical Installation Kit with 6" spacer module		Secondary Drain Pan (3 Module 3036)	1	45x42x2	20	\$442
UPC-61-3036						
UPC-62-3036 Adapter, Supply, Square 10.5 "ID			_			\$268
UV Module and Accessories UV Light Module Assembly, Cabinet Only 1 15.25x15.25x14 7 5 5 1 1 15.25x15.25x14 7 5 1 1 1 1 1 1 1 1 1						\$98
UVC1-09	UPC-62-3036	Adapter, Supply, Square 10.5 " ID	1	20x12x9	3	\$107
UVL1-09 UV Light Module Assembly 1 28.25x15x13.25 11 \$1,4 A02647-G01 UV Light 1 11.5x11.5x5.5 4 \$6 A02649-G01 UV Replacement Bulb 1 10x10x10 2 \$7 Replacement Filters A00558-002 Filter, Pleated, 14 x 30 x 1, MERV 7 fits UPC-01-3036, M3036R1 1 32x18x8 6 \$8 A02654-002 Filter, Pleated, 14 x 30 x 1, MERV 13 1 30.50x15x15 2 \$8 A00558-007 Filter, Pleated, 18 x 30 x 1, MERV 7 fits M3036V2 1 33x29x9 2 \$8	UV Module and Acces	ssories				
A02647-G01 UV Light 1 11.5x1.5x5.5 4 \$8 A02649-G01 UV Replacement Bulb 1 10x10x10 2 \$1 A02649-G01 UV Replacement Bulb 1 10x10x10 2 \$1 A02649-G01 UV Replacement Filters A02684-002 Filter, Pleated, 14 x 30 x 1, MERV 7 fits UPC-01-3036, M3036R1 1 32x18x8 6 \$1 A02654-002 Filter, Pleated, 14 x 30 x 1, MERV 13 1 30.50x15x15 2 \$1 A00558-007 Filter, Pleated, 18 x 30 x 1, MERV 7 fits M3036V2 1 33x29x9 2 \$1 A02654-002 Filter, Pleated, 18 x 30 x 1, MERV 7 fits M3036V2 1 33x29x9 2 \$1 A02654-002 Filter, Pleated, 18 x 30 x 1, MERV 7 fits M3036V2 1 33x29x9 2 \$1 A02654-002 Filter, Pleated, 18 x 30 x 1, MERV 7 fits M3036V2 1 33x29x9 2 \$1 A02654-002 Filter, Pleated, 18 x 30 x 1, MERV 7 fits M3036V2 1 33x29x9 2 \$1 A02654-002 Filter, Pleated, 18 x 30 x 1, MERV 7 fits M3036V2 1 33x29x9 2 \$1 A02654-002 Filter, Pleated, 18 x 30 x 1, MERV 7 fits M3036V2 1 33x29x9 2 \$1 A02654-002 Filter, Pleated, 18 x 30 x 1, MERV 7 fits M3036V2 1 33x29x9 2 \$1 A02654-002 Filter, Pleated, 18 x 30 x 1, MERV 7 fits M3036V2 1 33x29x9 2 \$1 A02654-002 Filter, Pleated, 18 x 30 x 1, MERV 7 fits M3036V2 1 33x29x9 2 \$1 A02654-002 Filter, Pleated, 18 x 30 x 1, MERV 7 fits M3036V2 1 33x29x9 2 \$1 A02654-002 Filter, Pleated, 18 x 30 x 1, MERV 7 fits M3036V2 1 33x29x9 2 \$1 A02654-002 Filter, Pleated, 18 x 30 x 1, MERV 7 fits M3036V2 1 33x29x9 2 \$1 A02654-002 Filter, Pleated, 18 x 30 x 1, MERV 7 fits M3036V2 1 33x29x9 2 \$1 A02654-002 Filter, Pleated, 18 x 30 x 1, MERV 7 fits M3036V2 1 33x29x9 2 \$1 A02654-002 Filter, Pleated, 18 x 30 x 1, MERV 7 fits M3036V2 1 33x29x9 2 \$1 A02654-002 Filter, Pleated, 18 x 30 x 1, MERV 7 fits M3036V2 1 33x29x9 2 \$1 A02654-002 Filter, Pleated, 18 x 30 x 1, MERV 7 fits M3036V2 1 33x29x9 2 \$1 A02654-002 Filter, Pleated, 18 x 30 x 1, MERV 7 fits M3036V2 1 33x29x9 2 \$1 A02654-002 Filter, Pleated, 18 x 30 x 1, MERV 7 fits M3036V2 1 33x29x9 2 \$1 A02654-002 Filter, Pleated, 18 x 30 x 1, MERV 7 fits M3036V2 1 33x29x9 2 \$1 A02654-002 Filter, Pleated, 18 x 30 x 1, MERV 7 fits M3036V2 1 33x29x9 2 \$1 A02654-002 Filter, Pleated, 18 x 30 x 1, MERV 7	UVC1-09	UV Light Module Assembly, Cabinet Only	1	15.25x15.25x14	7	\$585
A02649-G01 UV Replacement Bulb 1 10x10x10 2 \$\frac{1}{3}\$\$ Replacement Filters A0058-002 Filter, Pleated, 14 x 30 x 1, MERV 7 fits UPC-01-3036, M3036R1 1 30x18x8 6 \$\frac{1}{3}\$\$ A0058-002 Filter, Pleated, 14 x 30 x 1, MERV 13 1 30x50x15x15 2 \$\frac{1}{3}\$\$ A0058-007 Filter, Pleated, 18 x 30 x 1, MERV 7 fits M3036V2 1 33x29x9 2 \$\frac{1}{3}\$\$	UVL1-09	UV Light Module Assembly	1	28.25x15x13.25	11	\$1,431
A02649-G01 UV Replacement Bulb 1 10x10x10 2 \$\frac{1}{3}\$\$ Replacement Filters A0058-002 Filter, Pleated, 14 x 30 x 1, MERV 7 fits UPC-01-3036, M3036R1 1 30x18x8 6 \$\frac{1}{3}\$\$ A0058-002 Filter, Pleated, 14 x 30 x 1, MERV 13 1 30x50x15x15 2 \$\frac{1}{3}\$\$ A0058-007 Filter, Pleated, 18 x 30 x 1, MERV 7 fits M3036V2 1 33x29x9 2 \$\frac{1}{3}\$\$	A02647-G01	UV Light	1	11.5x11.5x5.5	4	\$846
Replacement Filters A00558-002 Filter, Pleated, 14 x 30 x 1, MERV 7 fits UPC-01-3036, M3036R1 1 32x18x8 6 5 A02654-002 Filter, Pleated, 14 x 30 x 1, MERV 13 1 30.50x15x15 2 5 A00558-007 Filter, Pleated, 18 x 30 x 1, MERV 7 fits M3036V2 1 33x29x9 2 5					2	\$130
A00558-002 Filter, Pleated, 14 x 30 x 1, MERV 7 fits UPC-01-3036, M3036R1 1 32x18x8 6 A02654-002 Filter, Pleated, 14 x 30 x 1, MERV 13 1 30.50x15x15 2 A00558-007 Filter, Pleated, 18 x 30 x 1, MERV 7 fits M3036V2 1 33x29x9 2		• •				7.00
A02654-002 Filter, Pleated, 14 x 30 x 1, MERV 13 1 30.50x15x15 2 A00558-007 Filter, Pleated, 18 x 30 x 1, MERV 7 fits M3036V2 1 33x29x9 2		Filter. Pleated. 14 x 30 x 1. MERV 7 fits UPC-01-3036. M3036R1	1 1	32x18x8	6	\$21
A00558-007 Filter, Pleated, 18 x 30 x 1, MERV 7 fits M3036V2 1 33x29x9 2						\$27
						\$24
	A02654-007	Filter, Pleated, 18 x 30 x 1, MERV 13	1		2	\$45

^{*}For capacity and usage questions call 1-800-527-0896 or email service@unicosystem.com



Part Number	Description	Qty	Carton Dimensions (Inches)	Ship Weight (Pounds)	List Price
\ir Handlers *n/oaso ro	ad descriptions carefully as some parts have been updated				
3 - 3.5 Ton Modular U	nit				
Blower Module					
M3642BL2-EC2	Module, Blower, SCB Variable Speed ECM, 120/208/230V (Wifi Board)	1	42x16x20	73	\$2,87
M3642BR2-EC2	Module, Blower, SCB Variable Speed ECM, 120/208/230V Right hand (Wifi Board)	1	42x16x20	73	\$2,90
M3642BL2-ST2	Module, Blower, Standard Control, Single Speed, 208/230V only	1	42x16x20	73	\$1,76
	Compliant, TXV must be ordered separately				
M3642CL1-E001	Module, Refrigerant Coil (6 Row)* (AC/HP), A2L Compliant, TXV sold separately	1	42x16x20	78	\$3,04
M3642CL1-E0C1	Module, Refrigerant Coil (6 Row)* (AC/HP), E-Coated, A2L Compliant, TXV sold separately	1	42x16x20	78	\$3,52
M3642CR1-E001	Module, Refrigerant Coil, (6 Row) (AC/HP) Right hand, A2L Compliant, TXV sold separately	1	42x16x20	78	\$3,19
M3642CR1-E0C1	Module, Refrigerant Coil (6 Row)* (AC/HP), Right hand, E-Coated, A2L Compliant, TXV sold separately	1	42x16x20	78	\$3,54
M3642CL1-BA001	Module, Refrigerant Coil (4 Row)* (AC/HP), Aluminum, A2L Compliant, TXV sold separately	1	42x16x20	78	\$2,93
TXV-3T-454	TX Valve Kit, Chatleff, 3 ton, R454b, (compatible with 3036 and 3642 units)	1	5x5x5	5	\$18
TXV-3T-32	TX Valve Kit, Chatleff, 3 ton, R32, (compatible with 3036 and 3642 units)	1	5x5x5	5	\$18
Replacement Refrigerant	Module for indoor coil replacement only (R410A), unit includes TXV				
M3642CL1-BA-R	Module, Refrigerant Coil (4 Row)*(AC/HP), Aluminum, for indoor coil replacement only	1	42x16x20	78	\$2,83
M3642CL1-E-R	Module, Refrigerant Coil (6 Row)* (AC/HP) for indoor coil replacement only	1	42x16x20	78	\$2,66
M3642CL1-E0C-R	Module, Refrigerant Coil (6 Row)* (AC/HP), E-Coated, for indoor coil replacement only	1	42x16x20	78	\$3,16
M3642CR1-E-R	Module, Refrigerant Coil, (6 Row) (AC/HP) Right hand, for indoor coil replacement only	1	42x16x20	78	\$2,79
TXV-3T-410	TX Valve Kit, Chatleff, 3 ton, R410a, for indoor coil replacement only (compatible with 3036 and 3642 units)	1	5x5x5	2	\$18
Hydronic Module					
M3642CL1-C	Module, Chilled Water Coil	1	42x16x20	78	\$2,73
M3642CL1-X	Module, Heating (without Hot Water Coil)	1	42x14x18	28	\$43
M3642CL1-H	Module, Heating (with Hot Water Coil)	1	42x14x18	76	\$1,84
HW-3642	Coil, Hot Water (fits M3642CL1-X, M3642V2)	1	45x8x17	48	\$1,31
Vertical Plenum Module				· · · · · · · · · · · · · · · · · · ·	7 7-
M3642V2	Module, Vertical Plenum (includes Spacer & Filter)	1	42x26x20	45	\$1,88
Horizontal Return Air Mod				· · · · · · · · · · · · · · · · · · ·	7 7
M3642R1	Module, Horizontal Multiple Return Air (Includes Filter)	1	42x16x20	30	\$54
Return Air Components				· · · · · · · · · · · · · · · · · · ·	* -
UPC-01-3642	Return Air Box with Grille and Filter, 14" x 30"	111	33x8x17	10	\$35
UPC-04-3642	Return Air Duct , R-4.2, 18" D x 10 ft.	1	22x22x29	14	\$41
UPC-04R6-3642	Return Air Duct , R-6.0, 18" D x 10 ft.	1	22x22x29	17	\$61
UPC-04R8-3642	Return Air Duct , R-8.0, 18" D x 10 ft.	1	22x22x29	20	\$61
UPC-59-3642	Return Air Adapter (fits to M3642CL1-B, C or E coil module), for 18" duct	1	17x38x13	8	\$24
UPC-104-3642	Return Air Adapter (fits to M3642CL1-X or H, M3642V2), for 18" duct	1	39x22x5	9	\$31
Drain Pan	productive reading the to more than the state of the stat		CONELNO		ψ01
UPC-24B	Secondary Drain Pan (2 Module 3642)	1	42x44x2	14	\$45
UPC-24C	Secondary Drain Pan (3 Module 3642)	1	42x44x2	20	\$45
Accessories	pocondary brain 1 an (e-module co-sz)		72,777,2	20	ΨΤΟ
UPC-64A	Vertical Installation Kit with 6" spacer module	1	41x19x8	13	\$44
UPC-62-3642	Adapter, Supply, Square, 10.5" ID	1	11x11x4.5	4	\$10
UPC-61-3642	Adapter, Supply, Round, 9	1	20x12x9	3	\$9
UV Module and Accessor			2011219	3	φθ
UVC1-09	UV Light Module Assembly, Cabinet Only	1	15.25x15.25x14	7	\$58
UVL1-09	UV Light Module Assembly UV Light Module Assembly	1	28.25x15x13.25	11	\$1,43
A02647-G01	UV Light	1	11.5x11.5x5.5	4	
A02649-G01	UV Replacement Bulb	1	10x10x10	2	\$84
	ov replacement build		103 103 10		\$13
Replacement Filters	Filter, Pleated, 14 x 30 x 1, MERV 7, fits UPC-01-3036, MR3036R1	1 4 1	32x18x8	1 6 1	***
A00558-002		1		6	\$2
A02654-002	Filter, Pleated, 14 x 30 x 1, MERV 13	1	30.50x15x15	2	\$2
A00558-011	Filter, Pleated, 14 x 38 x 1, MERV 7, fits M3642R1	1	39x22x5	2	\$5
A02654-011	Filter, Pleated, 14 x 38 x 1, MERV 13	1	44x30.5x1.5	2	\$5
A00558-003**	Filter, Pleated, 18 x 20 x 1, MERV 7, fits M3642V2	1	21x21x9	2	\$2
A02654-003**	Filter, Pleated, 18 x 20 x 1, MERV 13	1	28.75x18x15.5	2	\$2
A00558-005**	Filter, Pleated, 18 x 18 x 1, MERV 7, fits M3642V2	1	29x19x8	2	\$2
A02654-005**	Filter, Pleated, 18 x 18 x 1, MERV 13	1	19x18x15.5	2	\$2

^{**} M3642V2 requires one of each size

^{*}For capacity and usage questions call 1-800-527-0896 or email service@unicosystem.com



Air Handlers : puese read descriptions carefully as some parts have been operated 4 - 5 Ton Modular Unit Bloww Modular Line Line	Part Number	Description	Qty	Carton Dimensions (Inches)	Ship Weight (Pounds)	List Price
### A- 5 TOM Modular Units ### Blower Modular ### Blower Modular ### Blower Modular ### Medicinia CCC ### Modular Blower, SCB Variative Speed ECM, 120/208/2007 (Witt Board) ### A- 5 TOM ### Medicinia CCC ### Modular Blower, SCB Variative Speed ECM, 120/208/2007 (Witt Board) ### A- 5 TOM ### Medicinia CCC ### Modular CCCC ### Modular CCC ### Modular CCCC ### Modular CCC ### Modular CCCC ### Modular CCC ### Modular CCCC ### Modular CCCCC ### Modular CCCCC ### Modular CCCCCCCCCC ### Modular CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	Air Handlers *nlosso ro	and descriptions carefully as some parts have been undated				
Billower Module Medicolis ECC Module Bower, SCB Variable Speed ECM 120/208/2307 (Will Bound) 1 42/16/20 73 Medicolis Module Bower, SCB Variable Speed ECM 120/208/2307 (Will Bound) 1 42/16/20 73 Medicolis ECC Module Bower, Substance CCM 120/208/2307 (Will Bound) 1 42/16/20 73 Medicolis ECC						
		IL .				
MARGORRES ECC		Module, Blower, SCB Variable Speed ECM, 120/208/230V (Wifi Board)	1	42x16x20	73	\$3,027
Medical Act Complaint TVY inter the contend agreements						\$3,129
M4800CL1-80-CL Module, Refrigerant Coil of Rovy (*ACHP), ASC, Complaint, TXV sold separately	M4860BL2-ST2	Module, Blower, Standard Control, Single Speed, 208/230V only	1	42x16x20	73	\$2,079
M4890CL180CT Module, Retrigerant Coll of Rovin' (ACMP), E-Conted, AL Complent, TNY and separately 1 42x1826 88 M4890CR1-800T Module, Retrigerant Coll of Rovin' (ACMP), Right thand, AL Complent, TNY and separately 1 42x1826 88 M4890CR1-850T Module, Retrigerant Coll of Rovin' (ACMP), Right thand, AL Complent, TNY and separately 1 42x1826 88 TNY-4T-54 TX Valve Kit, Chattelf, 4 ton, RSQ, (computative with 4800 units) 1 50x50* 5 TX Valve Kit, Chattelf, 4 ton, RSQ, (computative with 4800 units) 1 50x50* 5 TX Valve Kit, Chattelf, 4 ton, RSQ, (computative with 4800 units) 1 50x50* 5 TX Valve Kit, Chattelf, 4 ton, RSQ, (computative with 4800 units) 1 50x50* 5 TX Valve Kit, Chattelf, 4 ton, RSQ, (computative with 4800 units) 1 40x1826 88 M4800CL1-84 Master, and the analysis of the second complement only 1 42x1826 88 M4800CL1-80 M4800CL1-8						
M4880CR1-B001 Module, Refrigerant Coil (3 Row)* (ACHP), Right hand A.Z. Complaint, TXV sold separately						\$4,046
M4860CR1-BDC Module, Peringerant Col 3 Row" (ACHE), Right hand, E-Coated, A2L Complaint, TXV sold separately 1 42x1826 88						\$4,590
TXV-41-454						\$4,084
TXV-41-32						\$4,627 \$201
Cooling Modules include a Spacer Module Replacement only (R4100), unit includes TXV Replacement Refrigerant Module (or Indicatement Coli (3 Now) (ACHPI), for indoor coil replacement only 1 42x18x26 88 M4860CL1-BR Module, Refrigerant Coli (3 Now) (ACHPI), for indoor coil replacement only 1 42x18x26 88 M4860CR1-BR Module, Refrigerant Coli (3 Now) (ACHPI), E-Cotated, for indoor coil replacement only 1 42x18x26 88 M4860CR1-BR Module, Refrigerant Coli (4 Now) (ACHPI), Right hand, for indoor coil replacement only 1 42x18x26 88 M4860CR1-BR Module, Refrigerant Coli (4 Now) (ACHPI), Right hand, for indoor coil replacement only 1 42x18x26 88 M4860CR1-BR Master Coli 1 5x5x5 2 Coling Modules include a Spacer Module Master Coli 1 5x5x5 2 Coling Modules include a Spacer Module Master Coli 1 45x18x19 28 M4860CL1-X Module, Hearing full with Coli 1 45x18x19 28 M4860CL1-X Module, Hearing full with Colin 1 45x18x19 28 M4860CL1-X Module, Hearing full with Colin 1 45x18x19 28 M4860CL1-X Module, Hearing full with Colin 1 45x18x19 28 M4860CL1-X Module, Hearing full with Colin 1 45x18x19 48 M4860CL1-X Master Colin 1 45x18x19 48 M4860CL1-X Master Colin 1 45x18x19 48 M4860CL1-X M486						\$201
Replacement Refrigerant Module for indoor coll replacement only (R100), unit flexibles TVV			, ,	3,3,5	, J ,	ΨΣΟΙ
M4880CL1-19-R Module, Refrigerant Col (3 Row)* (ACHP), for indoor col replacement only	•	•				
M486DCR1-8 R. Module, Refrigerant Col., (a Row) (ACHP) Right hand, for indoor col replacement only 1 1 42x18x26 88 2 Cooling Modules includes a Spacer Module Hydronic Module M486DCL1-1 Module, Chilled Water Coil 1 42x18x26 88 M486DCL1-1 Module, Heating (without hot Water Coil) 1 45x18x19 28 M486DCL1-1 Module, Heating (without hot Water Coil) 1 45x18x19 28 M486DCL1-1 Module, Heating (with hot Water Coil) 1 45x18x19 28 M486DCL1-1 Module, Heating (with hot Water Coil) 1 45x18x19 88 M486DCL1-1 Module, Heating (with hot Water Coil) 1 45x18x19 88 M486DCL1-1 Module, Heating (with hot Water Coil) 1 45x18x19 88 M486DCL1-1 Module, Heating (with hot Water Coil) 1 45x18x19 M486DCL1-1 Module, Horizontal Multiple Return Air (includes Filter) 1 42x18x20 45 M486DCL1-1 M48			1	42x18x26	88	\$3,748
TXV-4T-410	M4860CL1-B0C-R		1	42x18x26	88	\$4,304
Cooling Modules Includes a Spacer Module Module, Chilled Water Coil 1 42x18x26 88 M48B0CL1-X Module, Healing (without Hot Water Coil) 1 45x18x19 88 M48B0CL1-X M48B0CL1-X M60due, Healing (with Hot Water Coil) 1 45x18x19 88 M48B0CL1-X M48B0C CL1 M50due, Healing (with Hot Water Coil) 1 45x18x19 88 M48B0CL1-X M48B0C CL1 M50due, Healing (with Hot Water Coil) 1 45x18x19 88 M48B0CL1-X M48B0C CL1-X M48B0V2 1 45x18x19 88 M50due, M50due, M50due, Vertical Plenum (includes Filter) W50due, Vertical Plenum (includes Filter) 1 45x18x20 45 M50due, Vertical Plenum (includes Filter) W50due, Vertical Plenum (includes Filter) 1 42x18x20 30 M50due, Vertical Plenum (includes Filter) 1 42x18x20 30 M50due, Vertical Plenum (includes Filter) W50due, V50due,						\$3,748
Hydronic Module Module, Chilled Water Coil 1 42x18x26 88 M48B0CL1-X Module, Heating (without Hot Water Coil) 1 45x18x19 28 M48B0CL1-X Module, Heating (with out Marc Coil) 1 45x18x19 28 M48B0CL1-X Module, Heating (with Hot Water Coil) 1 45x18x19 28 M48B0CL1-X Module, Heating (with Hot Water Coil) 1 45x81x17 48 Cooling Modules Include a Spacer Module Variable A Spacer Mod			1	5x5x5	2	\$201
MABBOCLT-X Module, Chilled Water Col 1 42x18x26 88 MABBOCLT-X Module, Heating (with out Nater Col) 1 45x16x19 28 MABBOCLT-X Module, Heating (with tell Water Col) 1 45x16x19 88 MABBOCLT-X MABBO	-	clude a Spacer Module				
M4860CL1-X				ı		
M4860CL1+H Module, Heating (with Hot Water Coil)						\$3,737
HW-4860						\$432
Cooling Modules include a Spacer Module Vertical Plenum Module Ma860V2 Module, Vertical Plenum (includes Filter) 1 42x11x20 45			1 1			\$1,845
Medule, Vertical Plenum (includes Filter) 1 42x11x20 45				45X8X17	48	\$1,313
M4860V2 Module, Vertical Plenum (includes Filter) 1 42x31x20 45 H7072cntal Return Air Module M860R1 Module, Horizontal Multiple Return Air (includes Filter) 1 42x16x20 30 Return Air Components S S S S S S S S S		aude a Spacer Module				
Horizontal Return Air Module MasBRR1 Module, Horizontal Multiple Return Air (Includes Filter) 1 42x16x20 30		Module Vertical Plenum (includes Filter)	1	42x31x20	45	\$2,001
M4860R1 Module, Horizontal Multiple Return Air (Includes Filter) 1 42x16x20 30				IEAG IAEG		Ψ2,001
UPC-01-4860 Return Air Box with Grille and Filter, 2d*x 30* 1 8.5x27.5x33 16 UPC-01-48600 Return Air Box with Grille and Filter, 2d*x 30* 1 8.5x27.5x33 16 UPC-04-4860 Return Air Duct, R-4.2, 20* D x 10 ft. 1 22x22x29 18 UPC-04R8-4860 Return Air Duct, R-4.2, 20* D x 10 ft. 1 22x22x29 21 UPC-04R8-4860 Return Air Duct, R-6.0, 20* D x 10 ft. 1 22x22x29 21 UPC-04R8-4860 Return Air Duct, R-8.0 20* D x 10 ft. 1 24x22x29 24 UPC-59-4860 Return Air Adapter (fits to M4860CL1-B, C or E coil module), for 20* duct 1 1 1 1 1 1 1 1 1			1	42x16x20	30	\$543
UPC-04-4860NC Return Air Box with Grille and Filter, 20' x 30' 1 8,5x27,5x33 16 UPC-04-4860 Return Air Duct, R-4.2, 20' D x 10 ft. 1 22x22x29 21 UPC-04R6-4860 Return Air Duct, R-6.0, 20' D x 10 ft. 1 23x22x29 21 UPC-04R6-4860 Return Air Duct, R-8.0 20' D x 10 ft. 1 24x22x29 24 UPC-04R6-4860 Return Air Adapter (fits to M4860CL1-8, C or E coil module), for 20' duct 1 1 24x22x29 24 UPC-04R6-4860 Return Air Adapter (fits to M4860CL1-8, C or E coil module), for 20' duct 1 1 24x22x29 24 UPC-104-4860 Return Air Adapter (fits to M4860CL1-8, C or E coil module), for 20' duct 1 39x22x5 14 UPC-24C Secondary Drain Pan (2 Module 4860) 1 42x44x2 20 UPC-24D Secondary Drain Pan (3 Module 4860) 1 40x744 5 Accessories 4 40x744 4 4 4 4 4 4 4 4 4	Return Air Components	<u> </u>	•	•		
UPC-04-880			1		16	\$501
UPC-04R6-4860 Return Air Duct, R-6.0, 20" D x 10 ft 1 23x22x/29 21 UPC-04R8-4860 Return Air Duct, R-8.0 20" D x 10 ft 1 24x22x/29 24 UPC-59-4860 Return Air Adapter (fits to M4860CL1-8, C or E coil module), for 20" duct 1 1 6x16x/36 14 UPC-59-4860 Return Air Adapter (fits to M4860CL1-X or H, M4860V2) for 20" duct 1 39x22x/5 14 UPC-240 Return Air Adapter (fits to M4860CL1-X or H, M4860V2) for 20" duct 1 42x44x/2 20 UPC-24C Secondary Drain Pan (2 Module 4860) 1 42x44x/2 20 UPC-24D Secondary Drain Pan (3 Module 4860) 1 40x7x/4 5 Accessories			1			\$446
UPC-048-4860 Return Air Duct, R-8.0 20" D x 10 ft UPC-59-4860 Return Air Adapter (fits to M4860CL1-B, C or E coil module), for 20" duct 1 1 1 1 1 1 1 1 1						\$454
UPC-59-4860 Return Air Adapter (fits to M4860CL1-B, C or E coil module), for 20" duct 1 16x16x36 14 1 39x22x5 14						\$629
UPC-104-4860 Return Air Adapter (fits to M4860CL1-X or H, M4860V2) for 20" duct 1 39x22x5 14						\$641
Drain Pan						\$250
UPC-24C Secondary Drain Pan (2 Module 4860)		Return Air Adapter (fils to M4860CL1-X or H, M4860V2) for 20 duct		39X22X3	14	\$318
UPC-24D Secondary Drain Pan (3 Module 4860) 1 44x54x2 24 24 24 24 24 25 25 2		Secondary Drain Pan (2 Module 4860)	1 1	42y44y2	20	\$453
Accessories						\$508
UPC-64A						\$272
UPC-64A Vertical Installation Kit with 6" spacer module				l		*
UPC-61-4860 Adapter, Supply, Round, 10" 1 20x12x9 4		Vertical Installation Kit with 6" spacer module	1	41x19x8	13	\$445
UV Module and Accessories UV C1-09	UPC-62-4860	Adapter, Supply, Square, 11.5" ID	1	12x12x12	2	\$108
UVC1-09	UPC-61-4860	Adapter, Supply, Round, 10"	1	20x12x9	4	\$107
UVL1-09						
A02647-G01						\$585
A02649-G01 UV Replacement Bulb 1 10x10x10 2						\$1,431
Replacement Filters A00558-011 Filter, Pleated, 14 x 38 x 1, MERV 7, fits M4860R1 1 39x22x5 2 A02654-011 Filter, Pleated, 14 x 38 x 1, MERV 13 1 44x30.5x1.5 2 A00558-012 Filter, Pleated, 20 x 30 x 1, MERV 7 fits UPC-01-4860NC 1 33x28x9 2 A02654-012 Pleated Filter, 20x30x1, MERV 13 1 30.13x21.13x11.6 2 A00558-003** Filter, Pleated, 18 x 20 x 1, MERV 7, fits M4860V2 1 21x21x9 2 A02654-003** Filter, Pleated, 18 x 20 x 1, MERV 13 1 28.75x18x15.5 2 A00558-005** Filter, Pleated, 18 x 18 x 1, MERV 13 1 29x19x8 2 A02654-005** Filter, Pleated, 18 x 18 x 1, MERV 13 1 19x18x15.5 2 A00558-006 Filter, Pleated, 24 x 30 x 1, MERV 7 fits UPC-01-4860 1 31x32x5 6						\$846
A00558-011 Filter, Pleated, 14 x 38 x 1, MERV 7, fits M4860R1 1 39x22x5 2 A02654-011 Filter, Pleated, 14 x 38 x 1, MERV 13 1 44x30.5x1.5 2 A00558-012 Filter, Pleated, 20 x 30 x 1, MERV 7 fits UPC-01-4860NC 1 33x28x9 2 A02654-012 Pleated Filter, 20x30x1, MERV 7 is UPC-01-4860NC 1 30.3x21.3x11.6 2 A00558-003** Filter, Pleated, 18 x 20 x 1, MERV 7, fits M4860V2 1 21x21x9 2 A02654-003** Filter, Pleated, 18 x 20 x 1, MERV 13 1 28.75x18x15.5 2 A00558-005** Filter, Pleated, 18 x 1, MERV 13 1 29x19x8 2 A02654-005** Filter, Pleated, 18 x 18 x 1, MERV 13 1 19x18x15.5 2 A02658-006* Filter, Pleated, 18 x 18 x 1, MERV 13 1 19x18x15.5 2 A00558-006 Filter, Pleated, 24 x 30 x 1, MERV 7 fits UPC-01-4860 1 31x32x5 6		UV Replacement Bulb	1	10x10x10	2	\$130
A02654-011 Filter, Pleated, 14 x 38 x 1, MERV 13 1 44x30.5x1.5 2 A00558-012 Filter, Pleated, 20 x 30 x 1, MERV 7 fits UPC-01-4860NC 1 33x28x9 2 A02654-012 Pleated Filter, 20x30x1, MERV 13 1 30.13x21.13x11.6 2 A00558-003** Filter, Pleated, 18 x 20 x 1, MERV 7, fits M4860V2 1 21x21x9 2 A02654-003** Filter, Pleated, 18 x 20 x 1, MERV 13 1 28.75x18x15.5 2 A00558-005** Filter, Pleated, 18 x 18 x 1, MERV 7, fits M4860V2 1 29x19x8 2 A02654-005** Filter, Pleated, 18 x 18 x 1, MERV 13 1 19x18x15.5 2 A00558-006 Filter, Pleated, 24 x 30 x 1, MERV 7 fits UPC-01-4860 1 31x32x5 6		Eiter Digeted 44 v 29 v 4 MEDV 7 fits M4060D4	T 4	20v22vE		r.
A00558-012 Filter, Pleated, 20 x 30 x 1, MERV 7 fits UPC-01-4860NC 1 33x28x9 2 A02654-012 Pleated Filter, 20x30x1, MERV 13 1 30.13x21.13x11.6 2 A00558-003** Filter, Pleated, 18 x 20 x 1, MERV 7, fits M4860V2 1 21x21x9 2 A02654-003** Filter, Pleated, 18 x 20 x 1, MERV 13 1 28.75x18x15.5 2 A00558-005** Filter, Pleated, 18 x 18 x 1, MERV 7, fits M4860V2 1 29x19x8 2 A02654-005** Filter, Pleated, 18 x 18 x 1, MERV 13 1 19x18x15.5 2 A00558-006 Filter, Pleated, 24 x 30 x 1, MERV 7 fits UPC-01-4860 1 31x32x5 6						\$53 \$56
A02654-012 Pleated Filter, 20x30x1, MERV 13 1 30.13x21.13x11.6 2 A00558-003** Filter, Pleated, 18 x 20 x 1, MERV 7, fits M4860V2 1 21x21x9 2 A02654-003** Filter, Pleated, 18 x 20 x 1, MERV 13 1 28.75x18x15.5 2 A00558-005** Filter, Pleated, 18 x 18 x 1, MERV 7, fits M4860V2 1 29x19x8 2 A02654-005** Filter, Pleated, 18 x 18 x 1, MERV 13 1 19y18x15.5 2 A00558-006 Filter, Pleated, 24 x 30 x 1, MERV 7 fits UPC-01-4860 1 31x32x5 6						\$23
A00558-003** Filter, Pleated, 18 x 20 x 1, MERV 7, fits M4860V2 1 21x21x9 2 A02654-003** Filter, Pleated, 18 x 20 x 1, MERV 13 1 28.75x18x15.5 2 A00558-005** Filter, Pleated, 18 x 18 x 1, MERV 17, fits M4860V2 1 29x19x8 2 A02654-005** Filter, Pleated, 18 x 18 x 1, MERV 13 1 19x18x15.5 2 A00558-006 Filter, Pleated, 24 x 30 x 1, MERV 7 fits UPC-01-4860 1 31x32x5 6						\$23 \$27
A02654-003** Filter, Pleated, 18 x 20 x 1, MERV 13 1 28.75x18x15.5 2 A00558-005** Filter, Pleated, 18 x 18 x 1, MERV 7, fits M4860V2 1 29x19x8 2 A02654-005** Filter, Pleated, 18 x 18 x 1, MERV 13 1 19x18x15.5 2 A00558-006 Filter, Pleated, 24 x 30 x 1, MERV 7 fits UPC-01-4860 1 31x32x5 6						\$21
A00558-005** Filter, Pleated, 18 x 18 x 1, MERV 7, fits M4860V2 1 29x19x8 2 A02654-005** Filter, Pleated, 18 x 18 x 1, MERV 13 1 19x18x15.5 2 A00558-006 Filter, Pleated, 24 x 30 x 1, MERV 7 fits UPC-01-4860 1 31x32x5 6						\$24
A02654-005** Filter, Pleated, 18 x 18 x 1, MERV 13 1 19x18x15.5 2 A00558-006 Filter, Pleated, 24 x 30 x 1, MERV 7 fits UPC-01-4860 1 31x32x5 6						\$27
	A02654-005**		1	19x18x15.5	2	\$25
A02654-006 Pleated Filter 2/v30v1 MFRV 13			1			\$25
** M4860V2 require one of each size	A02654-006	Pleated Filter, 24x30x1, MERV 13	1	30.75x31x4	2	\$31

M4860V2 require one of each size

^{*}For capacity and usage questions call 1-800-527-0896 or email service@unicosystem.com



Part Number	Description	Qty	Carton Dimensions (Inches)	Ship Weight (Pounds)	List Price
oly Air Outlets - 2	Inch - Twist-Fit System				
und Plastic	This The System				
UPC-56TB-1	Supply Outlet, TFS, w/Toggles and Screws, Face Plate Only	1	5x5x5	1 1	\$
UPC-56TB-6	Supply Outlet, TFS, w/Toggles and Screws, Face Plate Only (6 pcs)	6	8x8x5	3	<u> </u>
UPC-56TB-BLK-1	Black Supply Outlet, TFS, w/Toggles and Screws, Face Plate Only	1	5x5x5	1	9
UPC-56TB-BLK-6	Black Supply Outlet, TFS, w/Toggles and Screws, Face Plate Only (6 pcs)	6	8x8x5	3	
UPC-56TB-BRS-1	Brass Supply Outlet, TFS, w/Toggles and Screws, Face Plate Only	1	5x5x5	1	
UPC-56TB-BRS-6	Brass Supply Outlet, TFS, w/Toggles and Screws, Face Plate Only (6 pcs)	6	8x8x5	3	\$
UPC-56TB-CHR-1	Chrome Supply Outlet, TFS, w/Toggles and Screws, Face Plate Only	1	5x5x5	1	Φ ,
UPC-56TB-CHR-6	Chrome Supply Outlet, TFS, w/Toggles and Screws, Face Plate Only (6 pcs)	6	8x8x5	3	
	Cilionie Supply Outlet, 175, w/roggies and Sciews, Face Flate Only (o pcs)		СХВХВ	3	<u>\$</u>
und Wood	To the TTO Weed State Fee Blue Out		5.5.5		
UPC-57T-B-1	Outlet, TFS, Wood, Birch, Face Plate Only	1	5x5x5	1	
UPC-57T-B-6	Outlet, TFS, Wood, Birch, Face Plate Only (6 pcs)	6	8x8x5	3	\$
UPC-57T-C-1	Outlet, TFS, Wood, Cherry, Face Plate Only	1	5x5x5	1	
UPC-57T-C-6	Outlet, TFS, Wood, Cherry, Face Plate Only (6 pcs)	6	8x8x5	3	\$
UPC-57T-K-1	Outlet, TFS, Wood, Knotty Pine, Face Plate Only	1	5x5x5	1	
UPC-57T-K-6	Outlet, TFS, Wood, Knotty Pine, Face Plate Only (6 pcs)	6	8x8x5	3	\$
UPC-57T-MA-1	Outlet, TFS, Wood, Maple, Face Plate Only	1	5x5x5	1	
UPC-57T-MA-6	Outlet, TFS, Wood, Maple, Face Plate Only (6 pcs)	6	8x8x5	3	9
UPC-57T-MH-1	Outlet, TFS, Wood, Mahogany, Face Plate Only	1	5x5x5	1	\$
UPC-57T-MH-6	Outlet, TFS, Wood, Mahogany, Face Plate Only (6 pcs)	6	8x8x5	3	9
UPC-57T-PI-1	Outlet, TFS, Wood, Pine, Face Plate Only	1	5x5x5	1	
UPC-57T-PI-6	Outlet, TFS, Wood, Pine, Face Plate Only (6 pcs)	6	8x8x5	3	Ç
UPC-57T-PO-1	Outlet, TFS, Wood, Poplar, Face Plate Only	1	5x5x5	1	
UPC-57T-PO-6	Outlet, TFS, Wood, Poplar, Face Plate Only (6 pcs)	6	8x8x5	3	9
UPC-57T-RO-1	Outlet, TFS, Wood, Red Oak, Face Plate Only	1	5x5x5	1	
UPC-57T-RO-6	Outlet, TFS, Wood, Red Oak, Face Plate Only (6 pcs)	6	8x8x5	3	\$
UPC-57T-WL-1	Outlet, TFS, Wood, Walnut, Face Plate Only	1	5x5x5	1	*
UPC-57T-WL-6	Outlet, TFS, Wood, Walnut, Face Plate Only (6 pcs)	6	8x8x5	3	\$
UPC-57T-WO-1	Outlet, TFS, Wood, White Oak, Face Plate Only	1	5x5x5	1	9
UPC-57T-WO-6	Outlet, TFS, Wood, White Oak, Face Plate Only (6 pcs)	6	8x8x5	3	3
	ts are unfinished			<u> </u>	•
und Flush Mount	are animoned				
UPC-57T-B-F-1	Wood Outlet, TFS, Flush Mount, Birch, Face Plate Only	1	5x5x5	1 1	9
UPC-57T-B-F-6	Wood Outlet, TFS, Flush Mount, Birch, Face Plate Only (6 pcs)	6	8x8x5	3	9
UPC-57T-C-F-1	Wood Outlet, TFS, Flush Mount, Cherry, Face Plate Only	1	5x5x5	1	4
UPC-57T-C-F-6	Wood Outlet, TFS, Flush Mount, Cherry, Face Plate Only (6 pcs)	6	8x8x5	3	9
UPC-57T-K-F-1	Wood Outlet, TFS, Flush Mount, Knotty Pine, Face Plate Only	1	5x5x5	1	4
UPC-57T-K-F-1	Wood Outlet, TFS, Flush Mount, Knotty Pine, Face Plate Only (6 pcs)	6	8x8x5	3	3
	Wood Outlet, TFS, Flush Mount, Maple, Face Plate Only (6 pcs)	1		1	
UPC-57T-MA-F-1			5x5x5		
UPC-57T-MA-F-6	Wood Outlet, TFS, Flush Mount, Maple, Face Plate Only (6 pcs)	6	8x8x5	3	9
UPC-57T-MH-F-1	Wood Outlet, TFS, Flush Mount, Mahogany, Face Plate Only	1	5x5x5	1	
UPC-57T-MH-F-6	Wood Outlet, TFS, Flush Mount, Mahogany, Face Plate Only (6 pcs)	6	8x8x5	3	(
UPC-57T-PI-F-1	Wood Outlet, TFS, Flush Mount, Pine, Face Plate Only	1	5x5x5	1	
UPC-57T-PI-F-6	Wood Outlet, TFS, Flush Mount, Pine, Face Plate Only (6 pcs)	6	8x8x5	3	
UPC-57T-PO-F-1	Wood Outlet, TFS, Flush Mount, Poplar, Face Plate Only	1	5x5x5	1	9
UPC-57T-PO-F-6	Wood Outlet, TFS, Flush Mount, Poplar, Face Plate Only (6 pcs)	6	8x8x5	3	(
UPC-57T-RO-F-1	Wood Outlet, TFS, Flush Mount, Red Oak, Face Plate Only	1	5x5x5	1	
UPC-57T-RO-F-6	Wood Outlet, TFS, Flush Mount, Red Oak, Face Plate Only (6 pcs)	6	8x8x5	3	9
UPC-57T-WL-F-1	Wood Outlet, TFS, Flush Mount, Walnut, Face Plate Only	1	5x5x5	1	•
UPC-57T-WL-F-6	Wood Outlet, TFS, Flush Mount, Walnut, Face Plate Only (6 pcs)	6	8x8x5	3	(
	Wood Outlet, TFS, Flush Mount, White Oak, Face Plate Only	1	5x5x5	1	9
UPC-57T-WO-F-1					



Part Number	Description	Qty	Carton Dimensions (Inches)	Ship Weight (Pounds)	List Price
y Air Componen tDuct™	ts - 2 Inch - Twist-Fit System				
UPC-26TCH-1	SmartDuct, TFS, 2x12' (1 PCS)	1	25x25x6	5	
UPC-26TCH-6	SmartDuct, TFS, 2x12' (6 PCS)	6	24x24x23	28	
UPC-26TCHR4-1	SmartDuct, TFS, 2x12', R4 (1 PCS)	1	32x31x4	6	
UPC-26TCHR4-1	SmartDuct, TFS, 2x12', R4 (1 PCS)	6	24x24x23	32	
UPC-26TDHR4-1	SmartDuct, TFS, 2x12', R4, Double Barrier (1 PCS)	1	25x25x6	6	
UPC-26TDHR4-6	SmartDuct, TFS, 2x12', R4, Double Barrier (6 PCS)	6	26x26x33	36	
UPC-26TCHR6-1	SmartDuct, TFS, 2x12', R6 (1 PCS)	1	25x25x6	6	
UPC-26TCHR6-6	SmartDuct, TFS, 2x12', R6 (6 PCS)	6	26x26x33	36	
UPC-26TCHR8-1	SmartDuct, TFS, 2x12', R8 (1 PCS)	1	25x25x6	6	
UPC-26TCHR8-6	SmartDuct, TFS, 2x12', R8 (6 PCS)	6	26x26x33	40	
d Attenuator	Official Duck, 11 G, ZATZ, NO (01 GG)	0	20/20/00	70	
UPC-26TC03-1	Sound Attenuator Tubing, TFS, Couplings Attached 2" ID x 3'L, R-3.3, single length (3 ft. per box)	1	10.5x10.5x10.5	2	
UPC-26TC03-6	Sound Attenuator Tubing, TFS, Couplings Attached 2" ID x 3'L, R-3.3, (18 ft. per box)	6	22.5x5.25x38.5	7	
UPC-26TC-1	Sound Attenuator Tubing, TFS, Couplings Attached 2" ID x 12'L, R-3.3, single length (12 ft. per box)	1	25x25x6	5	
UPC-26TC-6	Sound Attenuator Tubing, TFS, Couplings Attached 2" ID x 12'L, R-3.3 (72 ft. per box)	6	24x24x23	28	
LIDO COTOCODA A	Oursel Attached Tables TEO Ourselber Attached Old Durch Co. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.		40.5.40.5.40.5		
UPC-26TC03R4-1	Sound Attenuator Tubing, TFS, Couplings Attached 2" ID x 3"L, R-4.2, single length (3 ft. per box)	1	10.5x10.5x10.5	2	
UPC-26TC03R4-6 UPC-26TCR4-1	Sound Attenuator Tubing, TFS, Couplings Attached 2" ID x 3"L, R-4.2 (18 ft. per box) Sound Attenuator Tubing, TFS, Couplings Attached 2" ID x 12"L, R-4.2, single length (12 ft. per box)	6 1	22.5x5.25x38.5 32x31x4	7 6	
UPC-26TCR4-1 UPC-26TCR4-6	Sound Attenuator Lubing, 1FS, Couplings Attached 2" ID x 12L, R-4.2, single length (12 ft. per box) Sound Attenuator Tubing, TFS, Couplings Attached 2" ID x 12L, R-4.2 (72 ft. per box)	6	24x24x23	32	
UPC-26TD03R4-1	Sound Attenuator Tubing, Double Vapor Barrier, TFS, Couplings Attached 2" ID x 3'L, R-4.2, single length (3 ft. per box)	1	10.5x10.5x10.5	3	
0. 0 20.200	John J. Mariado. 1 aniig, 2 anii 1 aniig. 2 anii 1		10.07.10.07.10.0		
UPC-26TD03R4-6	Sound Attenuator Tubing, Double Vapor Barrier, TFS, Couplings Attached 2" ID x 3'L, R-4.2 (18 ft. per box)	6	22.5x5.25x38.5	7	
UPC-26TDR4-1	Sound Attenuator, Double Vapor Barrier, TFS, Couplings Attached, 2" ID x12'L, R-4.2, single length (12 ft. per box)	1	25x25x6	6	
LIDC OCTDD4.6	Count Attanuates Double Vanus Bossies TEC Countings Attanhad 28 ID (42) ID (42) ID (42) Attanhad		20,,20,,22	20	
UPC-26TDR4-6	Sound Attenuator, Double Vapor Barrier, TFS, Couplings Attached, 2" ID x12'L, R-4.2 (72 ft. per box)	6	26x26x33	36	
UPC-26TC03R6-1	Sound Attenuator Tubing, TFS, Couplings Attached 2" ID x 3"L, R-6.0, single length (3 ft. per box)	1	10.25x10.5x10.5	2	
UPC-26TC03R6-6	Sound Attenuator Tubing, TFS, Couplings Attached 2" ID x 3"L, R-6.0 (18 ft. per box)	6	34.5x6.25x34.5	7	
UPC-26TCR6-1	Sound Attenuator Tubing, TFS, Couplings Attached 2" ID x 12'L, R-6.0, single length (12 ft. per box)	1	25x25x6	6	
UPC-26TCR6-6	Sound Attenuator Tubing, TFS, Couplings Attached 2" ID x 12'L, R-6.0 (72 ft. per box)	6	26x26x33	36	
UPC-26TC03R8-1	Sound Attenuator Tubing, TFS, Couplings Attached 2" ID x 3'L, R-8.0, single length (3 ft. per box)	1	10.5x10.5x10.5	3	
UPC-26TC03R8-6	Sound Attenuator Tubing, TFS, Couplings Attached 2" ID x 3"L, R-8.0 (18 ft. per box)	6	34.5x6.25x34.5	8	
UPC-26TCR8-1 UPC-26TCR8-6	Sound Attenuator Tubing, TFS, Couplings Attached 2" ID x 12'L, R-8.0, single length (12 ft. per box) Sound Attenuator Tubing, TFS, Couplings Attached 2" ID x 12'L, R-8.0 (72 ft. per box)	1 6	25x25x6 26x26x33	6 40	:
ninum Supply	Sound Attendator Fubing, 11-3, Couplings Attached 2 ID X 121, 17-6.0 (721), per box)	U	20/20/33	40	
UPC-25T-1	Supply Tubing, TFS, Couplings Attached, Aluminum, 2" ID x 25'L, R-3.3, single length (25 ft. per box)	1	32x31x4	9	
UPC-25T-4	Supply Tubing, TFS, Couplings Attached, Aluminum, 2" ID x 25"L, R-3.3 (100 ft. per box)	4	31x15x31	30	
UPC-25T-R4-1	Supply Tubing, TFS, Couplings Attached, Aluminum, 2" ID x 25'L, R-4.2, single length (25 ft. per box)	1	32x31x4	10	
UPC-25T-R4-4	Supply Tubing, TFS, Couplings Attached, Aluminum, 2" ID x 25'L, R-4.2 (100 ft. per box)	4	32x30x15	58	
UPC-25T-R6-1	Supply Tubing, TFS, Couplings Attached, Aluminum, 2" ID x 25'L, R-6.0, single length (25 ft. per box)	1	32x31x4	10	
UPC-25T-R6-4	Supply Tubing, TFS, Couplings Attached, Aluminum, 2" ID x 25'L, R-6.0 (100 ft. per box)	4	37x37x22	58	
UPC-25T-R8-1	Supply Tubing, TFS, Couplings Attached, Aluminum, 2" ID x 25'L, R-8.0, single length (25 ft. per box)	4	32x31x4	10 61	
UPC-25T-R8-4	Supply Tubing, TFS, Couplings Attached, Aluminum, 2" ID x 25'L, R-8.0 (100 ft. per box)	4	37x37x22	01	
UPC-89TM-1	Install Kit, 2", Round Metal Plenum, TFS, (1 pk) - Includes (1) Supply Outlets, (1) Take Off for round metal plenum, (1)	1	5.5x5.5x5.5	1	
	Winter Supply Shutoff Caps, (2) Toggles and Screws, (2) extra TFS Gaskets	L			
UPC-89TM-6	Install Kit, 2", Round Metal Plenum, TFS, (6 pk) - Includes (6) Supply Outlets, (6) Take offs for round metal plenum, (6)	6	10.5x10.5x5	3	
	Winter Supply Shutoff Caps, (12) Toggles and Screws, (2) extra TFS Gaskets	+			
UPC-89TMR6-1	Install Kit, 2", R6, Round Metal Plenum, TFS, (1 pk) - Includes (1) Supply Outlets, (1) Take Off for round metal plenum,	1	5.5x5.5x5.5	1	
	(1) Winter Supply Shutoff Caps, (2) Toggles and Screws, (2) extra TFS Gaskets Install Kit, 2", R6, Round Metal Plenum, TFS, (6 pk) - Includes (6) Supply Outlets, (6) Take offs for round metal plenum,	1			
UPC-89TMR6-6	(6) Winter Supply Shutoff Caps, (12) Toggles and Screws, (2) extra TFS Gaskets	6	10.5x10.5x5	3	
UPC-89TMF-1	Install Kit, 2", Flat Metal Plenum, TFS, (1 pk) - Includes (1) Supply Outlets, (1) Take Off for flat metal plenum, (1) Winter	1	5.5x5.5x5.5	1	
	Supply Shutoff Caps, (2) Toggles and Screws, (2) extra TFS Gasket				
UPC-89TMF-6	Install Kit, 2", Flat Metal Plenum, TFS, (6 pk) - Includes (6) Supply Outlets, (6) Take offs for flat metal plenum, (6) Winter	6	10.5x10.5x5	3	
	Supply Shutoff Caps, (12) Toggles and Screws, (2) extra TFS Gaskets	1			
UPC-89TMFR6-6	Install Kit, 2", R6 Flat Metal Plenum, TFS, (6 pk) - Includes (6) Supply Outlets, (6) Take offs for flat metal plenum, (6) Winter Supply Shutoff Caps, (12) Toggles and Screws, (2) extra TFS Gaskets	6	10.5x10.5x5	3	
II Kits - Fiberglass	Timilor Cuppy Chulon Cups, (12) Tuggies and Octoms, (2) Extra 11 O Gaskets	1		<u> </u>	
UPC-89TF-1	Install Kit, 2", 1" Fiberglass Plenum, TFS, (1 pk) - Includes (1) Supply Outlets, (1) Spin-in Take Off, (1) Winter Supply	1	5.5x5.5x5.5	1	
	Shutoff Caps, (2) Toggles and Screws, (2) Aluminum Core Clamps (black), (2) zip ties, (2) extra TFS Gaskets				
UDO COTT		<u> </u>	10 5 :		
UPC-89TF-6	Install Kit, 2", 1" Fiberglass Plenum, TFS, (6 pk) - Includes (6) Supply Outlets, (6) Spin-in Take Offs, (6) Winter Supply Shutoff Caps, (12) Toggles and Screws, (8) Aluminum Core Clamps (black), (8) zip ties, (2) extra TFS Gaskets	6	10.5x10.5x5	3	
	Gradion Caps, (12) roggles and Screws, (o) Adminimum Core Clamps (black), (b) zip ties, (z) extra 1FS Gaskets				
UPC-89TFR6-1	Install Kit, 2", 1.5" Fiberglass Plenum, TFS, (1 pk) - Includes (1) Supply Outlets, (1) R6 Spin-in Take Off, (1) Winter	1	5.5x5.5x5.5	1	
	Supply Shutoff Caps, (2) Toggles and Screws, (2) Aluminum Core Clamps (black), (2) zip ties, (2) extra TFS Gaskets				
UDO COTTO	1 - 110 - 21 - 11 - 21 - 12 - 21 - 12 - 21 - 2	<u> </u>	10 5 :		
UPC-89TFR6-6	Install Kit, 2", 1.5" Fiberglass Plenum, TFS, (6 pk) - Includes (6) Supply Outlets, (6) R6 Spin-in Take Offs, (6) Winter	6	10.5x10.5x5	3	
0. 0 00	Supply Shutoff Caps, (12) Toggles and Screws, (8) Aluminum Core Clamps (black), (8) zip ties, (2) extra TFS Gaskets				



Part Number	Description	Qty	Carton Dimensions (Inches)	Ship Weight (Pounds)	List Pric
ssories - 2 Inch oly Air & Outlet Comp	ponents				
UPC-22	Take-off, Spin-In for 1.5" fiberglass duct board kit	1	5x5x5	1	
UPC-23B	Take-off, Spin-in for 1" fiberglass duct board kit	1	5x5x5	1	
UPC-28T-1	TFS, Take-off, for round metal plenum Includes gasket	1	5x5x5	1	
UPC-28T-6	TFS, Take-off, for round metal plenum Includes gasket (6 pcs)	6	8x8x5	5	
UPC-28TF-1	TFS, Take-off, for flat metal plenum Includes gasket	1	5x5x5	1	
UPC-28TF-6	TFS, Take-off, for flat metal plenum Includes gasket (6 pcs)	6	8x8x5	5	
UPC-35-15	Balancing Kit for plenum take-offs	15	5x5x5	1	
UPC-36-15	Balancing Kit 2" for round outlets	15	5x5x5	1	
UPC-38TC-1	Coupling Kit, TFS, 2" Duct, 1 Couplings, makes 1 connection	1	5x5x5	1	
UPC-38TC-6	Coupling Kit, TFS, 2" Duct, 6 Couplings, makes 6 connections	6	10x10x11	3	
UPC-38TC-B-1	Coupling Kit, TFS, 2" Duct, R3.3, Black, 1 Couplings, makes 1 connection	1	5.5x5.5x5.5	1	
UPC-38TC-B-6	Coupling Kit, TFS, 2" Duct, R3.3. Black, 6 Couplings, makes 6 connections	6	10.5x10.5x10.5	3	
UPC-38TCR6-B-1	Coupling Kit, TFS, 2" Duct, R6, Black, 1 Couplings, makes 1 connection	1	8x8x4.375	1	
UPC-38TCR6-B-6	Coupling Kit, TFS, 2" Duct, R6, Black, 6 Couplings, makes 6 connections	6	10.5x10.5x10.5	3	
UPC-38TCR6-W-1	Coupling Kit, TFS, 2" Duct, R6, White, 1 Couplings, makes 1 connection	1	8x8x4.375	1	
UPC-38TCR6-W-6	Coupling Kit, TFS, 2" Duct, R6, White, 6 Couplings, makes 6 connections	6	10.5x10.5x10.5	3	
UPC-38TC-W-1	Coupling Kit, TFS, 2" Duct, R3.3, White, 1 Couplings, makes 1 connection	1	5.5x5.5x5.5	1	
UPC-38TC-W-6	Coupling Kit, 11-5, 2" Duct, R3.3, White, 6 Couplings, makes 6 connections	6	10.5x10.5x10.5	3	
UPC-42-20	Plugs, Winter Shut-off for 2" outlets (20/box)	20	5x5x5	1	
UPC-45-5	Deflector, Air, Outlet	5	5x5x5	1	
UPC-51	Hardware Pkg, Outlet Includes (12) toggles and screws	12	5x5x5	1	
UPC-52-50	Clamps, Aluminum Supply Tubing (black)	50	5x5x5	1	
UPC-53-50	Clamps, Sound Attenuator (silver)	50	5x5x5	1	
UPC-54	Pliers, Clamp	1	5x5x5	1	
UPC-55-5	Hole Cutter, fiberglass duct board, 2" ("Cookie-cutter")	5	5x5x5	1	
UPC-84-5	Outlet Kit, Short Rigid 1' Attenuator(for 1" duct board plenum)	5	10x11x17	4	
UPC-85-5	Outlet Kit, Short Rigid 1' Attenuator(for metal plenum)	5	10x11x17	4	
UPC-86-5	Frame-in Kits, 2"	5	10x11x17	5	
UPC-88-20	Screen, Outlet, White	20	5x5x5	1	
UPC-88-20-BLK	Screen, Outlet, White Screen, Outlet, Black				
A00122-001		20	5x5x5	1	
	Coupling, AL, 2"	1	5x5x5	1	
A00123-001	Ring, Tape, 3.5" (no slits)	1	5x5x5	1	
A00123-005	Ring, Tape, 5.0", 2.0" Duct, Red - R6	1	5x5x5	1	
A01102-001	Plugs, Winter Shut-off (Slotted outlet - UPC-67TA & UPC-68T)	1	5x5x5	1	
A01502-001-K05	Gasket, for underside of 2" round, flanged outlet (5 pcs)	5	5x5x5	1	
A01502-001	Gasket, Round, Flanged Outlet, 2"	1	5x5x5	1	
nd Plastic					
UPC-56FR-1	Supply Outlet, Round, Plastic, White, Fire-Rated 1-hour (UL555C)	1	5x5x5	1	
UPC-58-1-15	Supply Outlet, Round, Plastic, 15° Sloped	1	5x5x5	1	
UPC-58-1-25	Supply Outlet, Round, Plastic, 25° Sloped	1	5x5x5	1	
All plastic outl	lets Include toggles and screws				
A01729-004	Supply Outlet, Flangeless, Black	1	5x5x5	1	
ted Outlet Kits (only a	available for 2")				
UPC-67TA	UPC-67TA, Twist Fit 90° Slotted Outlet, 2", White, 1/2" x 8" opening	1	16x17x4	2	
UPC-67-BRKT	Mounting Bracket, Outlet, Slot	1	16x17x4	3	
UPC-68T	UPC-68T, Twist Fit Straight Slotted Outlet, 2", White, 1/2" x 8" opening	1	10x10x11	2	
UPC-101	Supply Outlet Kit, Slotted, Plastic, White (for plenum duct)	1	8x8x5	1	
UPC-66	Outlet Assy, Slot, 90deg, Aluminum	1	16x17x4	4	
ted Plastic Trim Plate	es (only available for 2")				
A00297-001	Trim Plate for UPC-66/101 (White)	1	8x8x5	1	
A00297-002	Trim Plate for UPC-67TA and UPC-68T (White)	1	8x8x5	1	
A00297-002-BLK	Trim Plate Black for, UPC-67TA and UPC-68T	1	8x8x5	1	
A00297-002-BRS	Trim Plate Brass for UPC-67TA and UPC-68T	1	8x8x5	1	
A00297-002-CHR	Trim Plate Chrome for UPC-67TA and UPC-68T	1	8x8x5	1	
	002 are included in Supply Outlet Kit	•	•		
ed Wood Trim Plates	s (only available for 2")				
A00297-003-B	Trim Plate, Slotted Outlet, Wood, Birch (for UPC-67TA and UPC-68T)	1	16x7x5	1	
A00297-003-C	Trim Plate, Slotted, Wood, Cherry (for UPC-67TA and UPC-68T)	1	16x7x5	1	
A00297-003-K	Trim Plate, Slotted, Wood, Knotty Pine (for UPC-67TA and UPC-68T)	1	16x7x5	1	
A00297-003-MA	Trim Plate, Slotted, Wood, Maple (for UPC-67TA and UPC-68T)	1	16x7x5	1	
A00297-003-MH	Trim Plate, Slotted, Wood, Mahogany (for UPC-67TA and UPC-68T)	1	16x7x5	1	
A00297-003-MH A00297-003-PI	Trim Plate, Slotted, Wood, Managary (for UPC-67TA and UPC-68T)	1	16x7x5	1	
A00297-003-PO	Trim Plate, Slotted, Wood, Pinle (ioi OPC-67TA and UPC-68T) Trim Plate, Slotted, Wood, Poplar (for UPC-67TA and UPC-68T)	1	16x7x5	1	
A00297-003-PO A00297-003-RO	Trim Plate, Slotted, Wood, Poplar (for UPC-67TA and UPC-68T) Trim Plate, Slotted, Wood, Red Oak (for UPC-67TA and UPC-68T)	1	16x7x5 16x7x5	1	
A00297-003-WL	Trim Plate, Slotted, Wood, Walnuts (for UPC-67TA and UPC-68T)	1	16x7x5	1	
A00297-003-WO	Trim Plate, Slotted, Wood, White Oak (for UPC-67TA and UPC-68T)	1	16x7x5	1	
All wood outlet	ts are unfinished Slotted Outlet Extension Kit 4", for UPC-67TA and UPC-68T				
A01057-G01		1	17x17x5	1	



Part Numb	Description	Qty	Carton Dimensions (Inches)	Ship Weight (Pounds)	List Price
oply Air Outle	s - 2.5 Inch - Standard				
UPC-256	Supply Outlet, 2.5", Round, Plastic, White	1	5x5x5	1	\$2
UPC-256B-	K Supply Outlet, 2.5", Round, Plastic, Black	1	5x5x5	1	\$8
UPC-256B-	S Supply Outlet, 2.5", Round, Plastic, Brass Finish	1	5x5x5	1	\$4
UPC-256B-	R Supply Outlet, 2.5", Round, Plastic, Chrome Finish	1	5x5x5	1	\$
All p	ic outlets Include toggles and screws			- L	·
A01346-00	Supply Outlet, 2.5", Flangeless, Black	1	5x5x5	1	(
ound Wood	Teebby a mediane to mediane amount			<u> </u>	
UPC-257-B	Supply Outlet, 2.5", Round, Wood, Birch	1	5x5x5	1	\$1:
UPC-257-C	Supply Outlet, 2.5", Round, Wood, Cherry	1	5x5x5	1	\$1
UPC-257-K	Supply Outlet, 2.5", Round, Wood, Knotty Pine	1	5x5x5	1 1	\$2
UPC-257-N	Supply Outlet, 2.5", Round, Wood, Maple	1	5x5x5	1	\$1:
UPC-257-N	Supply Outlet, 2.5", Round, Wood, Mahogany	1	5x5x5	1 1	\$1
UPC-257-P	Supply Outlet, 2.5", Round, Wood, Pine	1	5x5x5	1	\$1
UPC-257-P	Supply Outlet, 2.5", Round, Wood, Poplar	1	5x5x5	1	\$1:
UPC-257-R	Supply Outlet, 2.5", Round, Wood, Red Oak	1	5x5x5	1	\$1 \$1
UPC-257-V	Supply Outlet, 2.5", Round, Wood, Ned Oak Supply Outlet, 2.5", Round, Wood, Walnut	1	5x5x5	1	\$1
UPC-257-V	Supply Outlet, 2.5", Round, Wood, White Oak	1	5x5x5	1	\$1
-4.2 UPC-226H-	SmartDuct, 2.5"x12" (5 PCS) -5 SmartDuct, 2.5"x12", R4 (5 PCS)	5	24x24x23 24x24x23	32	\$5 \$5
UPC-226D	· · · · · · · · · · · · · · · · · · ·	5	24x24x23	28	\$6
-6	Gillattouci, 2.5 x12, tv4, bouble barrier (5 1 00)	3	24724720	20	φυ
UPC-226H-	-5 SmartDuct, 2.5"x12', R6 (5 PCS)	5	26x26x33	36	\$8
-8	5 (Smartbuct, 2.5 x12 , No (5 FeS)	J	20,20,33	30	φο
UPC-226H-	-5 SmartDuct, 2.5"x12', R8 (5 PCS)	5	26x26x33	40	\$9
ound Attenuator	5 (Smartbuct, 2.5 x12 , No (5 FC5)	J	20,20,33	40	Φ9-
UPC-226-5	Sound Attenuator Tubing, 2.5" ID x 12"L R-3.3(60 ft total)	5	24x24x23	28	\$6
UPC-226-8		5	24x24x23 24x24x23	32	\$7
UPC-226-R		5	26x26x33	36	\$1,0
UPC-226-R		5	26x26x33	40	\$1,2
UPC-226D-	Sound Attenuator, Double Vapor Barrier, 2.5"x12' R-4.2 (5 pcs)	5	24x24x23	28	\$8
luminum Supply	To the state of th	- 1 . 1		1 .	
UPC-225-1	Supply Tubing, Aluminum, 2.5" ID x 25"L, R-3.3 single length	1	32x31x4	9	\$2
UPC-225-3	Supply Tubing, Aluminum, 2.5" ID x 25"L R-3.3 (75 ft total)	3	34x34x12	30	\$6
UPC-225-R		3	34x34x12	58	\$7
UPC-225-R		3	38x38x19	58	\$1,0
UPC-225-R	Supply Tubing, Aluminum, 2.5" ID x 25'L, R-8.0 (75 ft total)	3	38x38x19	61	\$1,1
tall Kits					
letal UPC-280M	Outlet Kit, 2.5", Metal Plenum (single outlet) Includes Supply Outlet, 12' R-3.3 Attenuator Tube, Metal Plenum Take O	ff, 1	26x22x5	5	\$2
	Winter Shutoff Cap, (2) Scrim Core Clamps(silver), (2) Aluminum Clamps(black), Coupling with Tape Rings, (1) Balance				,

UPC-280M-1	Outlet Kit, 2.5", Metal Plenum (single outlet) Includes Supply Outlet, 12' R-3.3 Attenuator Tube, Metal Plenum Take Off, Winter Shutoff Cap, (2) Scrim Core Clamps(silver), (2) Aluminum Clamps(black), Coupling with Tape Rings, (1) Balancing Orifice Kit	1	26x22x5	5	\$223
UPC-280MF-1	Installation Kit, 2.5" Flat Metal Plenum, 1/box	1	24x24x6	5	\$219
UPC-280MR6-1	Outlet Kit, 2.5", Metal Plenum (single outlet) Includes Supply Outlet, 12' R-6 Attenuator Tube, Metal Plenum Take Off, Winter Shutoff Cap, (2) Scrim Core Clamps, (2) Aluminum Clamps and a Coupling with Tape Rings, Balancing Orifice Kit	1	26x22x5	8	\$358
UPC-289M-5	Installation Kit, 2.5", Round Metal Plenum (5 outlets) Includes (5) Supply Outlets, (5) Metal Take Offs, (5) Winter Supply Shutoff Caps, (10) Scrim Core Clamps(silver), (10) Toggles and Screws, (10) Aluminum Core Clamps (black), (1) Balancing Orifice Kit, (5) Couplings with (10) Tape Rings	5	10x10x10	5	\$378
UPC-289MF-5	Installation Kit, 2.5", Rectangular Metal Plenum (5 outlets) Includes (5) Supply Outlets, (5) Metal Take Offs, (5) Winter Supply Shutoff Caps, (10) Scrim Core Clamps(silver), (10) Toggles and Screws, (10) Aluminum Core Clamps (black), (1) Balancing Orifice Kit, (5) Couplings with (10) Tape Rings	5	14x14x14	8	\$378

Remember - With 2.5", fewer outlets are needed for same airflow.

Accessories - 2.5 Inch

Supply Air & Outlet Components

UPC-228	Take-off, 2.5" for round metal plenum (Includes gasket)	1	5x5x5	1	\$48
UPC-228F	Flat Take-off, 2.5" for square metal plenum (Includes gasket)	1	5x5x5	1	\$51
UPC-235-5	2.5" Balancing Kit for plenum take-offs	5	5x5x5	1	\$98
UPC-238-10	Coupling, Duct, 2.5" Includes Clamps (makes 10 couplings/box)	10	10x10x11	3	\$263
UPC-242-20	Winter shut-off plug, 2.5" Round Outlet, 20pk	20	5x5x5	1	\$45
UPC-245-5	Deflector, Air, 2.5" Outlet	5	5x5x5	1	\$177
UPC-252-50	Clamps, 2.5" Aluminum Supply Tubing (black)	50	5x5x5	1	\$123
UPC-253-50	Clamps, 2.5" Sound Attenuator (silver)	50	5x5x5	1	\$123
UPC-286-5	Frame-in Kits, 2.5"	5	10x11x17	5	\$187
UPC-288-20	Screen, Outlet, 2.5", White	20	5x5x5	1	\$89
UPC-288-20-BLK	Screen, Outlet, 2.5", Black	20	5x5x5	1	\$72
A00123-003	Ring, Tape, 4.0" (no slits)	1	5x5x5	1	\$5
A00123-006	Ring, Tape, 5.0", 2.5" Duct, Red - R6	1	5x5x5	1	\$6
A01502-002-K05	Gasket, Round, Flanged Outlet, 2.5" (5 pieces)	5	5x5x5	1	\$36
A01502-002	Gasket, Round, Flanged Outlet, 2.5"	1	5x5x5	1	\$3



Part Number	Description	Qty	Carton Dimensions (Inches)	Ship Weight (Pounds)	List Price
o Plenum					
ico Plenum					
USM-01	Duct,Galv,7Dx5'x28GA (1 piece)	1	11x11x63	10	please call for pricing
USM-02	Duct,Galv,9Dx5'x28GA (1/piece)	1	11x11x63	10	please call for pricing
USM-03	Elbow,Galv,7Dx28 GA. (1/piece)	1	23x15x14	5	please call for pricing
USM-04	Elbow,Galv,9Dx28GA. (1/piece)	1	23x15x14	5	please call for pricing
USM-05	End Cap,Galv,Uncrmp,7" I.D. (1/piece)	1	23x15x14 23x15x14	5	please call for pricing
USM-06		1	23x15x14 23x15x14	5	please call for pricing
	End Cap, Galv, Uncrmp, 9" I.D. (1/piece)				
USM-07	Tee,Galv,7Dx28GA (1/piece)	1	23x15x14	5	please call for pricing please call for pricing
USM-08	Tee,Galv,9Dx28GA (1/piece)	1	23x15x14	5	
USM-09	Tee,Reducer,Galv, 9x7x7x28GA (1/piece)	1	23x15x14	5	please call for pricing
USM-10	Insul,Sleeve,Silver,7Dx5'x2" R6 (1/piece)	1	23x15x14	5	please call for pricing
USM-10-R8	Insul,Sleeve,Silver,7Dx5'x2" R8 (1/piece)	1	23x15x14	5	please call for pricing
USM-11	Insul,Sleeve,Silver,9Dx5'x2" R6 (1/piece)	1	23x15x14	5	please call for pricing
USM-11-R8	Insul,Sleeve,Silver,9Dx5'x2" R8 (1/piece)	1	23x15x14	5	please call for pricing
USM-12	Reducer,Galv,9x7x28GA (1/piece)	1	23x15x14	5	please call for pricing
USM-13	Duct,Galv,10Dx5'x28GA (1/piece)	1	12x12x63	10	please call for pricing
USM-14	Elbow,Galv, 10" (1/piece)	1	23x15x14	5	please call for pricin
USM-15	Tee,Galv, 10" (1/piece)	1	23x15x14	5	please call for pricing
USM-16	Insul,Sleeve,Silver, 10Dx5'x2" R6 (1/piece)	1	23x15x14	5	please call for pricing
USM-16-R8	Insul,Sleeve,Silver, 10Dx5'x2" R8 (1/piece)	1	23x15x14	5	please call for pricin
USM-17	Reducer, Galv, 10" X 9" (1/piece)	1	23x15x14	5	please call for pricin
USM-18	End Cap,Galv, 10" (1/piece)			5	please call for pricing
USM-19	Tee,Galv, Reducer, 10 X 9 X 9" (1/piece)	1	23x15x14	5	please call for pricing
OOW-19	Too, Jan, Reducer, To No No (Tiplede)		23x15x14		P
ngle Phase 240V	Furnace Floatric 2 I/W 4D/220V/(restables all restables all restables x*	1 4	10,,20,,20	22	•
WON0202-C WON0502-C	Furnace, Electric, 2 kW, 1P/230V (matches all models)** Furnace, Electric, 5 kW, 1P/230V (matches all models)**	1	16x20x29 16x20x29	22	\$! \$1,i
WON0202-C WON0502-C WON0752-C	Furnace, Electric, 5 kW, 1P/230V (matches all models)** Furnace, Electric, 7.5 kW, 1P/230V (matches all models)**	1	16x20x29 16x20x29	22 29	\$1, \$1,
WON0202-C WON0502-C WON0752-C WON1002-C	Furnace, Electric, 5 kW, 1P/230V (matches all models)** Furnace, Electric, 7.5 kW, 1P/230V (matches all models)** Furnace, Electric, 10 kW, 1P/230V (matches 2430, 3036, 3642 4860)**	1 1 1	16x20x29 16x20x29 16x20x29	22 29 35	\$1, \$1, \$1,
WON0202-C WON0502-C WON0752-C WON1002-C WON1502-C	Furnace, Electric, 5 kW, 1P/230V (matches all models)** Furnace, Electric, 7.5 kW, 1P/230V (matches all models)** Furnace, Electric, 10 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 15 kW, 1P/230V (matches 2430, 3036, 3642, 4860)**	1 1 1	16x20x29 16x20x29 16x20x29 16x20x29	22 29 35 36	\$1, \$1, \$1, \$2,
WON0202-C WON0502-C WON0752-C WON1002-C WON1502-C WON2002-C	Furnace, Electric, 5 kW, 1P/230V (matches all models)** Furnace, Electric, 7.5 kW, 1P/230V (matches all models)** Furnace, Electric, 10 kW, 1P/230V (matches 2430, 3036, 3642 4860)**	1 1 1	16x20x29 16x20x29 16x20x29	22 29 35	\$1, \$1, \$1,
WON0202-C WON0502-C WON0752-C WON1002-C WON1502-C WON2002-C ree Phase 240V	Furnace, Electric, 5 kW, 1P/230V (matches all models)** Furnace, Electric, 7.5 kW, 1P/230V (matches all models)** Furnace, Electric, 10 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 15 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 20 kW, 1P/230V (matches 3036, 3642, 4860)**	1 1 1 1 1 1 1	16x20x29 16x20x29 16x20x29 16x20x29 16x20x29 39x19x13	22 29 35 36 51	\$1. \$1. \$1. \$2. \$2.
WON0202-C WON0502-C WON0752-C WON1002-C WON1502-C WON2002-C Phase 240V WON0754-C	Furnace, Electric, 5 kW, 1P/230V (matches all models)** Furnace, Electric, 7.5 kW, 1P/230V (matches all models)** Furnace, Electric, 10 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 15 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 20 kW, 1P/230V (matches 3036, 3642, 4860)** Furnace, Electric, 7.5 kW, 3P/230V (matches all models)**	1 1 1 1 1 1 1 1 1 1	16x20x29 16x20x29 16x20x29 16x20x29 16x20x29 39x19x13	22 29 35 36 51	\$1 \$1 \$1 \$2 \$2 \$2
WON0202-C WON0502-C WON0752-C WON1002-C WON1502-C WON2002-C YON0754-C WON0754-C WON1004-C	Furnace, Electric, 5 kW, 1P/230V (matches all models)** Furnace, Electric, 7.5 kW, 1P/230V (matches all models)** Furnace, Electric, 10 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 15 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 20 kW, 1P/230V (matches 3036, 3642, 4860)** Furnace, Electric, 7.5 kW, 3P/230V (matches all models)** Furnace, Electric, 10 kW, 3P/230V (matches 2430, 3036, 3642, 4860)**	1 1 1 1 1 1	16x20x29 16x20x29 16x20x29 16x20x29 16x20x29 39x19x13 16x20x29 16x20x29	22 29 35 36 51 29 28	\$1 \$1 \$1 \$2 \$2 \$2
WON0202-C WON0502-C WON0752-C WON1002-C WON1502-C WON2002-C Tree Phase 240V WON0754-C WON1004-C WON1504-C	Furnace, Electric, 5 kW, 1P/230V (matches all models)** Furnace, Electric, 7.5 kW, 1P/230V (matches all models)** Furnace, Electric, 10 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 15 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 20 kW, 1P/230V (matches 3036, 3642, 4860)** Furnace, Electric, 7.5 kW, 3P/230V (matches all models)**	1 1 1 1 1 1 1 1 1 1	16x20x29 16x20x29 16x20x29 16x20x29 16x20x29 39x19x13	22 29 35 36 51	\$1 \$1 \$1 \$2 \$2 \$2
WON0202-C WON0502-C WON0752-C WON1002-C WON1502-C WON2002-C WON2002-C ree Phase 240V WON0754-C WON1004-C WON1504-C Cessories	Furnace, Electric, 5 kW, 1P/230V (matches all models)** Furnace, Electric, 7.5 kW, 1P/230V (matches all models)** Furnace, Electric, 10 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 15 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 20 kW, 1P/230V (matches 3036, 3642, 4860)** Furnace, Electric, 7.5 kW, 3P/230V (matches all models)** Furnace, Electric, 10 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 15 kW, 3P/230V (matches 2430, 3036, 3642, 4860)**	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	16x20x29 16x20x29 16x20x29 16x20x29 39x19x13 16x20x29 16x20x29 16x20x29	22 29 35 36 51 29 28 36	\$1 \$1 \$1 \$2 \$2 \$2 \$1 \$1 \$1
WON0202-C WON0502-C WON0752-C WON1002-C WON1502-C WON2002-C WON2002-C Yee Phase 240V WON0754-C WON1004-C WON1504-C Cessories A01007-G01	Furnace, Electric, 5 kW, 1P/230V (matches all models)** Furnace, Electric, 7.5 kW, 1P/230V (matches all models)** Furnace, Electric, 10 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 15 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 20 kW, 1P/230V (matches 3036, 3642, 4860)** Furnace, Electric, 7.5 kW, 3P/230V (matches all models)** Furnace, Electric, 10 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 15 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Adapter, Supply, WON Heater, 7" diameter	1 1 1 1 1 1 1 1	16x20x29 16x20x29 16x20x29 16x20x29 16x20x29 39x19x13 16x20x29 16x20x29 16x20x29 13x13x4	22 29 35 36 51 29 28 36	\$1 \$1 \$1 \$2 \$2 \$2
WON0202-C WON0502-C WON0752-C WON1002-C WON1502-C WON2002-C WON2002-C YEE Phase 240V WON0754-C WON1004-C WON1504-C CCESSORIES A01007-G01 A01007-G02	Furnace, Electric, 5 kW, 1P/230V (matches all models)** Furnace, Electric, 7.5 kW, 1P/230V (matches all models)** Furnace, Electric, 10 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 15 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 20 kW, 1P/230V (matches 3036, 3642, 4860)** Furnace, Electric, 7.5 kW, 3P/230V (matches all models)** Furnace, Electric, 10 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 15 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Adapter, Supply, WON Heater, 7" diameter Adapter, Supply, WON Heater, 9" diameter	1 1 1 1 1 1 1 1 1 1	16x20x29 16x20x29 16x20x29 16x20x29 16x20x29 39x19x13 16x20x29 16x20x29 16x20x29 16x20x29 13x13x4	22 29 35 36 51 29 28 36	\$1 \$1 \$1 \$2 \$2 \$2
WON0202-C WON0502-C WON0752-C WON0752-C WON1502-C WON1502-C WON2002-C Tree Phase 240V WON0754-C WON1004-C WON1504-C Cessories A01007-G01 A01007-G02 A01007-G03	Furnace, Electric, 5 kW, 1P/230V (matches all models)** Furnace, Electric, 7.5 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 10 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 15 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 20 kW, 1P/230V (matches 3036, 3642, 4860)** Furnace, Electric, 7.5 kW, 3P/230V (matches all models)** Furnace, Electric, 10 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 15 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Adapter, Supply, WON Heater, 7" diameter Adapter, Supply, WON Heater, 9" diameter Adapter, Supply, WON Heater, 10" diameter*	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	16x20x29 16x20x29 16x20x29 16x20x29 39x19x13 16x20x29 16x20x29 16x20x29 16x20x29 13x13x4 13x13x4	22 29 35 36 51 29 28 36 2 2 2	\$1 \$1 \$1 \$2 \$2 \$2
WON0202-C WON0502-C WON0502-C WON0752-C WON1002-C WON1502-C WON2002-C ree Phase 240V WON0754-C WON1004-C WON1504-C Ccessories A01007-G01 A01007-G02 A01007-G03 A01008-G01	Furnace, Electric, 5 kW, 1P/230V (matches all models)** Furnace, Electric, 7.5 kW, 1P/230V (matches all models)** Furnace, Electric, 10 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 15 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 20 kW, 1P/230V (matches 3036, 3642, 4860)** Furnace, Electric, 7.5 kW, 3P/230V (matches all models)** Furnace, Electric, 10 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 15 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Adapter, Supply, WON Heater, 7" diameter Adapter, Supply, WON Heater, 10" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, 10" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, 10" diameter**	1 1 1 1 1 1 1 1 1 1 1 1 1 1	16x20x29 16x20x29 16x20x29 16x20x29 39x19x13 16x20x29 16x20x29 16x20x29 13x13x4 13x13x4 13x13x4 13x13x4	22 29 35 36 51 29 28 36 2 2 2 2	\$1 \$1 \$1 \$2 \$2 \$2
WON0202-C WON0502-C WON0752-C WON0752-C WON1002-C WON1502-C WON2002-C WON0754-C WON0754-C WON1004-C WON1504-C Cessories A01007-G01 A01007-G02 A01008-G01 A01008-G01 A01008-G02	Furnace, Electric, 5 kW, 1P/230V (matches all models)** Furnace, Electric, 7.5 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 10 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 15 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 20 kW, 1P/230V (matches 3036, 3642, 4860)** Furnace, Electric, 7.5 kW, 3P/230V (matches all models)** Furnace, Electric, 10 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 15 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Adapter, Supply, WON Heater, 7" diameter Adapter, Supply, WON Heater, 9" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, 16r6 6.5" sq. fiberglass) Adapter, Supply, WON Heater, (for 6.5" sq. fiberglass)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	16x20x29 16x20x29 16x20x29 16x20x29 39x19x13 16x20x29 16x20x29 16x20x29 16x20x29 13x13x4 13x13x4	22 29 35 36 51 29 28 36 2 2 2	\$1 \$1 \$1 \$2 \$2 \$2
WON0202-C WON0502-C WON0752-C WON1002-C WON1502-C WON1502-C WON2002-C WON0754-C WON0754-C WON1004-C WON1504-C Cessories A01007-G01 A01007-G02 A01007-G03 A01008-G02 ** WON Electric Fu	Furnace, Electric, 5 kW, 1P/230V (matches all models)** Furnace, Electric, 7.5 kW, 1P/230V (matches all models)** Furnace, Electric, 10 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 15 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 20 kW, 1P/230V (matches 3036, 3642, 4860)** Furnace, Electric, 7.5 kW, 3P/230V (matches all models)** Furnace, Electric, 10 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 15 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Adapter, Supply, WON Heater, 7" diameter Adapter, Supply, WON Heater, 10" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, 10" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, 10" diameter**	1 1 1 1 1 1 1 1 1 1 1 1 1 1	16x20x29 16x20x29 16x20x29 16x20x29 39x19x13 16x20x29 16x20x29 16x20x29 13x13x4 13x13x4 13x13x4 13x13x4	22 29 35 36 51 29 28 36 2 2 2 2	\$1 \$1 \$1 \$2 \$2 \$2 \$1 \$1 \$1
WON0202-C WON0502-C WON0752-C WON0752-C WON1002-C WON1502-C WON2002-C WON0754-C WON1004-C WON1504-C Cessories A01007-G01 A01007-G02 A01007-G03 A01008-G01 A01008-G01 ** WON Electric Fublacement Parts	Furnace, Electric, 5 kW, 1P/230V (matches all models)** Furnace, Electric, 7.5 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 10 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 15 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 20 kW, 1P/230V (matches 3036, 3642, 4860)** Furnace, Electric, 7.5 kW, 3P/230V (matches all models)** Furnace, Electric, 10 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 15 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 15 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Adapter, Supply, WON Heater, 7" diameter Adapter, Supply, WON Heater, 9" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, (for 6.5" sq. fiberglass) Adapter, Supply, WON Heater, (for 8.5" sq. fiberglass) urnace comes with both 10" Dia and 9.5" sq. supply adapter, mounting collar, and restrictor plate.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	16x20x29 16x20x29 16x20x29 16x20x29 39x19x13 16x20x29 16x20x29 16x20x29 16x20x29 13x13x4 13x13x4 13x13x4 13x13x3	22 29 35 36 51 29 28 36 2 2 2 2 2 4	\$1 \$1 \$1 \$2 \$2 \$2 \$2
WON0202-C WON0502-C WON0502-C WON0752-C WON1502-C WON1502-C WON2002-C WON2002-C WON1504-C WON1504-C WON1504-C Cessories A01007-G01 A01007-G02 A01007-G03 A01008-G01 A01008-G02 ** WON Electric Fuplacement Parts A00257-001	Furnace, Electric, 5 kW, 1P/230V (matches all models)** Furnace, Electric, 7.5 kW, 1P/230V (matches all models)** Furnace, Electric, 10 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 15 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 20 kW, 1P/230V (matches 3036, 3642, 4860)** Furnace, Electric, 7.5 kW, 3P/230V (matches all models)** Furnace, Electric, 10 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 15 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Adapter, Supply, WON Heater, 7" diameter Adapter, Supply, WON Heater, 7" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, 10" diameter* Adapter, Supply, WON Heater, 10" diameter, 10" diameter 10" di	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	16x20x29 16x20x29 16x20x29 16x20x29 39x19x13 16x20x29 16x20x29 16x20x29 13x13x4 13x13x4 13x13x3 13x13x3 5x5x5	22 29 35 36 51 29 28 36 2 2 2 2 4	\$1 \$1 \$1 \$2 \$2 \$2 \$2
WON0202-C WON0502-C WON0752-C WON0752-C WON1002-C WON1502-C WON1502-C WON2002-C ree Phase 240V WON0754-C WON1504-C WON1504-C CCESSOTIES A01007-G01 A01007-G02 A01007-G03 A01008-G01 A01008-G01 A01008-G01 A01008-G01 A01008-G01 A01008-G02 ** WON Electric Fuplacement Parts A00257-001 A00257-001	Furnace, Electric, 5 kW, 1P/230V (matches all models)** Furnace, Electric, 7.5 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 10 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 15 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 20 kW, 1P/230V (matches 3036, 3642, 4860)** Furnace, Electric, 7.5 kW, 3P/230V (matches all models)** Furnace, Electric, 10 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 15 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Adapter, Supply, WON Heater, 7" diameter Adapter, Supply, WON Heater, 9" diameter Adapter, Supply, WON Heater, 10" diameter* Adapter, Supply, WON Heater, 10" diameter* Adapter, Supply, WON Heater, (for 6.5" sq. fiberglass) Adapter, Supply, WON Heater, (for 8.5" sq. fiberglass) Imace comes with both 10" Dia and 9.5" sq. supply adapter, mounting collar, and restrictor plate. Fuse Link (for WUN series - Temp. 305.6°F/152°C Fuse Link (for WON series - Temp. 249.8°F/121°C	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	16x20x29 16x20x29 16x20x29 16x20x29 39x19x13 16x20x29 16x20x29 16x20x29 13x13x4 13x13x4 13x13x4 13x13x4 13x13x4 5x5x5	22 29 35 36 51 29 28 36 2 2 2 2 4	\$1 \$1 \$1 \$2 \$2 \$2 \$1 \$1 \$2
WON0202-C WON0502-C WON0752-C WON0752-C WON1002-C WON1502-C WON2002-C WON2002-C WON0754-C WON0754-C WON1504-C WON150	Furnace, Electric, 5 kW, 1P/230V (matches all models)** Furnace, Electric, 7.5 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 10 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 15 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 20 kW, 1P/230V (matches 3036, 3642, 4860)** Furnace, Electric, 7.5 kW, 3P/230V (matches all models)** Furnace, Electric, 10 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 15 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Adapter, Supply, WON Heater, 7" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, (for 6.5" sq. fiberglass) Adapter, Supply, WON Heater, (for 8.5" sq. fiberglass) Imace comes with both 10" Dia and 9.5" sq. supply adapter, mounting collar, and restrictor plate. Fuse Link (for WUN series - Temp. 305.6°F/152°C Fuse Link (for WON series - Temp. 249.8°F/121°C Fan Interlock Relay, 1-pole	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	16x20x29 16x20x29 16x20x29 16x20x29 39x19x13 16x20x29 16x20x29 16x20x29 16x20x29 13x13x4 13x13x4 13x13x3 13x13x3 5x5x5 5x5x5	22 29 35 36 51 29 28 36 2 2 2 2 2 4	\$1 \$1 \$1 \$2 \$2 \$2
WON0202-C WON0502-C WON0752-C WON0752-C WON1502-C WON1502-C WON2002-C WON2002-C WON2002-C WON1504-C WON1504-C WON1504-C WON1504-C WON1504-C WON1504-C WON1504-C CCESSORIES A01007-G01 A01007-G02 A01007-G03 A01008-G01 A00257-001 A00257-001 A00257-001 A00257-002 A00802-003 A01011-001	Furnace, Electric, 5 kW, 1P/230V (matches all models)** Furnace, Electric, 7.5 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 10 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 15 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 20 kW, 1P/230V (matches 3036, 3642, 4860)** Furnace, Electric, 7.5 kW, 3P/230V (matches all models)** Furnace, Electric, 10 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 10 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 15 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Adapter, Supply, WON Heater, 7" diameter Adapter, Supply, WON Heater, 9" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, (for 6.5" sq. fiberglass) Adapter, Supply, WON Heater, (for 6.5" sq. fiberglass) urnace comes with both 10" Dia and 9.5" sq. supply adapter, mounting collar, and restrictor plate. Fuse Link (for WUN series - Temp. 305.6°F/152°C Fuse Link (for WON series - Temp. 249.8°F/121°C Fan Interlock Relay, 1-pole Auto Limit, L-145 (WUN series)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	16x20x29 16x20x29 16x20x29 16x20x29 16x20x29 39x19x13 16x20x29 16x20x29 16x20x29 13x13x4 13x13x4 13x13x3 13x13x3 5x5x5 5x5x5 5x5x5 5x5x5	22 29 35 36 51 29 28 36 2 2 2 2 2 4	\$1 \$1 \$1 \$2 \$2 \$2
WON0202-C WON0502-C WON0502-C WON0752-C WON1502-C WON1502-C WON2002-C WON2002-C WON0754-C WON1004-C WON1504-C WON1504-C Cessories A01007-G01 A01007-G02 A01007-G03 A01008-G01 A01008-G01 A01008-G02 ** WON Electric Fundament Parts A00257-001 A00257-001 A00257-002 A00802-003 A01011-001 A01011-002	Furnace, Electric, 5 kW, 1P/230V (matches all models)** Furnace, Electric, 7.5 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 10 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 15 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 20 kW, 1P/230V (matches 3036, 3642, 4860)** Furnace, Electric, 7.5 kW, 3P/230V (matches all models)** Furnace, Electric, 10 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 15 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Adapter, Supply, WON Heater, 7" diameter Adapter, Supply, WON Heater, 9" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, 10" diameter, 4 diameter with the supply of t	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	16x20x29 16x20x29 16x20x29 16x20x29 39x19x13 16x20x29 16x20x29 16x20x29 16x20x29 13x13x4 13x13x4 13x13x3 13x13x3 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5	22 29 35 36 51 29 28 36 2 2 2 2 4	\$1 \$1 \$1 \$2 \$2 \$2
WON0202-C WON0502-C WON0752-C WON0752-C WON1002-C WON1502-C WON1502-C WON2002-C ree Phase 240V WON0754-C WON1504-C WON1504-C CCESSOTIES A01007-G01 A01007-G02 A01007-G03 A01008-G01 A01008-G01 A01008-G01 A01008-G01 A01008-G02 ** WON Electric Full Electric Full Electric Full Electric Full A00257-001 A00257-001 A00257-001 A00257-002 A00802-003 A01011-001 A01011-002 A01012-001	Furnace, Electric, 5 kW, 1P/230V (matches all models)** Furnace, Electric, 7.5 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 10 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 15 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 20 kW, 1P/230V (matches 3036, 3642, 4860)** Furnace, Electric, 7.5 kW, 3P/230V (matches all models)** Furnace, Electric, 10 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 15 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Adapter, Supply, WON Heater, 7" diameter Adapter, Supply, WON Heater, 7" diameter Adapter, Supply, WON Heater, 10" diameter* Adapter, Supply, WON Heater, 10" diameter* Adapter, Supply, WON Heater, (for 6.5" sq. fiberglass) Adapter, Supply, WON Heater, (for 8.5" sq. fiberglass) Irrnace comes with both 10" Dia and 9.5" sq. supply adapter, mounting collar, and restrictor plate. Fuse Link (for WUN series - Temp. 305.6°F/152°C Fuse Link (for WON series - Temp. 249.8°F/121°C Fan Interlock Relay, 1-pole Auto Limit, 2-PL65 (WON series) Sequencer, 1-pole (WUN or WON series)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	16x20x29 16x20x29 16x20x29 16x20x29 39x19x13 16x20x29 16x20x29 16x20x29 16x20x29 13x13x4 13x13x4 13x13x4 13x13x3 13x13x3 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5	22 29 35 36 51 29 28 36 2 2 2 2 4	\$1 \$1 \$1 \$2 \$2 \$2 \$2 \$2 \$2
WON0202-C WON0502-C WON0752-C WON0752-C WON1002-C WON1502-C WON1502-C WON2002-C WON2002-C WON0754-C WON0754-C WON1504-C WON1504-C CCESSORIES A01007-G01 A01007-G03 A01008-G01 A01008-G02 ** WON Electric Fuplacement Parts A00257-001 A00257-002 A00802-003 A01011-001 A01011-001 A01011-001 A01012-001	Furnace, Electric, 5 kW, 1P/230V (matches all models)** Furnace, Electric, 7.5 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 10 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 15 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 20 kW, 1P/230V (matches 3036, 3642, 4860)** Furnace, Electric, 7.5 kW, 3P/230V (matches all models)** Furnace, Electric, 10 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 15 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Adapter, Supply, WON Heater, 7" diameter Adapter, Supply, WON Heater, 9" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, (for 6.5" sq. fiberglass) Adapter, Supply, WON Heater, (for 8.5" sq. fiberglass) urnace comes with both 10" Dia and 9.5" sq. supply adapter, mounting collar, and restrictor plate. Fuse Link (for WUN series - Temp. 305.6"F/152"C Fuse Link (for WON series - Temp. 249.8"F/121"C Fan Interlock Relay, 1-pole Auto Limit, L-145 (WUN series) Sequencer, 1-pole (WUN or WON series) Sequencer, 2-pole (WUN or WON series)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	16x20x29 16x20x29 16x20x29 16x20x29 39x19x13 16x20x29 16x20x29 16x20x29 16x20x29 16x20x29 13x13x4 13x13x4 13x13x3 13x13x3 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5	22 29 35 36 51 29 28 36 2 2 2 2 4	\$1 \$1 \$1 \$2 \$2 \$2 \$2 \$2 \$2
WON0202-C WON0502-C WON0752-C WON0752-C WON1502-C WON1502-C WON1502-C WON2002-C WON2002-C WON2002-C WON1504-C WON1504-C WON1504-C WON1504-C CCESSORIES A01007-G01 A01007-G02 A01007-G03 A01008-G01 A01008-G01 A01008-G01 A01008-G01 A01008-G01 A01008-G01 A01010-001 A01011-001 A01011-001 A01011-002 A01012-001 A01012-002 A01013-001	Furnace, Electric, 5 kW, 1P/230V (matches all models)** Furnace, Electric, 7.5 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 15 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 15 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 20 kW, 1P/230V (matches 3036, 3642, 4860)** Furnace, Electric, 7.5 kW, 3P/230V (matches all models)** Furnace, Electric, 10 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 10 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 15 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Adapter, Supply, WON Heater, 7" diameter Adapter, Supply, WON Heater, 9" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, (for 6.5" sq. fiberglass) Adapter, Supply, WON Heater, (for 6.5" sq. fiberglass) urnace comes with both 10" Dia and 9.5" sq. supply adapter, mounting collar, and restrictor plate. Fuse Link (for WUN series - Temp. 305.6°F/152°C Fuse Link (for WON series - Temp. 249.8°F/121°C Fan Interlock Relay, 1-pole Auto Limit, L-145 (WUN series) Auto Limit, L-145 (WUN series) Sequencer, 2-pole (WUN or WON series) Sequencer, 2-pole (WUN or WON series) Sequencer, 2-pole (WUN or WON series) Contactor, Heater Element, 1-pole	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	16x20x29 16x20x3 13x13x4 13x13x4 13x13x3 13x13x3 5x5x5	22 29 35 36 51 29 28 36 2 2 2 2 2 4	\$1 \$1 \$1 \$2 \$2 \$2 \$2 \$2 \$2
WON0202-C WON0502-C WON0752-C WON0752-C WON1002-C WON1502-C WON1502-C WON2002-C WON2002-C WON1504-C WON1504-C WON1504-C WON1504-C CCESSORIES A01007-G01 A01007-G02 A01007-G02 A01007-G03 A01008-G01 A01008-G01 A01008-G01 A01008-G01 A01008-G01 A010108-G01 A010108-G01 A01011-001 A01011-001 A01011-001 A01011-001 A01011-001 A01011-001 A01011-001 A01011-002 A01013-001 A01013-001 A01013-001	Furnace, Electric, 5 kW, 1P/230V (matches all models)** Furnace, Electric, 7.5 kW, 1P/230V (matches all models)** Furnace, Electric, 10 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 15 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 20 kW, 1P/230V (matches 3036, 3642, 4860)** Furnace, Electric, 7.5 kW, 3P/230V (matches all models)** Furnace, Electric, 7.5 kW, 3P/230V (matches all models)** Furnace, Electric, 10 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 15 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Adapter, Supply, WON Heater, 7" diameter Adapter, Supply, WON Heater, 9" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, 10" diameter* Adapter, Supply, WON Heater, 10" diameter* Fuse Link (for WUN series - Temp. 305.6°F/152°C Fuse Link (for WUN series - Temp. 249.8°F/121°C Fan Interlock Relay, 1-pole Auto Limit, 2-PL65 (WON series) Sequencer, 1-pole (WUN or WON series) Sequencer, 2-pole (WUN or WON series) Sequencer, 1-pole (WUN or WON series) Contactor, Heater Element, 1-pole Contactor, Heater Element, 2-pole	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	16x20x29 13x13x4 13x13x4 13x13x3 13x13x3 5x5x5	22 29 35 36 51 29 28 36 2 2 2 2 4	\$1 \$1 \$1 \$2 \$2 \$2 \$2 \$2
WON0202-C WON0502-C WON0752-C WON0752-C WON1002-C WON1502-C WON1502-C WON1502-C WON1502-C WON1504-C WON1504-C WON1504-C WON1504-C CCESSOTIES A01007-G01 A01007-G03 A01008-G01 A01008-G01 A01008-G02 ** WON Electric Full Electric	Furnace, Electric, 5 kW, 1P/230V (matches all models)** Furnace, Electric, 7.5 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 10 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 15 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 20 kW, 1P/230V (matches 3036, 3642, 4860)** Furnace, Electric, 7.5 kW, 3P/230V (matches all models)** Furnace, Electric, 10 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 15 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Adapter, Supply, WON Heater, 7" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, (for 6.5" sq. fiberglass) Adapter, Supply, WON Heater, (for 8.5" sq. fiberglass) Irrnace comes with both 10" Dia and 9.5" sq. supply adapter, mounting collar, and restrictor plate. Fuse Link (for WUN series - Temp. 305.6°F/152°C Fuse Link (for WON series - Temp. 249.8°F/121°C Fan Interlock Relay, 1-pole Auto Limit, 1-145 (WUN series) Sequencer, 1-pole (WUN or WON series) Sequencer, 2-pole (WUN or WON series) Sequencer, 2-pole (WUN or WON series) Contactor, Heater Element, 1-pole Contactor, Heater Element, 2-pole Breaker, 2-pole, 15 amp (blower circuit - WON series)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	16x20x29 13x13x4 13x13x4 13x13x3 13x13x3 5x5x5	22 29 35 36 51 29 28 36 2 2 2 2 4	\$1 \$1 \$2 \$2 \$2 \$2 \$1 \$1 \$1 \$2 \$2
WON0202-C WON0502-C WON0752-C WON0752-C WON1002-C WON1502-C WON1502-C WON1502-C WON1502-C WON1504-C WON1504-C WON1504-C WON1504-C CCESSORIES A01007-G01 A01007-G03 A01008-G01 A01008-G02 ** WON Electric Fuplacement Parts A00257-001 A00257-002 A00802-003 A01011-001 A01011-001 A01011-001 A01011-001 A01011-002 A01013-001 A01013-001 A01013-001 A01013-001 A01051-215 A01051-250	Furnace, Electric, 5 kW, 1P/230V (matches all models)** Furnace, Electric, 7.5 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 15 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 15 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 20 kW, 1P/230V (matches 3036, 3642, 4860)** Furnace, Electric, 7.5 kW, 3P/230V (matches all models)** Furnace, Electric, 10 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 15 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Adapter, Supply, WON Heater, 7" diameter Adapter, Supply, WON Heater, 9" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, (for 6.5" sq. fiberglass) Adapter, Supply, WON Heater, (for 8.5" sq. fiberglass) Irrace comes with both 10" Dia and 9.5" sq. supply adapter, mounting collar, and restrictor plate. Fuse Link (for WUN series - Temp. 305.6"F/152"C Fan Interlock Relay, 1-pole Auto Limit, L-145 (WUN series) Auto Limit, L-145 (WUN series) Sequencer, 2-pole (WUN or WON series) Sequencer, 2-pole (WUN or WON series) Contactor, Heater Element, 1-pole Contactor, Heater Element, 1-pole Desaker, 2-pole, 15 amp (blower circuit - WON series) Breaker, 2-pole, 50 amp (WON**02 series)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	16x20x29 13x13x4 13x13x4 13x13x3 1	22 29 35 36 51 29 28 36 2 2 2 2 2 4	\$1 \$1 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2
WON0202-C WON0502-C WON0752-C WON0752-C WON1002-C WON1502-C WON1502-C WON1502-C WON1502-C WON1504-C WON1504-C WON1504-C WON1504-C CCESSOTIES A01007-G01 A01007-G03 A01008-G01 A01008-G01 A01008-G02 ** WON Electric Full Electric	Furnace, Electric, 5 kW, 1P/230V (matches all models)** Furnace, Electric, 7.5 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 10 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 15 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 20 kW, 1P/230V (matches 3036, 3642, 4860)** Furnace, Electric, 7.5 kW, 3P/230V (matches all models)** Furnace, Electric, 10 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 10 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 15 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Adapter, Supply, WON Heater, 7" diameter Adapter, Supply, WON Heater, 9" diameter Adapter, Supply, WON Heater, 0" diameter** Adapter, Supply, WON Heater, (for 6.5" sq. fiberglass) Adapter, Supply, WON Heater, (for 8.5" sq. fiberglass) Imace comes with both 10" Dia and 9.5" sq. supply adapter, mounting collar, and restrictor plate. Fuse Link (for WUN series - Temp. 305.6°F/152°C Fuse Link (for WON series - Temp. 249.8°F/121°C Fan Interlock Relay, 1-pole Auto Limit, L-145 (WUN series) Auto Limit, L-145 (WUN series) Sequencer, 1-pole (WUN or WON series) Sequencer, 2-pole (WUN or WON series) Contactor, Heater Element, 1-pole Contactor, Heater Element, 1-pole Breaker, 2-pole, 50 amp (WON**02 series) Jumper Bar, Heater, 4 pole	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	16x20x29 16x20x3 13x13x4 13x13x4 13x13x3 13x13x3 13x13x3 5x5x5	22 29 35 36 51 29 28 36 2 2 2 2 4	\$1 \$1 \$1 \$2 \$2 \$2 \$1 \$1 \$1 \$2 \$2
WON0202-C WON0502-C WON0752-C WON0752-C WON0752-C WON1002-C WON1502-C WON1502-C WON1502-C WON1502-C WON0754-C WON1504-C CESSORIES A01007-G01 A01007-G01 A01008-G01 A01008-G01 A01008-G01 A01008-G01 A01008-G01 A01008-G01 A01008-G01 A010109-G02 A01011-001 A01011-002 A01011-001 A01011-002 A01012-002 A01013-001 A01013-002 A01013-001 A01013-002 A01013-15 A01051-215 A01051-250 A01241-001 A01241-001	Furnace, Electric, 5 kW, 1P/230V (matches all models)** Furnace, Electric, 7.5 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 15 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 15 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 20 kW, 1P/230V (matches 3036, 3642, 4860)** Furnace, Electric, 7.5 kW, 3P/230V (matches all models)** Furnace, Electric, 10 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 15 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Adapter, Supply, WON Heater, 7" diameter Adapter, Supply, WON Heater, 9" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, (for 6.5" sq. fiberglass) Adapter, Supply, WON Heater, (for 8.5" sq. fiberglass) Irrace comes with both 10" Dia and 9.5" sq. supply adapter, mounting collar, and restrictor plate. Fuse Link (for WUN series - Temp. 305.6"F/152"C Fan Interlock Relay, 1-pole Auto Limit, L-145 (WUN series) Auto Limit, L-145 (WUN series) Sequencer, 2-pole (WUN or WON series) Sequencer, 2-pole (WUN or WON series) Contactor, Heater Element, 1-pole Contactor, Heater Element, 1-pole Desaker, 2-pole, 15 amp (blower circuit - WON series) Breaker, 2-pole, 50 amp (WON**02 series)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	16x20x29 13x13x4 13x13x4 13x13x3 1	22 29 35 36 51 29 28 36 2 2 2 2 2 4	\$1 \$1 \$1 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2
WON0202-C WON0502-C WON0502-C WON0752-C WON0752-C WON1002-C WON1502-C WON1502-C WON2002-C WON2002-C WON2002-C WON2002-C WON1504-C WON150	Furnace, Electric, 5 kW, 1P/230V (matches all models)** Furnace, Electric, 7.5 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 10 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 15 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 20 kW, 1P/230V (matches 3036, 3642, 4860)** Furnace, Electric, 7.5 kW, 3P/230V (matches all models)** Furnace, Electric, 10 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 10 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 15 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Adapter, Supply, WON Heater, 7" diameter Adapter, Supply, WON Heater, 9" diameter Adapter, Supply, WON Heater, 0" diameter** Adapter, Supply, WON Heater, (for 6.5" sq. fiberglass) Adapter, Supply, WON Heater, (for 8.5" sq. fiberglass) Imace comes with both 10" Dia and 9.5" sq. supply adapter, mounting collar, and restrictor plate. Fuse Link (for WUN series - Temp. 305.6°F/152°C Fuse Link (for WON series - Temp. 249.8°F/121°C Fan Interlock Relay, 1-pole Auto Limit, L-145 (WUN series) Auto Limit, L-145 (WUN series) Sequencer, 1-pole (WUN or WON series) Sequencer, 2-pole (WUN or WON series) Contactor, Heater Element, 1-pole Contactor, Heater Element, 1-pole Breaker, 2-pole, 50 amp (WON**02 series) Jumper Bar, Heater, 4 pole	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	16x20x29 16x20x3 13x13x4 13x13x4 13x13x3 13x13x3 13x13x3 5x5x5	22 29 35 36 51 29 28 36 2 2 2 2 2 4	\$1 \$1 \$1 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2
WON0202-C WON0502-C WON0752-C WON0752-C WON0752-C WON1002-C WON1502-C WON1502-C WON1502-C WON1502-C WON0754-C WON1504-C CESSORIES A01007-G01 A01007-G01 A01008-G01 A01008-G01 A01008-G01 A01008-G01 A01008-G01 A01008-G01 A01008-G01 A010109-G02 A01011-001 A01011-002 A01011-001 A01011-002 A01012-002 A01013-001 A01013-002 A01013-001 A01013-002 A01013-15 A01051-215 A01051-250 A01241-001 A01241-001	Furnace, Electric, 5 kW, 1P/230V (matches all models)** Furnace, Electric, 7.5 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 10 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 15 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 20 kW, 1P/230V (matches 3036, 3642, 4860)** Furnace, Electric, 7.5 kW, 3P/230V (matches all models)** Furnace, Electric, 10 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 15 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Adapter, Supply, WON Heater, 7" diameter Adapter, Supply, WON Heater, 9" diameter Adapter, Supply, WON Heater, 10" diameter* Adapter, Supply, WON Heater, (for 6.5" sq. fiberglass) Adapter, Supply, WON Heater, (for 8.5" sq. fiberglass) Innace comes with both 10" Dia and 9.5" sq. supply adapter, mounting collar, and restrictor plate. Fuse Link (for WUN series - Temp. 305.6°F/152°C Fuse Link (for WON series - Temp. 249.8°F/121°C Fan Interlock Relay, 1-pole Auto Limit, L-145 (WUN series) Sequencer, 1-pole (WUN or WON series) Sequencer, 2-pole (WUN or WON series) Sequencer, 2-pole (WUN or WON series) Contactor, Heater Element, 1-pole Contactor, Heater Element, 1-pole Breaker, 2-pole, 50 amp (WON**02 series) Jumper Bar, Heater, 4 pole Jumper Bar, Heater, 4 pole	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	16x20x29 13x13x4 13x13x4 13x13x3 13x13x3 5x5x5	22 29 35 36 51 29 28 36 2 2 2 2 4	\$1 \$1 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2
WON0202-C WON0502-C WON0752-C WON0752-C WON0752-C WON1002-C WON1502-C WON1502-C WON1502-C WON1502-C WON0754-C WON1504-C WON1504-C CCESSOTIES A01007-G01 A01007-G03 A01008-G01 A01008-G01 A01008-G01 A01008-G02 WON Electric Full Electric F	Furnace, Electric, 5 kW, 1P/230V (matches all models)** Furnace, Electric, 7.5 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 10 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 15 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 20 kW, 1P/230V (matches 3036, 3642, 4860)** Furnace, Electric, 7.5 kW, 3P/230V (matches all models)** Furnace, Electric, 10 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 15 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Adapter, Supply, WON Heater, 7" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, (for 6.5" sq. fiberglass) Adapter, Supply, WON Heater, (for 8.5" sq. fiberglass) Irrnace comes with both 10" Dia and 9.5" sq. supply adapter, mounting collar, and restrictor plate. Fuse Link (for WUN series - Temp. 305.6°F/152°C Fuse Link (for WON series - Temp. 249.8°F/121°C Fan Interlock Relay, 1-pole Auto Limit, 1-145 (WUN series) Sequencer, 1-pole (WUN or WON series) Sequencer, 2-pole (WUN or WON series) Sequencer, 2-pole (WUN or WON series) Sequencer, 2-pole, 15 amp (blower circuit - WON series) Breaker, 2-pole, 50 amp (WON*02 series) Jumper Bar, Heater, 6 pole Relay, 1 Pole (Requires A01485 rectifier)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	16x20x29 13x13x4 13x13x4 13x13x3 1	22 29 35 36 51 29 28 36 36 2 2 2 2 2 4 1 1 1 1 1 1 1 1 1 1 1 1	\$1 \$1 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2
WON0202-C WON0502-C WON0752-C WON0752-C WON0752-C WON1002-C WON1502-C WON1502-C WON1502-C WON1502-C WON0754-C WON0754-C WON1504-C WON1504-C WON1504-C CCESSORIES A01007-G01 A01007-G03 A01008-G01 A01008-G02 ** WON Electric Full	Furnace, Electric, 5 kW, 1P/230V (matches all models)** Furnace, Electric, 7.5 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 15 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 15 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 20 kW, 1P/230V (matches 3036, 3642, 4860)** Furnace, Electric, 7.5 kW, 3P/230V (matches all models)** Furnace, Electric, 10 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 10 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 15 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Adapter, Supply, WON Heater, 7" diameter Adapter, Supply, WON Heater, 9" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, (for 6.5" sq. fiberglass) Adapter, Supply, WON Heater, (for 8.5" sq. fiberglass) Imace comes with both 10" Dia and 9.5" sq. supply adapter, mounting collar, and restrictor plate. Fuse Link (for WUN series - Temp. 305.6"F/152"C Fuse Link (for WUN series - Temp. 249.8"F/121"C Fan Interlock Relay, 1-pole Auto Limit, L-145 (WUN series) Auto Limit, L-145 (WUN series) Sequencer, 1-pole (WUN or WON series) Sequencer, 1-pole (WUN or WON series) Sequencer, 2-pole, 10 amp (WON *02 series) Breaker, 2-pole, 15 amp (blower circuit - WON series) Breaker, 2-pole, 50 amp (WON**02 series) Jumper Bar, Heater, 4 pole Jumper Bar, Heater, 4 pole Jumper Bar, Heater, 6 pole Relay, 2 Pole (Requires A01485 rectifier) Relay, 2 Pole (Requires A01485 rectifier)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	16x20x29 13x13x4 13x13x4 13x13x3 1	22 29 35 36 51 29 28 36 2 2 2 2 2 4	\$1 \$1 \$1 \$2 \$2 \$2 \$2
WON0202-C WON0502-C WON0502-C WON0752-C WON0752-C WON1002-C WON1502-C WON1502-C WON2002-C WON2002-C WON2002-C WON2002-C WON1504-C WON150	Furnace, Electric, 5 kW, 1P/230V (matches all models)** Furnace, Electric, 7.5 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 10 kW, 1P/230V (matches 2430, 3036, 3642 4860)** Furnace, Electric, 15 kW, 1P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 20 kW, 1P/230V (matches 3036, 3642, 4860)** Furnace, Electric, 7.5 kW, 3P/230V (matches all models)** Furnace, Electric, 10 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 15 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Furnace, Electric, 15 kW, 3P/230V (matches 2430, 3036, 3642, 4860)** Adapter, Supply, WON Heater, 7" diameter Adapter, Supply, WON Heater, 9" diameter Adapter, Supply, WON Heater, 0" diameter** Adapter, Supply, WON Heater, (for 6.5" sq. fiberglass) Adapter, Supply, WON Heater, (for 8.5" sq. fiberglass) Imace comes with both 10" Dia and 9.5" sq. supply adapter, mounting collar, and restrictor plate. Fuse Link (for WUN series - Temp. 305.6°F/152°C Fuse Link (for WON series - Temp. 249.8°F/121°C Fan Interlock Relay, 1-pole Auto Limit, L-145 (WUN series) Auto Limit, L-145 (WUN series) Auto Limit, 2-PL65 (WON series) Sequencer, 1-pole (WUN or WON series) Sequencer, 1-pole, 15 amp (blower circuit - WON series) Sequencer, 2-pole, 50 amp (WON**02 series) Jumper Bar, Heater, 4 pole Relay, 1 Pole (Requires A01485 rectifier) Relay, 2 Pole (Requires A0141 rectifier) Rectifier, 5 Second Delay - CRR9-5 (Requires A01484-001 relay)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	16x20x29 16x20x3 13x13x4 13x13x4 13x13x3 13x13x3 13x13x3 5x5x5	22 29 35 36 51 29 28 36 36 2 2 2 2 2 4	\$1 \$1 \$2 \$2 \$2 \$2 \$1 \$1 \$1 \$2 \$2 \$2



Pa	ırt Number	Description	Qty	Carton Dimensions (Inches)	Ship Weight (Pounds)	List Price
	urnace and Rent Parts Cont.	eplacement Parts, continued				
	02401-G01	Stack, Element, Complete, 3.75 (No Revision - Model # WON0752)	1	10x10x10	3	\$225
)2401-G04	Stack, Element, Complete, 4.8k (No Revision - Model # WON0502, WON1002, WON1502 and WON2002	1	10x10x10	3	\$225
	02401-G08	Stack, Element, Complete, 4.8k (Revision A - Model #'s WON0502-A, WON1002-A, WON1502-A and WON2002-A)	1	10x10x10	3	\$225
A0:)2401-G08X	Heater Element Stack, Complete, 2 Section, 4.8kW each section (Revision A - Model # WON1002-A)	1	10x10x10	6	\$449
	02401-G13	Stack, Element, Complete, 4.8k (Revision B or C - Model #'s WON0502-B or C, WON1002-B or C, WON1502-B or C and WON2002-B or C	1	10x10x10	3	\$225
A0:	02401-G13X	Heater Element Stack, Complete, 2 Section, 4.8kW each section (Revision B and C - Model # WON1002-B or C)	1	16.75x11x 9	6	\$449
A0:	02401-G14X	Heater, Element Stack, Complete, 3 Section, 4.8kW each section (Revision B and C - Model # WON1502-B or C)	1	16.75x11x 9	9	\$674
A0:	02401-G15X	Heater Element Stack, Complete, 4 Section, 4.8kW each section (Revision B and C - Model # WON2002-B or C)	1	16.75x11x9	12	\$899
A0:	2141-001	Rectifier, 5 Second Delay (Requires A01484-002 relay)	1	5x5x6	1	\$19
	2141-003	Rectifier, 9 Second Delay, (WON0752-C, 1002-C, 1502-C) (Requires A01484-002 relay)	1	5x5x5	1	\$19
A0:	2141-005	Rectifier, 18 Second Delay, (All WON1502-C, 2002-C) (Requires A01484-002 relay)	1	5x5x5	1	\$19
Ccessorio Thermosta		Thermostat, Universal, Single-Stage 1-Heat/1-Cool, Programmable	1 1	8x8x4	2	\$188
	0915-G04	Thermostat, Universal, Multi-Stage 2-Heat/1-Cool, Programmable	1	8x8x4	2	\$307
A0	00915-G05	Thermostat, Universal, Multi-Stage, Touch-Screen, 3-Heat/2-Cool, Programmable	1	8x8x4	2	\$599
Round Ple						
	PC-19V-090707	Tee, Reducer, Galv., 9" x 7" x 7" (with Turning Vane)	1	23x15x13	4	\$211
UP	PC-19V-100909	Galvanized Reducer Tee, 10" x 9" x 9" (with turning vane)	1	23x15x13	5	\$202
	PC-11-07R-4	Turning Vane, Round Duct, 7"	4	10x10x11	5	\$596
	PC-11-09R-4	Turning Vane, Round Duct, 9"	4	13x13x10.5	5	\$569
	PC-11-10R-4	Turning Vane, Round Duct, 10"	4	13x13x10.5	5	\$476
Tools	Γ-4615	Air Velocity Meter	1	8x8x5	1 1	\$400
Duct Tape		All velocity weet	'	CXOXO		\$168
	PC-17	Tape, Thermal (iron on), UL 181A-H, 3" x 350'	1	8x8x4	2	\$155
	PC-17B-FX	Tape, Pressure Sensitive (aluminum), UL 181A-P - 181B-F/X, 2.5" x 180'	1	8x8x4	2	\$89
Square Ple		Tapo, i rossaro sonotivo (alaminam), de 1017/1 1018 1774, 2.0 x 100	<u> </u>	OXOX-1		ΨΟΟ
	PC-62	Adapter Kit, Supply Collar, 8.5" sq	1	10x10x2.5	2	\$122
Replaceme						
Mild Weath		Design of the Break Life County of the Count				0001
	PC-65X	Mild Weather Kits, R-410A only (recommended for heat pumps)	1	5x5x5	1	\$234
<u> </u>	PC-65	Mild Weather Kits, R-22 only (recommended for heat pumps)	1	5x5x5	1	\$135
	ote: replacement c	oil assemblies do NOT ship with valves				
	0326-K01	Coil Assy, M1218CL-E, Non-Coated	1	26x13x19	26	\$885
ΔΩ	0326-K02	Coil Assy, M1218CL-E, E-Coated	1	26x13x20	26	\$1,179
					26	\$885
A0	00326-K03	Coil Assy, M1218CL2-E, Non-Coated, For 1218 coil w/ Chatleff threads	1	26x13x19		
A00	00326-K04	Coil Assy, M1218CL2-E, E-Coated, For 1218 coil w/ Chatleff threads	1	26x13x19 26x13x20	26	\$1,179
A00 A00 A00	00326-K04 00397-K01	Coil Assy, M1218CL2-E, E-Coated, For 1218 coil w/ Chatleff threads Coil Assy, Chilled Water, U1218, M1218	1	26x13x20 26x13x20	26 26	\$746
A00 A00 A00	00326-K04 00397-K01 00791-K04	Coil Assy, M1218CL2-E, E-Coated, For 1218 coil w/ Chatleff threads Coil Assy, Chilled Water, U1218, M1218 Coil Assy, M2430CR1-E or MC2436C-A or MC2430C,X, E-Coated	1 1 1	26x13x20 26x13x20 30x14x22	26 26 32	\$746 \$1,239
A00 A00 A00 A00	00326-K04 00397-K01 00791-K04 00793-K01	Coil Assy, M1218CL2-E, E-Coated, For 1218 coil w/ Chatleff threads Coil Assy, Chilled Water, U1218, M1218 Coil Assy, M2430CR1-E or MC2436C-A or MC2430C,X, E-Coated Coil Assy, M2430CL1-E or MC2436H or MC2430H,X	1 1 1	26x13x20 26x13x20 30x14x22 30x14x22	26 26 32 34	\$746 \$1,239 \$1,183
A00 A00 A00 A00 A00 A00	00326-K04 00397-K01 00791-K04 00793-K01 00793-K03	Coil Assy, M1218CL2-E, E-Coated, For 1218 coil w/ Chatleff threads Coil Assy, Chilled Water, U1218, M1218 Coil Assy, M2430CR1-E or MC2436C-A or MC2430C,X, E-Coated Coil Assy, M2430CL1-E or MC2436H or MC2430H,X Coil Assy, M2430CL1-E or MC2436H or MC2430H,X, E-Coated	1 1 1 1 1	26x13x20 26x13x20 30x14x22 30x14x22 30x14x22	26 26 32 34 34	\$746 \$1,239 \$1,183 \$1,516
A00 A00 A00 A00 A00 A00	00326-K04 00397-K01 00791-K04 00793-K01	Coil Assy, M1218CL2-E, E-Coated, For 1218 coil w/ Chatleff threads Coil Assy, Chilled Water, U1218, M1218 Coil Assy, M2430CR1-E or MC2436C-A or MC2430C,X, E-Coated Coil Assy, M2430CL1-E or MC2436H or MC2430H,X	1 1 1	26x13x20 26x13x20 30x14x22 30x14x22	26 26 32 34	\$746 \$1,239 \$1,183
A00 A00 A00 A00 A00 A00 A00	00326-K04 00397-K01 00791-K04 00793-K01 00793-K03 00793-K04 00792-K01	Coil Assy, M1218CL2-E, E-Coated, For 1218 coil w/ Chatleff threads Coil Assy, Chilled Water, U1218, M1218 Coil Assy, M2430CR1-E or MC2436C-A or MC2430C,X, E-Coated Coil Assy, M2430CL1-E or MC2436H or MC2430H,X Coil Assy, M2430CL1-E or MC2436H or MC2430H,X, E-Coated Coil Assy, M2430CR1-E,X, E-Coated Coil Assy, M3430CL1-E or MC2436H or MC3430H,X, E-Coated Coil Assy, M3642CL1-E or MC4260H or MC3642H,X	1 1 1 1 1 1 1	26x13x20 26x13x20 30x14x22 30x14x22 30x14x22 30x14x22 43x14x22	26 26 32 34 34 34 34 52	\$746 \$1,239 \$1,183 \$1,516 \$1,364 \$1,394
A00 A00 A00 A00 A00 A00 A00 A00	00326-K04 00397-K01 00791-K04 00793-K01 00793-K03 00793-K04 00792-K01	Coil Assy, M1218CL2-E, E-Coated, For 1218 coil w/ Chatleff threads Coil Assy, Chilled Water, U1218, M1218 Coil Assy, M2430CR1-E or MC2436C-A or MC2430C, X, E-Coated Coil Assy, M2430CL1-E or MC2436H or MC2430H, X Coil Assy, M2430CL1-E or MC2436H or MC2430H, X, E-Coated Coil Assy, M2430CR1-E, X, E-Coated Coil Assy, M2430CR1-E, X, E-Coated Coil Assy, M3642CL1-E or MC4260H or MC3642H, X Coil Assy, M3642CL1-E or MC4260H or MC3642H, X, E-Coated	1 1 1 1 1 1 1 1	26x13x20 26x13x20 30x14x22 30x14x22 30x14x22 30x14x22 43x14x22 43x14x22 43x14x22	26 26 32 34 34 34 34 52	\$746 \$1,239 \$1,183 \$1,516 \$1,364 \$1,394 \$1,892
A00 A00 A00 A00 A00 A00 A00 A00 A00 A00	00326-K04 00397-K01 00791-K04 00793-K01 00793-K03 00793-K04 00792-K04 00792-K01 00792-K03	Coil Assy, M1218CL2-E, E-Coated, For 1218 coil w/ Chatleff threads Coil Assy, Chilled Water, U1218, M1218 Coil Assy, M2430CR1-E or MC2436C-A or MC2430C,X, E-Coated Coil Assy, M2430CL1-E or MC2436H or MC2430H,X Coil Assy, M2430CL1-E or MC2436H or MC2430H,X, E-Coated Coil Assy, M2430CR1-E,X, E-Coated Coil Assy, M2430CR1-E,X, E-Coated Coil Assy, M3642CL1-E or MC4260H or MC3642H,X Coil Assy, M3642CR1-E,X, E-Coated Coil Assy, M3642CR1-E,X, E-Coated	1 1 1 1 1 1 1 1 1	26x13x20 26x13x20 30x14x22 30x14x22 30x14x22 30x14x22 43x14x22 43x14x22 43x14x22 43x14x22	26 26 32 34 34 34 52 52 52	\$746 \$1,239 \$1,183 \$1,516 \$1,364 \$1,394 \$1,892 \$1,808
A00 A00 A00 A00 A00 A00 A00 A00 A00 A00	00326-K04 00397-K01 00791-K04 00793-K01 00793-K03 00793-K03 00793-K04 00792-K03 00792-K03 00792-K04 00811-K01	Coil Assy, M1218CL2-E, E-Coated, For 1218 coil w/ Chatleff threads Coil Assy, Chilled Water, U1218, M1218 Coil Assy, M2430CR1-E or MC2436C-A or MC2430C,X, E-Coated Coil Assy, M2430CL1-E or MC2436H or MC2430H,X Coil Assy, M2430CL1-E or MC2436H or MC2430H,X, E-Coated Coil Assy, M2430CR1-E,X, E-Coated Coil Assy, M2430CR1-E or MC2426H or MC3642H,X Coil Assy, M3642CL1-E or MC4260H or MC3642H,X Coil Assy, M3642CL1-E or MC4260H or MC3642H,X, E-Coated Coil Assy, M3642CL1-E or MC4260H or MC3642H,X, E-Coated Coil Assy, M3642CL1-E or MC4260H or MC3642H,X, E-Coated Coil Assy, M3642CL1-E or MC4260C,X	1 1 1 1 1 1 1 1 1 1	26x13x20 26x13x20 30x14x22 30x14x22 30x14x22 30x14x22 43x14x22 43x14x22 43x14x22 43x14x22 45x29x20	26 26 32 34 34 34 52 52 52 52	\$746 \$1,239 \$1,183 \$1,516 \$1,364 \$1,394 \$1,898 \$1,808 \$1,630
A00 A01 A01 A01 A01 A01 A01 A01 A01 A01	00326-K04 00397-K01 10791-K04 10793-K01 10793-K03 10793-K03 10793-K04 10792-K01 10792-K03 10792-K04 10811-K01 10811-K01	Coil Assy, M1218CL2-E, E-Coated, For 1218 coil w/ Chatleff threads Coil Assy, Chilled Water, U1218, M1218 Coil Assy, M2430CR1-E or MC2436C-A or MC2430C,X, E-Coated Coil Assy, M2430CL1-E or MC2436H or MC2430H,X Coil Assy, M2430CL1-E or MC2436H or MC2430H,X, E-Coated Coil Assy, M2430CR1-E,X, E-Coated Coil Assy, M3642CL1-E or MC4260H or MC3642H,X Coil Assy, M3642CL1-E or MC4260H or MC3642H,X, E-Coated Coil Assy, M3642CL1-E or MC4260H or MC3642H,X, E-Coated Coil Assy, M3642CR1-E,X, E-Coated Coil Assy, M3640CL1-B or MC4860C,X, E-Coated Coil Assy, M4860CL1-B or MC4860C,X, E-Coated	1 1 1 1 1 1 1 1 1 1 1 1	26x13x20 26x13x20 30x14x22 30x14x22 30x14x22 30x14x22 43x14x22 43x14x22 43x14x22 45x29x20	26 26 32 34 34 34 52 52 52 52 52 52	\$746 \$1,239 \$1,183 \$1,516 \$1,364 \$1,394 \$1,892 \$1,808 \$1,630 \$2,295
A00 A00 A00 A00 A00 A00 A00 A00 A00 A00	00326-K04 00397-K01 10791-K04 10793-K01 10793-K03 10793-K03 10793-K04 10792-K01 10792-K03 10792-K04 10811-K01 10811-K02 11126-K01	Coil Assy, M1218CL2-E, E-Coated, For 1218 coil w/ Chatleff threads Coil Assy, Chilled Water, U1218, M1218 Coil Assy, M2430CR1-E or MC2436C-A or MC2430C,X, E-Coated Coil Assy, M2430CL1-E or MC2436H or MC2430H,X Coil Assy, M2430CL1-E or MC2436H or MC2430H,X, E-Coated Coil Assy, M2430CR1-E,X, E-Coated Coil Assy, M3642CL1-E or MC4260H or MC3642H,X Coil Assy, M3642CL1-E or MC4260H or MC3642H,X, E-Coated Coil Assy, M3642CR1-E,X, E-Coated Coil Assy, M3640CL1-B or MC4860C,X Coil Assy, M3660CL1-B or MC4860C,X Coil Assy, M3660CL1-B or MC4860C,X, E-Coated Coil Assy, Chilled Water, M4860CL1-C or MC4860W	1 1 1 1 1 1 1 1 1 1 1 1 1	26x13x20 26x13x20 30x14x22 30x14x22 30x14x22 30x14x22 43x14x22 43x14x22 43x14x22 45x29x20 45x29x20 45x29x20	26 26 32 34 34 34 52 52 52 52 52 52 52 52	\$746 \$1,239 \$1,183 \$1,183 \$1,364 \$1,364 \$1,892 \$1,808 \$1,808 \$1,609 \$2,295 \$1,992
A00 A01 A01 A01 A01 A01 A01 A01 A01 A01	00326-K04 00397-K01 00791-K04 00793-K01 00793-K03 00793-K03 00793-K04 00792-K01 00792-K03 00792-K04 00811-K01 00811-K01 00811-K02 01126-K01	Coil Assy, M1218CL2-E, E-Coated, For 1218 coil w/ Chatleff threads Coil Assy, Chilled Water, U1218, M1218 Coil Assy, M2430CR1-E or MC2436C-A or MC2430C,X, E-Coated Coil Assy, M2430CL1-E or MC2436H or MC2430H,X Coil Assy, M2430CL1-E or MC2436H or MC2430H,X, E-Coated Coil Assy, M2430CR1-E,X, E-Coated Coil Assy, M3642CL1-E or MC4260H or MC3642H,X, E-Coated Coil Assy, M3642CL1-E or MC4260H or MC3642H,X, E-Coated Coil Assy, M3642CR1-E,X, E-Coated Coil Assy, M3640CL1-B or MC4860C,X Coil Assy, M4860CL1-B or MC4860C,X, E-Coated Coil Assy, M4860CL1-B or MC4860C,X, E-Coated Coil Assy, Chilled Water, M4860CL1-C or MC4860W Coil Assy Kit, M2430CL-A (iSeries)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	26x13x20 26x13x20 30x14x22 30x14x22 30x14x22 30x14x22 43x14x22 43x14x22 45x29x20 45x29x20 45x29x20 30x14x22	26 26 32 34 34 34 52 52 52 52 52 52 52 52	\$746 \$1,239 \$1,183 \$1,516 \$1,364 \$1,394 \$1,892 \$1,808 \$1,630 \$2,295 \$1,992 \$1,271
A00 A00 A00 A00 A00 A00 A00 A00 A00 A00	00326-K04 00397-K01 00791-K04 00793-K01 00793-K03 00793-K04 00792-K03 00792-K03 00792-K04 00811-K01 00811-K02 00811-K02 00811-K02 00811-K02 00811-K02	Coil Assy, M1218CL2-E, E-Coated, For 1218 coil w/ Chatleff threads Coil Assy, Chilled Water, U1218, M1218 Coil Assy, M2430CR1-E or MC2436C-A or MC2430C,X, E-Coated Coil Assy, M2430CL1-E or MC2436H or MC2430H,X Coil Assy, M2430CL1-E or MC2436H or MC2430H,X, E-Coated Coil Assy, M2430CR1-E,X, E-Coated Coil Assy, M3642CL1-E or MC4260H or MC3642H,X Coil Assy, M3642CL1-E or MC4260H or MC3642H,X, E-Coated Coil Assy, M3642CL1-E, or MC4260H or MC3642H,X, E-Coated Coil Assy, M3642CL1-B or MC4860C,X Coil Assy, M4860CL1-B or MC4860C,X Coil Assy, Chilled Water, M4860CL1-C or MC4860W Coil Assy, Kit, M2430CL-A ((Series) Coil Assy Kit, M2430CL-C (Chilled Water Coil)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	26x13x20 26x13x20 30x14x22 30x14x22 30x14x22 43x14x22 43x14x22 43x14x22 45x29x20 45x29x20 45x29x20 30x14x22 30x14x22	26 26 32 34 34 34 52 52 52 52 52 52 52 52 52 52	\$746 \$1,239 \$1,183 \$1,516 \$1,364 \$1,394 \$1,802 \$1,808 \$1,630 \$2,295 \$1,992 \$1,271 \$1,373
A00 A01 A01 A01 A01 A01 A01 A01 A01 A01	00326-K04 00397-K01 00791-K04 00793-K01 00793-K03 00793-K04 00792-K01 00792-K03 00792-K04 00811-K01 00811-K02 01126-K01 01835-K02 01858-K01	Coil Assy, M1218CL2-E, E-Coated, For 1218 coil w/ Chatleff threads Coil Assy, Chilled Water, U1218, M1218 Coil Assy, M2430CR1-E or MC2436C-A or MC2430C,X, E-Coated Coil Assy, M2430CL1-E or MC2436H or MC2430H,X Coil Assy, M2430CL1-E or MC2436H or MC2430H,X, E-Coated Coil Assy, M2430CR1-E,X, E-Coated Coil Assy, M3642CL1-E or MC4260H or MC3642H,X Coil Assy, M3642CL1-E or MC4260H or MC3642H,X Coil Assy, M3642CL1-E or MC4260H or MC3642H,X, E-Coated Coil Assy, M3642CL1-B or MC4860C,X Coil Assy, M4860CL1-B or MC4860C,X Coil Assy, M4860CL1-B or MC4860C,X, E-Coated Coil Assy, Chilled Water, M4860CL1-C or MC4860W Coil Assy Kit, M2430CL-C (Chilled Water Coil) Coil Assy Kit, M2430CL-C (Chilled Water Coil) Coil Assy Kit, M3036CL-A (iSeries)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	26x13x20 26x13x20 30x14x22 30x14x22 30x14x22 30x14x22 43x14x22 43x14x22 45x29x20 45x29x20 45x29x20 45x29x20 30x14x22 30x14x22 35x14x22	26 26 32 34 34 34 52 52 52 52 52 52 52 52 29 42	\$746 \$1,239 \$1,183 \$1,516 \$1,364 \$1,394 \$1,892 \$1,630 \$2,295 \$1,1992 \$1,271 \$1,373 \$1,497
A00 A01 A01 A01 A01 A01 A01 A01 A01 A01	00326-K04 00397-K01 00791-K04 00793-K01 00793-K03 00793-K03 00793-K04 00792-K01 00792-K03 00792-K04 00811-K02 00811-K02 01126-K01 01835-K02 01665-K02 01665-K01	Coil Assy, M1218CL2-E, E-Coated, For 1218 coil w/ Chatleff threads Coil Assy, Chilled Water, U1218, M1218 Coil Assy, M2430CR1-E or MC2436C-A or MC2430C,X, E-Coated Coil Assy, M2430CL1-E or MC2436H or MC2430H,X Coil Assy, M2430CL1-E or MC2436H or MC2430H,X, E-Coated Coil Assy, M2430CR1-E,X, E-Coated Coil Assy, M3642CL1-E or MC4260H or MC3642H,X Coil Assy, M3642CL1-E or MC4260H or MC3642H,X, E-Coated Coil Assy, M3642CR1-E,X, E-Coated Coil Assy, M3642CR1-E,X, E-Coated Coil Assy, M3640CL1-B or MC4860C,X Coil Assy, M4860CL1-B or MC4860C,X Coil Assy, Chilled Water, M4860CL1-C or MC4860W Coil Assy, Kit, M2430CL-A ((Series) Coil Assy Kit, M2430CL-A ((Series)) Coil Assy Kit, M3036CL-A ((Series)) Coil Assy Kit, M3036CL-A ((Series))	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	26x13x20 26x13x20 30x14x22 30x14x22 30x14x22 30x14x22 43x14x22 43x14x22 43x14x22 45x29x20 45x29x20 45x29x20 30x14x22 30x14x22 35x14x22 35x14x22	26 26 32 34 34 34 52 52 52 52 52 52 52 52 42 42	\$746 \$1,239 \$1,183 \$1,516 \$1,364 \$1,394 \$1,892 \$1,808 \$1,630 \$2,295 \$1,992 \$1,271 \$1,373 \$1,497 \$1,576
A00 A00 A00 A00 A00 A00 A00 A00 A00 A00	00326-K04 00397-K01 00791-K04 00793-K01 00793-K03 00793-K03 00793-K04 00792-K01 00792-K03 00792-K04 00811-K01 00811-K01 01835-K02 01126-K01 01835-K02 01665-K02 01665-K01 01736-K01	Coil Assy, M1218CL2-E, E-Coated, For 1218 coil w/ Chatleff threads Coil Assy, Chilled Water, U1218, M1218 Coil Assy, M2430CR1-E or MC2436C-A or MC2430C,X, E-Coated Coil Assy, M2430CL1-E or MC2436H or MC2430H,X Coil Assy, M2430CL1-E or MC2436H or MC2430H,X, E-Coated Coil Assy, M2430CR1-E,X, E-Coated Coil Assy, M3642CL1-E or MC4260H or MC3642H,X, E-Coated Coil Assy, M3642CL1-E or MC4260H or MC3642H,X, E-Coated Coil Assy, M3642CR1-E,X, E-Coated Coil Assy, M3640CL1-B or MC4860C,X Coil Assy, M4860CL1-B or MC4860C,X, E-Coated Coil Assy, Chilled Water, M4860C,X, E-Coated Coil Assy, Kill M2430CL-A (iSeries) Coil Assy Kit, M2430CL-C (Chilled Water Coil) Coil Assy Kit, M3036CL-A (iSeries) Coil Assy Kit, M3036CL-C (Chilled Water Coil) Coil Assy Kit, M3036CL-C (Chilled Water Coil) Coil Assy Kit, M3036CL-C (Chilled Water Coil)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	26x13x20 26x13x20 30x14x22 30x14x22 30x14x22 30x14x22 43x14x22 43x14x22 45x29x20 45x29x20 30x14x22 30x14x22 30x14x22 35x14x22 35x14x22 35x14x22	26 26 32 34 34 34 52 52 52 52 52 52 52 52 42 42	\$746 \$1,239 \$1,183 \$1,516 \$1,364 \$1,394 \$1,892 \$1,808 \$2,295 \$1,922 \$1,271 \$1,373 \$1,497 \$1,576 \$1,576
A00 A01 A01 A01 A01 A01 A01 A01 A01 A01	00326-K04 00397-K01 00791-K04 00793-K01 00793-K03 00793-K03 00793-K04 00792-K01 00792-K03 00792-K04 00811-K02 00811-K02 01126-K01 01835-K02 01665-K02 01665-K01	Coil Assy, M1218CL2-E, E-Coated, For 1218 coil w/ Chatleff threads Coil Assy, Chilled Water, U1218, M1218 Coil Assy, M2430CR1-E or MC2436C-A or MC2430C,X, E-Coated Coil Assy, M2430CL1-E or MC2436H or MC2430H,X Coil Assy, M2430CL1-E or MC2436H or MC2430H,X, E-Coated Coil Assy, M2430CR1-E,X, E-Coated Coil Assy, M3642CL1-E or MC4260H or MC3642H,X Coil Assy, M3642CL1-E or MC4260H or MC3642H,X, E-Coated Coil Assy, M3642CR1-E,X, E-Coated Coil Assy, M3642CR1-E,X, E-Coated Coil Assy, M3640CL1-B or MC4860C,X Coil Assy, M4860CL1-B or MC4860C,X Coil Assy, Chilled Water, M4860CL1-C or MC4860W Coil Assy, Kit, M2430CL-A ((Series) Coil Assy Kit, M2430CL-A ((Series)) Coil Assy Kit, M3036CL-A ((Series)) Coil Assy Kit, M3036CL-A ((Series))	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	26x13x20 26x13x20 30x14x22 30x14x22 30x14x22 30x14x22 43x14x22 43x14x22 43x14x22 45x29x20 45x29x20 45x29x20 30x14x22 30x14x22 35x14x22 35x14x22	26 26 32 34 34 34 52 52 52 52 52 52 52 52 42 42	\$746 \$1,239 \$1,183 \$1,516 \$1,364 \$1,394 \$1,892 \$1,808 \$1,630 \$2,295 \$1,992 \$1,271 \$1,373 \$1,497 \$1,576



Part Number	Description	Qty	Carton Dimensions (Inches)	Ship Weight (Pounds)	List Price
acement Parts, o					
A01665-K03	Coil Assy Kit, M3642CL-C (Chilled Water Coil)	1	43x14x22	42	\$1,91
A01948-G01	Coil Assy, V2430-B	1	23x23x22	30	\$1,33
A01948-G01-C	Coil Assy, V2430-B, E-Coated	1	23x23x22	30	\$1,67
A01914-G01	Coil Assy, V2430-H	1	25x20x17	30	\$1,72
A01914-G01-C	Coil Assy, V2430-H, E-Coated	1	25x20x17	30	\$2,06
A01951-G01	Coil Assy, V3036-B	1	29x21x17	34	\$1,42
A01951-G01-C	Coil Assy, V3036-B, E-Coated	1	29x21x17	34	\$1,76
A01950-G01	Coil Assy, V3036-E	1	29x21x17	34	\$1,88
A01950-G01-C	Coil Assy, V3036-E, E-Coated	1	29x21x17	34	\$2,21
A01958-G01	Coil Assy, V3642-B	1	32x30x24	40	\$1,64
A01958-G01-C	Coil Assy, V3642-B, E-Coated	1	32x30x24	40	\$2,14
A01957-G01	Coil Assy, V3642-E	1	32x30x24	38	\$2,05
A01957-G01-C	Coil Assy, V3642-E, E-Coated	1	32x30x24	38	\$2,5
A02389-G01	Coil Assy, V2430-C (Chilled Water)	1	34x16x18	29	\$1,74
A02395-G01	Coil Assy, V3036-C (Chilled Water)	1	29x22x18	36	\$1,9
A02395-G01	Coil Assy, V3642-C (Chilled Water)	1	28x21x20	36	\$2,1
A02735-G01	Line, Liquid 1218 (For M1218CL2-E which has chatleff connections)			1	\$2,1. \$
		1	5x5x5		
A01023-G01	Line, Liquid, AC, 2430, 3036, 3642	1	5x5x5	1	\$
A01024-G01	Line, Liquid, HP, 2430, 3036, 3642	1	5x5x5	1	\$
A01044-G01	Line, Liquid, 4860	1	5x5x5	1	\$
Valves and parts					
A00031-003	Valve, TX, R-22, IVE-2.5-GA, MC2436/HP2436 sweat	1	5x5x5	2	\$2
A00031-004	Valve, TX, R-22, IVE-4-GA, MC4260/HP4860 sweat	1	5x5x5	2	\$2
A00366-002	Valve, TX, R-410A, CBIZE-1.5 (U1218, M1218), flare, (AC/HP)	1	5x5x5	2	\$1
A00809-001	Seal, TXV, O-Ring, Teflon	1	5x5x5	1	
TXV-2T-410	TX Valve Kit, Chatleff, 2 ton, R410a, for indoor 1218 or 2430 coil replacement only	1	5x5x5	2	\$1
TXV-3T-410	TX Valve Kit, Chatleff, 3 ton, R410a, for indoor 3036 or 3642 coil replacement only	1	5x5x5	2	\$1
TXV-4T-410	TX Valve Kit, Chatleff, 4 ton, R410a, for indoor 4860 coil replacement only	1	5x5x5	2	\$2
ntrol Box				L	·
A00175-K03	Control Box Assembly (ST2 models)	1	11x11x5	10	\$4
A00175-K04	Control Box Assembly (ACB models) includes A00987-G01 wiring harness	1	15x8x5.5	6	\$8
A00175-K07	SCB Control Box Assembly for 120/230V (EC1/EC2 model)	1	15.5x6.5x5	6	\$1,0
A00175-K07-W1	SCB Control Box Assembly for 120/230V, (EC1/EC2) AHU, Vertical	1	15x8x6	10	\$1,1
A00175-K07-W1	Control Box Replacement (M1218ST2 models)	1	11x11x5	10	\$1,1
				6	
A01469-K03	Circuit Board, SCB (All EC1 & EC2 Products)	1	11x11x5		\$5
A01470-K01	Control Board, USB for SCB (daughter board)	1	5x5x5	1	\$
A01802-K01	Circuit Board, Replacement Board for all blowers with ACB	1	10x10x5	3	\$6
A00985-G01	Harness, adapter, ACB to MP motor	1	5x5x5	1	\$
A01473-G01	Harness, Wire, SCB/USB to ECM wiring harness (A02624-G01)	1	5x5x5	1	9
A01474-G01	Harness, Wire, SCB to USB	1	5x5x5	1	
A01525-G01	Cable Extension, ECM (CE), 59"	1	10x10x11	3	\$7
A02624-G01	Harness, Wiring, ECM 120/208/230V	1	5x5x5	1	9
A02622-K01	ECM Tester Kit	1	5x5x5	1	9
A02701-K01	Dual voltage transformer, 120-208-230V/24V, For all model blowers	1	5x5x5	1	9
When ordering a r	eplacement wire harness for EC motor, please contact Customer Service.				
A00795-001	Control, Variable Speed, 5 amp (for A00175-G02)	1	5x5x5	1	\$1
A01002-013	Slow blow fuse, 2.5 amps (for ACB boards)	1	5x5x5	1	•
A01412-001	Slow blow fuse, 2 amps (for SCB & ACB2 boards)	1	5x5x6	1	
tors					
A01018-G20	Motor Kit, 1218, 2430 ,EC (A01426-002, A02523-002)	1	10x10x10	20	\$1,0
A01018-G21	Motor Kit, 3036/3642/4860 ,EC (A01426-003, A02523-003)	1	10x10x10	20	\$1,4
A00138-001	Motor, MB2436L 1625 RPM, 1/2 HP (capacitor included) (8WV09)	1	10x10x10	21	Ψ1,• \$4
A00139-001	Motor, MB4260L 1625 RPM, 1 HP (capacitor included) (9AKR6)	1	10x10x11	23	\$
A01373-G01	Motor mount kit, U1218, M1218	1	10x10x11	2	
A01373-G02	Motor mount kit, M2430, M3642, M3036, M4860	1	10x10x11	2	
A01018-G01	Motor, M1218 (3-speed) (7.5uf capacitor included) (A00331-001)	1	10x10x11	18	\$-
A01018-G05	Motor, M2430BL1-ST2 (10uf capacitor included) (A00579-002)	1	10x10x11	20	\$
A01018-G09	Motor, M3036BL1-ST2, M3642BL1-ST2 and M4860BL1-ST2 (10uf capacitor included) (9MTVBC) (A00579-003)	1	10x10x11	23	\$
A01018-G03	Motor, MP High, M1218+CB (10uf capacitor included) (A00974-001)	1	10x10x11	23	\$
A01018-G07	Motor, MP High, MB2430L+CB (10uf capacitor included) (A00975-001)	1	10x10x11	20	\$!
A01018-G14	Motor, MP High Eff. MB3642L+CB & MB4860L+CB (10uf cap included) (A00975-002)	1	10x10x11	23	\$6
MP High Efficiency	Motor is compatible with Advanced Control Board Only				
EC Variable Speed	Motor is Compatible with SMART Control Board Only				
h Speed Blower Modu					
A00054-001	Motor, MB2436H, HP2436, VP2436 3450 RPM, .5HP(cap. included) (8WV20)	1	10x10x11	21	\$
A00141-001	Motor, MB4260H, HP4860, VP4860 3450 RPM, 1 HP (cap. included) (8WV21)	1	10x11x11	25	\$
A00036-002				4	
	Wheel, Blower, 6.3D x 3.8W SWSI (VP / HP4860)	1	10x10x11		\$
A00082-002	Wheel, Blower, 6.3D x 2.0W SWSI (MB2436H & VP/HP 2436) Wheel, Blower, 6.3D x 3.3W SWSI (MB4260H)	1	10x10x9	4	\$
A00082-004		1	10x10x10	4	\$



Part Number	Description	Qty	Carton Dimensions (Inches)	Ship Weight (Pounds)	List Price
acement Parts, o	continued				
A00533-001	Plate, Restrictor, Round Duct, M2430BL1-ST2	1	8x8x4	1	
A00589-001	Plate, Restrictor, Round Duct, M3036BL1-ST2 and M3642BL1-ST2	1	10x10x3	1	
	· · · · · · · · · · · · · · · · · · ·	1			
A00590-001	Plate, Restrictor, Round Duct, M4860BL1-ST2		11x11x5	1	
A00590-002	Plate, Restrictor (for all WON series heaters)	1	13x13x3	1	
A00921-001	Plate, Restrictor, Square Duct, M2430BL1-ST2	1	8x8x4	1	
A00922-001	Plate, Restrictor, Square Duct, M3036BL1-ST2 and M3642BL1-ST2	1	10x10x3	1	
A00923-001	Plate, Restrictor, Square Duct, M4860BL1-ST2	1	13x13x3	1	
ower Wheels					
A00584-K03	Wheel, Blower, EC, M2430BL1-EC2/1	1	10x10x11	4	\$
A00582-K03	Wheel, Blower, EC, M3642BL1-EC2/1, M3036BL1-EC2/1	1	10x10x11	4	9
A00580-K03	Wheel, Blower, EC, M4860BL1-EC2/1	1	10x10x11	4	
A00757-001	Wheel, Blower, 9.5D x 1.50 SWSI (U1218, M1218), for ACB, EC2/1, and ST2	1	10x10x11	4	
A00137-001	Wheel, Blower, 9.5D x 3.00 SWSI (MB2436L)	1	10x10x11	4	
A00137-002	Wheel, Blower, 9.5D x 4.50 SWSI (MB4260L)	1	10x10x11	4	
A00584-K01	Wheel, Blower, 9.5D x 3.75 DWDI (M2430BL1-ST2 & +CB)	1	10x10x11	4	
A00582-K01	Wheel, Blower, 9.5D x 5.00 DWDI (M3036 and 3642BL1-ST2 & +CB)	1	10x10x11	4	
A00582-K01 A00580-K01	Wheel, Blower, 9.5D x 7.75 DWDI (M3036 and 3642BL1-S12 & +CB) Wheel, Blower, 9.5D x 7.75 DWDI (M4860BL1-ST2 & +CB)	1	10x10x11 10x10x11	4	
MUU30U-KU I	ן איטופט, איטטאלו, איטט א איז איז (אואסטטסבוי-12 & +Cb)	1	TUXTUXTT	4	
A00351-003	Capacitor, Oval, 10 mfd (for motors A001018-G03, G05, G07, G09, G14)	1	5x5x5	1 1	
A00351-003	Capacitor, Oval, 10 mid (for motors A001018-G03, G05, G07, G09, G14) Capacitor, Oval, 7.5 mfd (for motor A01018-G01)	1	5x5x5	1	
A00331-001	Toapaolio, Oval, 1.3 Illiu (ioi Illioloi Autoto-Got)	11	JAGAG	1 1	
lays and Switches	I.E. D. D. L. 16	J	T ===		
A00244-K01	AFS Bypass Relay Kit	1	5x5x5	1	
A00056-G02	Relay, Fan (for MB2436, MB4260 & all 1218 and BL2 ST2 model)	1	5x5x5	1	
A00802-001	Relay, Fan (for M2430, 3036, 3642 and 4860 ST2 models)	1	5x5x5	1	
A00060-K03	AFS (Anti Frost Switch), Single (for MC2436, MC4260 & M1218)	1	5x5x5	1	
A00060-K04				 	
A00060-K04	AFS (Anti Frost Switch), Double (for all refrigerant coils)	1	5x5x5	<u> </u>	
Traps					
A00924-G05	Kit, U-Trap w/Float Switch, Cooling Module (EZT - 241-3/4")	1	10x10x11	4	
A00924-G06	Kit, U-Trap w/Float Switch, M1218 (EZT - 242-1/2")	1	10x10x11	4	;
turn Filter Grilles					
A00051-005	Grille, Filter, UPC-01-1218, 14" x 20"	1	25x22x5	4	
A00051-003	Grille, Filter, UPC-01-2430, 14" x 25"	1	30x22x5	4	
A00051-004	Grille, Filter, UPC-01-3036, UPC-01-3642, 14" x 30"	1	34x19x8	4	
A00051-006	Grille, Filter, UPC-01-4860, 24" x 30"	1	35x35x12	6	
A00051-007	Grille, Filter, UPC-01-4860NC, 20" x 30"	1	35x35x12	6	
sc. Panels, Latches &	Gaskets				
A00218-002	Panel, Access, Modular, Solid	1	16x17x4	2	
A00176-002	Latch, Keeper	1	5x5x5	1	
A00176-001	Latch, Draw	1	5x5x5	1	
imary Drain Pans					
A00095-K01	Primary Drain Pan M2430	1	23x8x17	10	
A00095-K02	Primary Drain Pan M3642	1	33x8x17	10	
A00095-K05	Primary Drain Pan M3036	1	31x7x4	10	
A00332-K01	Primary Drain Pan U1218, M1218	1	23x9x17	15	
A00835-G01	Primary Drain Pan M4860	1	42x18x26	25	
or and Control Bograde Kit to EC Motor	oard Upgrade Kits & S.M.A.R.T. Control Board (SCB)				
A01543-K22	Kit, Upgrade, SCB with EC Motor, for M2430	1	16x20x29	20	\$2
A01543-K23	Kit, Upgrade, SCB with EC Motor, for M3642	1	16x20x29	20	\$2
A01543-K24	Kit, Upgrade, SCB with EC Motor, for M4860	1	16x20x29	20	\$2
A01543-K25	Kit, Upgrade, SCB (Wifi) with EC Motor, for M2430	1	16x20x29	20	\$2
A01543-K26	Kit, Upgrade, SCB (Wifi) with EC Motor, for M3036/M3642	1	16x20x29	20	\$2
	Kit, Upgrade, SCB (Wifi) with EC Motor, for M4860				
A 0.4 E 4.9 1/.0.7	. 10	1	16x20x29	20	\$3
A01543-K27 EC Upgrade Kit Ca	n Be Installed On Blower Modules M2430. M3642. M4860				
EC Upgrade Kit Ca	n Be Installed On Blower Modules M2430, M3642, M4860 ntains Wheel, Motor, Control Box for 230V blowers, USB cable, software CD, and cable				
EC Upgrade Kit Ca	ntains Wheel, Motor, Control Box for 230V blowers, USB cable, software CD, and cable	1] 2]	



	Part Number	Description	Qty	Carton Dimensions (Inches)	Ship Weight (Pounds)	List Price
Square	Fireboard Plen	num Components				
R-4.2	UPC-11-065S-4	Turning Vane, Square, 6.5"	4	13x13x10.5	5	\$12
	UPC-11-085S-4	Turning Vane, Square, 8.5"	4	23x10x11	5	\$17.
	UPC-11-095S-4	Turning Vane, Square, 9.5"	4	23x10x11	6	\$18
	UPC-12-065S6-4	Duct, Fiberglass, 6.5" x 6.5" l.D. x 6' long	4	18x18x72	30	\$1,28
	UPC-12-085S6-4	Duct, Fiberglass, 8.5" x 8.5" x 6' long	4	21.5x21.5x72	34	\$1,30
	UPC-12-095S6-4	Duct, Fiberglass, 9.5" x 9.5" x 6' long	4	24x24x72	40	\$1,29
	UPC-12-065S6-8F	Duct, Fiberglass, 6.5" x 6.5" x 6' long, Flat (unassembled)	8	34x8x72	60	\$1,10
	UPC-12-085S6-8F	Duct, Fiberglass, 8.5" x 8.5" x 6' long, Flat (unassembled)	8	42x8x72	68	\$1,25
	UPC-15-065S-4	End Caps, Fiberglass for 6.5" x 6.5" duct	4	8x8x5	1	\$5
	UPC-15-085S-4	End Caps, Fiberglass for 8.5" x 8.5" duct	4	10x10x5	2	\$31
	UPC-15-095S-4	End Caps, Fiberglass for 9.5" x 9.5" duct	4	10x11x17	2	\$9
	UPC-16V-065S-1	Tee, Full Flow, Fiberglass, 6.5" x 6.5" I.D. (w/ Turning Vane)	1	14x16x9	4	\$19
	UPC-16V-065S-4	Tee, Full Flow, Fiberglass, 6.5" x 6.5" I.D., 4 pack (w/ Turning Vane)	4	32x21x18	12	\$1,18
	UPC-16V-085S-1	Tee, Full Flow, Fiberglass, 8.5" x 8.5" I.D. (w/ Turning Vane)	1	29x16x20	5	\$33
	UPC-16V-085S-4	Tee, Full Flow, Fiberglass, 8.5" x 8.5" I.D., 4 pack (w/ Turning Vane)	4	27x20.5x47	14	\$64
	UPC-16V-095S-1	Tee, Full Flow, Fiberglass, 9.5" x 9.5" I.D. (w/ Turning Vane)	1	29x16x20	6	\$35
	UPC-16V-095S-4	Tee, Full Flow, Fiberglass, 9.5" x 9.5" I.D., 4 pack (w/ Turning Vane)	4	27x20.5x47	15	\$71
	UPC-18-065S-1	Elbow, 90°, Fiberglass, 6.5" x 6.5" I.D.	1	14x14x9	2	\$12
	UPC-18-065S-4	Elbow, 90°, Fiberglass, 6.5" x 6.5" l.D., 4 pack	4	30x18x18	9	\$42
	UPC-18-085S-1	Elbow, 90°, Fiberglass, 8.5" x 8.5" I.D	1	29x16x20	3	\$1:
	UPC-18-085S-4	Elbow, 90°, Fiberglass, 8.5" x 8.5" l.D, 4 pack	4	24x23.5x45	15	\$1,13
	UPC-18-095S-1	Elbow, 90°, Fiberglass, 9.5" x 9.5" I.D.	1	29x16x20	3	\$16
	UPC-18-095S-4	Elbow, 90°, Fiberglass, 9.5" x 9.5" l.D., 4 pack	4	24x23.5x45	15	\$1,15
	UPC-29-9585S-1	Reducer, Fiberglass, 9.5" sq. x 8.5" sq.	1	23x15x14	3	\$11
	UPC-29-9565S-1	Reducer, Fiberglass, 9.5" sq. x 6.5" sq.	1	23x15x14	3	\$60
	UPC-29-8565S-1	Reducer, Fiberglass, 8.5" sq. x 6.5" sq.	1	23x12x11	3	\$60
		and fittings are made of 1" thick fiberglass duct board.				727
R-6.0	UPC-12-065R6-4	Duct, Fiberglass, 6.5" x 6.5" l.D. x 6' long	4	73x19x19	40	\$1,38
	UPC-12-085R6-4	Duct, Fiberglass, 8.5" x 8.5" x 6' long	4	73x22x22	51	\$1.50
	UPC-15-065R6-4	End Caps, Fiberglass for 6.5" x 6.5" duct	4	11x11x16	2	\$31
	UPC-15-085R6-4	End Caps, Fiberglass for 8.5" x 8.5" duct	4	12x12x16	2	\$31
	UPC-15-095R6-4	End Caps, Fiberglass for 9.5" x 9.5" duct	4	12x12x16	2	\$43
	UPC-16V-065R6-4	Tee, Full Flow, Fiberglass, 6.5" x 6.5" I.D., 4 pack (w/ Turning Vane)	4	36x25x22	20	\$60
	UPC-16V-085R6-4	Tee, Full Flow, Fiberglass, 8.5" x 8.5" I.D., 4 pack (w/ Turning Vane)	4	40x28x24	35	\$1,36
	UPC-16V-095R6-4	Tee, Full Flow, Fiberglass, 9.5" x 9.5" I.D., 4 pack (w/ Turning Vane)	4	44x32x26	40	\$91 \$91
	UPC-18-065R6-4	Elbow, 90°, Fiberglass, 6.5" x 6.5" l.D, 4 pack	4	26x25x24	14	\$1.11
	UPC-18-085R6-4	Elbow, 90°, Fiberglass, 8.5" x 8.5" l.D, 4 pack	4	28x25x27	20	\$1,18
	UPC-18-095R6-4	Elbow, 90°, Fiberglass, 9.5" x 9.5" l.D, 4 pack	4	32x20x26	22	\$1,10
	UPC-29-9585R6-1	Reducer, Fiberglass, 9.5" sq. x 8.5" sq.	1	23x15x14	5	\$17
	UPC-29-9565R6-1	Reducer, Fiberglass, 9.5" sq. x 6.5" sq.	1	23x15x14	5	\$60
	UPC-29-8565R6-1	Reducer, Fiberglass, 8.5" sq. x 6.5" sq.	1	23x15x14	5	\$61
hiltei		freducer, riberglass, c.o. sq. x c.o. sq.		23813814	1 3 1	φ0
	x by Unico x Air-to-Water Heat I	Pump and Other				
3	CX35	Chiltrix, Outdoor Unit, 2T Cooling Unit/2.7 Ton Heating w/pump	1	46x20x44	280	\$9,91
	CX50	Chiltrix Outdoor Unit, CX50 Air-To-Water Heat Pump 3.5 Tons Cooling / 4.75 Tons Heating w/pump	1 1	46x20x62	312	\$13,86
	DN25	Chiltrix Motorized 3 way valve (1") DN32/G1/G3 (used for DHW with the CX35)	1	5x3x3	3	\$36
	DN32	Chiltrix Motorized 3 way valve (17 DN32/G1/G3 (used for DHW with the CX50)	1	5x3x3	3	\$48
	DHW40	Chiltrix All-Stainless Steel w/ Duplex 2205 Inner Tank / 304 Outer Tank Enclosure, 40 gallons	1	19x19x57	80	\$2,75
	DHW80	Chiltrix All-Stainless Steel w/ Duplex 2205 Inner Tank / 304 Outer Tank Enclosure, 40 gallons	1	24x24x88	88	\$3,59
	VCT19	Chiltrix 304 SS Multi-Purpose Water Tank - 19 Gallons	1	19x19x39	51	\$1,68
	VCT37C	Chiltrix 304 SS Multi-Purpose Water Tank - 19 Gallons Chiltrix 304 SS Multi-Purpose Water Tank - 37 Gallons	1	19x19x39 19x19x56	74	
	VU13/U	POTIBLITY 2014 22 INTURE LABORE MARIEL LALIK - 21 GABIOLIS	1	ocxet xet	14	\$2,93

\$3,490

\$1,357

\$276

\$1,180

\$1,304

\$1,423

\$1,951

\$747

22x22x60

10x10x10

10x10x10

29x7x29

37x7x29

45x7x29

51x7x29

7x7x19

1

1

1

1

1

102

10

32

42

49

57

VCT60

CXI34

CXI65

CXI85

V18B

CXI120

CXDHC-SA

CXI Valve

Chiltrix 304 SS Multi-Purpose Water Tank - 58 gallons

Chiltrix, Universal Indoor Unit, DC Inverter Fan Coil Unit (3Kbtu)

Chiltrix Universal Indoor Unit, DC Inverter Fan Coil Unit (6kbtu)
Chiltrix Universal Indoor Unit, DC Inverter Fan Coil Unit (8kbtu)

Chiltrix Universal Indoor Unit, DC Inverter Fan Coil Unit (11kbtu)

Chiltrix CXDHC-SA Psychrologix DHC Controller

Chiltrix CXI Valve 24V AC Valve for Fan Coil

Chiltrix Variable Backup Heater

Customer Care WE'RE HERE TO HELP



Please call us at (800) 527-0896 or send us an email at sales@unicosystem.com with any questions you may have.

Business Hours:

Monday-Friday

7:00 a.m. – 5:00 p.m. CST

DESIGN SERVICES

Unico can help with commercial or residential HVAC Projects in new or existing structures and will layout the ductwork, outlets, equipment location,

and provide a material list. Unico can receive plans in Auto-Cad (can receive files up to 50 mb if larger, please share the file via Drop Box), PDF, JPEG, and hard copy of plans.



Please go on line and fill out the Load Calculation Form

<u>www.unicosystem.com/design-services</u> for large files (10mb or higher) <u>designplans@unicosystem.com</u> or call us at 800-527-0896, option 4.

If opting to send hard-copies of your drawings, please mail to:

Unico System
Attn: Design Services
1120 Intagliata Drive
Arnold, MO 63010

Unico, Inc. reserves the right to use our design of your plans in our marketing materials. Unico makes no claims that the information given to us is correct or complete. It is the responsibility of the installing contractor, design, design engineer, or architect to verify the design conditions and performance. Thank you for your support

UNICO UNIVERSITY

Being an HVAC professional is a true commitment to excellence. However, staying up to date with the latest product improvements and industry trends can be a daunting challenge. That is why we set up Unico University as your "one-stop-shop" for all things Unico.

Unico University offers a choice of three types of training programs to get you on board and help keep you informed about new installation innovations and methods: Online Training, Field Training, or In-Factory Training. The In-Factory training now qualifies for continuing education credits though NATE.



ONLINE TRAINING

Available at your convenience and on your time schedule, our online training modules are an easy way to familiarize yourself with the Unico System, its innovative components, the latest installation and troubleshooting methods, and the marketing and sales tools available to help grow your business with Unico. Take them in your skivvies, over a beer, or at your favorite hunting blind – it is up to you.

FIELD TRAINING

We also offer several training locations around the country with courses conducted by our local Unico representatives throughout the year. More hands-on than our online modules but not quite as immersive as Unico University In-Factory Training our Field Training sessions allow you and your employees to gain a comprehensive understanding of the Unico System and proper installation techniques.

IN-FACTORY TRAINING

Hosted at our factory in St. Louis, this immersive, in-person training is held once a month and includes demonstrations, hands-on instruction, and a tour of the factory. Unico trainer, Matt Gordon, will cover everything you need to know about the Unico System, including start-up, layout, design and troubleshooting. Unico provides lodging and lunch – you only need cover your cost for travel to St. Louis.

To view upcoming training classes, please visit: www.unicosystem.com/unico-university

NOTES

The Unico System®



Unico, Inc.

1120 Intagliata Drive Arnold, MO 63010 800-527-0896 (toll-free) 314-481-9000 (local) www.unicosystem.com

Unico, Inc. is the leader in Small-Duct High-Velocity (SDHV) heating and cooling systems and other preferred indoor air quality HVAC systems. The company manufactures all its products in St. Louis MO, within its 125,000 square foot modern manufacturing facility. The Unico System is well known for extensive use in high performance and low load residential construction, home renovation, architecturally unique homes and buildings, as well as various commercial applications. The company is family owned and operated and sells in all 50 United States, all provinces of Canada, and in over 28 countries around the world.





Follow us on











Place orders by email at orderentry@unicosystem.com OR Order Online at www.unicosystem.com