

PRICE BOOK









UNICO FITS
YOUR DESIGN. YOUR BUSINESS. YOUR HOME.

ORDERS: ORDERENTRY@UNICOSYSTEM.COM SUPPORT: SALES@UNICOSYSTEM.COM



Part Number	Description	Qty	Carton Dimensions (Inches)	Ship Weight (Pounds)	List Price
ertical Air Handlers	A2L Compliant, TXV must be ordered separately				
2430					
V2430B-1EC2BH01	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 3 Row Coil, (AC/HP) with HWC, A2L Compliant	1	27x22x44	169	\$7,380
V2430B-1EC2BHC1	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 3 Row Coil, (AC/HP) with HWC, E-Coated, A2L Compliant	1	27x22x44	169	\$7,600
V2430B-1EC2BX01	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 3 Row Coil, (AC/HP) NO HWC, A2L Compliant	1	27x22x44	177	\$6,81
V2430B-1EC2BXC1	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 3 Row Coil, (AC/HP) NO HWC, E-Coated, A2L Compliant	1	27x22x44	177	\$7,03
V2430B-1EC2CH	Vertical Air Handler, SCB Variable Speed, 120/208/230V, Chilled Water, with HWC	1	27x22x44	202	\$7,35
V2430B-1EC2CX	Vertical Air Handler, SCB Variable Speed, 120/208/230V, Chilled Water, NO HWC	1	27x22x44	202	\$6,80
V2430B-1EC2EH01	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 4 Row Coil, (AC/HP) with HWC, A2L Compliant	1	27x22x44	210	\$7,69
V2430B-1EC2EHC1	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 4 Row Coil, (AC/HP) with HWC, E-Coated, A2L Compliant	1	27x22x44	210	\$7,92
V2430B-1EC2EX01	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 4 Row Coil, (AC/HP) NO HWC, A2L Compliant	1	27x22x44	177	\$7,13
V2430B-1EC2EXC1	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 4 Row Coil, (AC/HP) NO HWC, E-Coated, A2L Compliant	1	27x22x44	202	\$7,36
HW-V2430	Hot Water Coil for V2430	1	29x8x19	33	\$1,13
TXV-2T-454	TX Valve Kit, Chatleff, R454b, 2430	1	5x5x5	5	\$19
TXV-2T-32	TX Valve Kit, Chatleff, R32, 2430	1	5x5x5	5	\$19
Replacement Filter					
A00558-005	Filter, Pleated, 18 x 18 x 1, MERV 7 fits V2430	1	29x19x8	2	\$2
A02654-005	Filter, Pleated, 18 x 18 x 1, MERV 13	1	19x18x15.5	2	\$2
				- L	-
3036					
V3036B-1EC2BH01	Vertical Air Handler, SCB Variable Speed, 120/208/230V,3 Row Coil, (AC/HP) with HWC, A2L Compliant	1	27x25x44	191	\$8,07
V3036B-1EC2BHC1	Vertical Air Handler, SCB Variable Speed, 120/208/230V,3 Row Coil, (AC/HP) with HWC, E-Coated, A2L Compliant	1	27x25x44	191	\$8,43
V3036B-1EC2BX01	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 3 Row Coil, (AC/HP) NO HWC, A2L Compliant	1	27x25x44	200	\$6,93
V3036B-1EC2BXC1	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 3 Row Coil, (AC/HP) NO HWC, E-Coated, A2L Compliant	1	27x25x44	200	\$7,13
V3036B-1EC2CH	Vertical Air Handler, SCB Variable Speed, 120/208/230V, Chilled Water, with HWC, A2L Compliant	1	27x25x44	239	\$8,58
V3036B-1EC2CX	Vertical Air Handler, SCB Variable Speed, 120/208/230V, Chilled Water, NO HWC, A2L Compliant	1	27x25x44	239	\$8,15
V3036B-1EC2EH01	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 4 Row Coil, (AC/HP) with HWC, A2L Compliant	1	27x25x44	248	\$8,14
V3036B-1EC2EHC1	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 4 Row Coil, (AC/HP) with HWC, E-Coated, A2L Compliant	1	27x25x44	248	\$8,48
V3036B-1EC2EX01	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 4 Row Coil, (AC/HP) NO HWC, A2L Compliant	1	27x25x44	191	\$7,24
V3036B-1EC2EXC1	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 4 Row Coil, (AC/HP) NO HWC, E-Coated, A2L Compliant	1	27x25x44	191	\$7,49
HW-V3036	Hot Water Coil for V3036	1	29x8x19	48	\$1,27
TXV-3T-454	TX Valve Kit, Chatleff, R454b, 3036	1	5x5x5	5	\$19
TXV-3T-32	TX Valve Kit, Chatleff, R32, 3036	1	5x5x5	5	\$19
Replacement Filter					
A00558-008	Filter, Pleated, 18 x 22 x 1, MERV 7 fits V3036	1	26x23x5	6	\$3
A02654-008	Filter, Pleated, 18 x 22 x 1, MERV 13	1	27.6x18x15.5	2	\$2
3642 V3642B-1EC2BH01	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 3 Row Coil, (AC/HP) with HWC, A2L Compliant	1	31x26x46	215	\$8,66
V3642B-1EC2BHC1	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 3 Row Coil, (AC/HP) with HWC, E-Coated, A2L Compliant	1	31x26x46	215	\$8,99
V3642B-1EC2BX01	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 3 Row Coil, (AC/HP) NO HWC, A2L Compliant	1	31x26x46	227	\$7,80
V3642B-1EC2BXC1	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 3 Row Coil, (AC/HP) NO HWC, E-Coated, A2L Compliant	1	31x26x46	227	\$8,08
V3642B-1EC2CH	Vertical Air Handler, SCB Variable Speed, 120/208/230V, Chilled Water, with HWC, A2L Compliant Vertical Air Handler, SCB, Variable Speed, 120/208/230V, Chilled Water, with HWC, A2L Compliant	1	31x26x46	263	\$8,85
V3642B-1EC2CX	Vertical Air Handler, SCB, Variable Speed, 120/208/230V, Chilled Water, NO HWC, A2L Compliant Vertical Air Handler, SCB Variable Speed, 120/208/230V, Chilled Water, NO HWC, A2L Compliant	1	31x26x46	263	\$8,08
V3642B-1EC2EH01	Vertical Air Handler, SCB Variable Speed, 120/208/230V, Crillied Water, NO HWC, AZL Compilant Vertical Air Handler, SCB Variable Speed, 120/208/230V, 4 Row Coil, (AC/HP) with HWC, A2L Compliant	1	31x26x46	275	\$8,87
V3642B-1EC2EHC1	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 4 Row Coll, (AC/HP) with HWC, E-Coated, A2L Compliant	1	31x26x46	275	\$9,23
V3642B-1EC2ERC1	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 4 Row Coil, (AC/HP) With HWC, E-Coated, AZL Compliant Vertical Air Handler, SCB Variable Speed, 120/208/230V, 4 Row Coil, (AC/HP) NO HWC, AZL Compliant	1	31x26x46	275	\$9,23
V3642B-1EC2EXC1	Vertical Air Handler, SCB Variable Speed, 120/208/230V, 4 Row Coll, (AC/HP) NO HWC, A2L Compliant Vertical Air Handler, SCB Variable Speed, 120/208/230V, 4 Row Coll, (AC/HP) NO HWC, E-Coated, A2L Compliant	1	31x26x46 31x26x46	227	\$8,02
HW-V3642	Hot Water Coil for V3642	1	31x8x22	48	\$1,49
TXV-4T-454		1	31x8x22 5x5x5	48 5	\$1,4! \$2:
TXV-4T-454	TX Valve Kit, Chatleff, R454b, 3642 TX Valve Kit, Chatleff, R32, 3642	_	5x5x5 5x5x5	5	\$2 \$2
	IA Valve NII, Challell, NS2, 3042	1	GXGXG	5	\$2
Replacement Filter A00558-009	Filter, Pleated, 21 x 22 x 1, MERV 7 fits V3642	11	26x23x5	6	\$3
		1		·	\$3 \$4
A02654-009	Filter, Pleated, 21 x 22 x 1, MERV 13	1 1	30.1x21x11.6	2	\$4

^{*}For capacity and usage questions call 1-800-527-0896 or email service@unicosystem.com



Part Numb	ber	Description	Qty	Carton Dimensions (Inches)	Ship Weight (Pounds)	List Price
Δir Handlers »	*nlease read	descriptions carefully as some parts have been updated				
1-1.5 Ton Modu						
Blower Module	ulai Ollii					
M1218BL2	2-ST2	Module, Blower, Standard Control, Single Speed, 208/230V only	1	24x22x14	60	\$1,612
M1218BL2		Module, Blower, SCB Variable Speed ECM, 120/208/230V (Wifi Board)	1	24x22x14	60	\$2,685
		mpliant, TXV must be ordered separately		ZHAZZATH	00	\$2,000
M1218CL2		Module, Refrigerant Coil (6 Row)*(AC/HP), E-Coated (Chatleff connections), A2L Compliant, TXV sold separately	1	24x22x14	60	\$2,365
M1218CL2		Module, Refrigerant Coil (6 Row)*(AC/HP)(Chatleff connections), A2L Compliant, TXV sold separately	1	24x22x14	60	\$2.237
TXV-1T-45		TX Valve Kit, Chatleff, R454b, 1218	1	5x5x5	5	\$196
TXV-1T-32		TX Valve Kit, Chatleff, R32, 1218	1	5x5x5	5	\$196
		odule for indoor coil replacement only (R410A), unit includes TXV		CACAC	, ,	Ţ.00
M1218CL2		Module, Refrigerant Coil (6 Row)*(AC/HP)(Chatleff connections) for indoor coil replacement only	1 1	24x22x14	60	\$1,889
M1218CL2		Module, Refrigerant Coil (6 Row)*(AC/HP), E-Coated(Chatleff connections)	1	24x22x14	60	\$2.004
		for indoor coil replacement only				 ,
TXV-1T-41	10	TX Valve Kit, Chatleff, R410a, 1218, for indoor coil replacement only	1	5x5x5	2	\$196
Hydronic Module	е		•	•		<u>, </u>
M1218CL1	1-C	Module, Chilled Water Coil	1	24x22x14	60	\$1,312
M1218CL1	1-X	Module, Heating (without Hot Water Coil)	1	24x22x14	60	\$491
M1218CL1	1-H	Module, Heating (with Hot Water Coil)	1	24x22x14	60	\$955
Return Air Comp	onents	, , ,		1		
UPC-01-12		Return Air Box with Grille and Filter, 14" x 20"	1	23x9x17	8	\$301
UPC-04-12	218	Return Air Duct . 12" D x 10 ft.	1	26x18x18	9	\$396
UPC-04R6	6-1218	Return Air Duct, R-6.0 12" D x 10 ft	1	27x18x18	12	\$561
UPC-04R8	8-1218	Return Air Duct, R-8.0 12" D x 10 ft	1	28x18x18	15	\$537
UPC-104-1	1218	Return Air Adaptor, for 12" duct	1	19x5x13	30	\$275
UPC-105-1		Return Air Adaptor, for 12" duct with filter rack and filter	1	19x5x14	30	\$583
Drain Pan						
UPC-94		Secondary Drain Pan for 1218	1	42x24x2	12	\$532
Accessories				I		,
UPC-62-12	218	Adapter, Supply, Square, 8.5" ID	1	10x10x2.5	3	\$80
UPC-61-12		Adapter, Supply, Round, 7"	1	16.75x11x9	3	\$107
UPC-98		Mounting Rails for 1218	1	36x25x21	5	\$160
HW-1218		Hot Water Coil Only	1	25x11x7	12	\$565
UV Module and A	Accessories	s ·		I	I	
UVC1-09		UV Light Module Assembly, Cabinet Only	1	15.25x15.25x14	7	\$620
UVL1-09		UV Light Module Assembly	1	28.25x15x13.25	11	\$1,517
A02647-G0	601	UV Light	1	11.5x11.5x5.5	4	\$897
A02649-G0	601	UV Replacement Bulb	1	10x10x10	2	\$138
Replacement Filt		j '				
A00558-01		Filter, Pleated, 14 x 20 x 1, MERV 7 fits UPC-01-1218	1 1	21x15x9	4	\$16
A02654-01	-	Filter, Pleated, 14 x 20 x 1, MERV 13	1	20.7x14.6x8.6	2	\$17
A00558-01		Filter, Pleated, 16 x 12 x 1, MERV 7 fits UPC-105-1218	1	23x9x17	2	\$16
A02654-01		Filter, Pleated, 16 x 12 x 1, MERV 13	1		2	\$17

^{*}For capacity and usage questions call 1-800-527-0896 or email service@unicosystem.com



Part Number	Description	Qty	Carton Dimensions (Inches)	Ship Weight (Pounds)	List Price
liu Handlaus					
	ad descriptions carefully as some parts have been updated				
: - 2.5 Ton Modular U	nit				
Blower Module					
M2430BL2-EC2	Module, Blower, SCB Variable Speed ECM, 120/208/230V (Wifi Board)	1	29x16x20	62	\$2,686
M2430BR2-EC2	Module, Blower, SCB Variable Speed ECM, 120/208/230V Right hand (Wifi Board)	1	29x16x20	62	\$2,869
M2430BL2-ST2	Module, Blower, Standard Control, Single Speed, 208/230V only	1	29x16x20	62	\$1,674
Refrigerant Module A2L C	Compliant, TXV must be ordered separately				
M2430CL1-E001	Module, Refrigerant Coil (6 Row)*(AC/HP), A2L Compliant, TXV sold separately	1	29x16x20	60	\$2,698
M2430CL1-E0C1	Module, Refrigerant Coil (6 Row)*(AC/HP), E-Coated, A2L Compliant, TXV sold separately	1	29x16x20	60	\$2,969
M2430CR1-E001	Module, Refrigerant Coil, (6 Row) (AC/HP) Right hand, A2L Compliant, TXV sold separately	1	29x16x20	60	\$2,736
M2430CR1-E0C1	Module, Refrigerant Coil (6 Row)*(AC/HP), Right hand, E-Coated, A2L Compliant, TXV sold separately	1	29x16x20	60	\$3,176
M2430CL1-BA001	Module, Refrigerant Coil (4 Row)*(AC/HP), Aluminum, A2L Compliant, TXV sold separately	1	29x16x20	60	\$2,413
TXV-2T-454	TX Valve Kit, Chatleff, R454b, 2430	1	5x5x5	5	\$196
TXV-2T-32	TX Valve Kit, Chatleff, R32, 2430	1	5x5x5	5	\$196
	Module for indoor coil replacement only (R410A), unit includes TXV		3,3,3	3	\$190
M2430CL1-BA-R	Module, Refrigerant Coil (4 Row)*(AC/HP), Aluminum, for indoor coil replacement only	1	29x16x20	60	\$2,383
M2430CL1-BA-R	Module, Refrigerant Coil (4 Row)*(AC/HP) for indoor coil replacement only	1	29x16x20	60	\$2,344
				60	
M2430CL1-E0C-R	Module, Refrigerant Coil (6 Row)*(AC/HP), E-Coated for indoor coil replacement only	1	29x16x20		\$2,626
M2430CR1-E-R	Module, Refrigerant Coil, (6 Row) (AC/HP) Right hand for indoor coil replacement only	1	29x16x20	60	\$2,327
TXV-2T-410	TX Valve Kit, Chatleff, R410a, 2430, for indoor coil replacement only	1	5x5x5	2	\$196
Hydron <u>ic Module</u>					
M2430CL1-C	Module, Chilled Water Coil	1	29x16x20	60	\$2,281
M2430CL1-X	Module, Heating (without Hot Water Coil)	1	32x16x19	20	\$428
M2430CL1-H	Module, Heating (with Hot Water Coil)	1	32x16x19	53	\$1,409
HW-2430	Coil, Hot Water (fits M2430CL1-X, M2430V2)	1	33x8x17	33	\$1,034
Vertical Plenum Module					
M2430V2	Module, Vertical Plenum (includes Spacer & Filter)	1	29x27x20	33	\$1,792
Horizontal Return Air Mo	dule				_
M2430R1	Module, Horizontal Multiple Return Air (Includes Filter)	1	29x16x20	33	\$443
Return Air Components					
UPC-01-2430	Return Air Box with Grille and Filter, 14" x 25"	1	23x8x17	8	\$326
UPC-04-2430	Return Air Duct , R-4.2, 14" D x 10 ft.	1	18x18x26	9	\$389
UPC-04R6-2430	Return Air Duct , R-6.0, 14" D x 10 ft.	1	19x18x26	12	\$570
UPC-04R8-2430	Return Air Duct , R-8.0, 14" D x 10 ft.	1	20x18x26	15	\$572
UPC-59-2430	Return Air Adapter (fits to M2430CL1-A,B, C or E coil modules),14" duct	1	23x15x13	6	\$231
UPC-104-2430	Return Air Adapter (fits to M2430CL1-X or H, M2430V2), 14" duct	1	26x22x5	6	\$326
Drain Pan				11_	·
UPC-20B	Secondary Drain Pan (2 Module 2430)	1	29x32x2	11	\$509
UPC-20C	Secondary Drain Pan (3 Module 2430)	1	29x44x2	14	\$456
Accessories	,,				
UPC-63A	Vertical Installation Kit with 6" spacer module (2430)	1	29x19x8	11	\$299
UPC-62-2430	Adapter, Supply, Square, 8.5" ID	1	10x10x2.5	2	\$110
UPC-61-2430	Adapter, Supply, Round, 7"	1	16.75x11x9	3	\$92
UV Module and Accessor	1 117		10.7581185	3	402
UVC1-09	UV Light Module Assembly, Cabinet Only	<u> </u>	15.25x15.25x14	7	\$620
UVL1-09	UV Light Module Assembly UV Light Module Assembly	1	28.25x15.25x14	11	\$1,517
A02647-G01	ů ,		11.5x11.5x5.5	4	\$1,517 \$897
	UV Light	1			
A02649-G01	UV Replacement Bulb	1	10x10x10	2	\$138
Replacement Filters					
A00558-001	Filter, Pleated, 14 x 25 x 1, MERV 7 fits UPC-01-2430, M2430R1	1	28x17x8	4	\$25
A02654-001	Filter, Pleated, 14 x 25 x 1, MERV 13	1	27.88x14.25x12.88	2	\$24
A00558-004	Filter, Pleated, 18 x 25 x 1, MERV 7 fits M2430V2	1	33x29x9	2	\$27
A02654-004	Filter, Pleated, 18 x 25 x 1, MERV 13	1	27.63x18x15.5	2	\$25

^{*}For capacity and usage questions call 1-800-527-0896 or email service@unicosystem.com



Part Number	Description	Qty	Carton Dimensions (Inches)	Ship Weight (Pounds)	List Price
∆ir Handlers *nlosso ro	ead descriptions carefully as some parts have been updated				
2.5 - 3 Ton Modular U	Init				
Blower Module					
M3036BL2-EC2	Module, Blower, SCB Variable Speed ECM, 120/208/230V (Wifi Board)	1	34x16x20	73	\$3,014
M3036BR2-EC2	Module, Blower, SCB Variable Speed ECM, 120/208/230V Right hand (Wifi Board)	1	34x16x20	73	\$3,019
M3036BL2-ST2	Module, Blower, Standard Control, Single Speed, 208/230V only	1	34x16x20	73	\$1,735
Refrigerant Module A2L	Compliant, TXV must be ordered separately				
M3036CL1-E001	Module, Refrigerant Coil (6 Row)*(AC/HP), A2L Compliant, TXV sold separately	1	34x16x20	78	\$3,06
M3036CL1-E0C1	Module, Refrigerant Coil (6 Row)*(AC/HP), E-Coated, A2L Compliant, TXV sold separately	1	34x16x20	78	\$3,412
M3036CR1-E001	Module, Refrigerant Coil, (6 Row) (AC/HP) Right hand, A2L Compliant, TXV sold separately	1	34x16x20	78	\$3,210
M3036CR1-E0C1	Module, Refrigerant Coil, (6 Row) (AC/HP) Right hand, E-Coated, A2L Compliant, TXV sold separately	1	34x16x20	78	\$3,54
M3036CL1-BA001	Module, Refrigerant Coil (4 Row)*(AC/HP), Aluminum, A2L Compliant, TXV sold separately	1	34x16x20	78	\$2,82
TXV-3T-454	TX Valve Kit, Chatleff, R454b, 3036	1	5x5x5	5	\$19
TXV-3T-32	TX Valve Kit, Chatleff, R32, 3036	1	5x5x5	5	\$196
Replacement Refrigerant	Module for indoor coil replacement only (R410A), unit includes TXV				•
M3036CL1-BA-R	Module, Refrigerant Coil (4 Row)*(AC/HP), Aluminum, for indoor coil replacement only	1	34x16x20	78	\$2.620
M3036CL1-E-R	Module, Refrigerant Coil (6 Row)*(AC/HP) for indoor coil replacement only	1	34x16x20	78	\$2,713
M3036CL1-E0C-R	Module, Refrigerant Coil (6 Row)*(AC/HP), E-Coated, for indoor coil replacement only	1	34x16x20	78	\$3,078
M3036CR1-E-R	Module, Refrigerant Coil, (6 Row) (AC/HP) Right hand, for indoor coil replacement only	1	34x16x20	78	\$2,793
M3036CR1-E0C-R	Module, Refrigerant Coil, (6 Row) (AC/HP) Right hand, E-Coated, for indoor coil replacement only	1	34x16x20	78	\$3,14
TXV-3T-410	TX Valve Kit, Chatleff, R410a, 3036, for indoor coil replacement only	1	5x5x5	2	\$196
	17. Valve Nit, Challen, N4104, 3030, ful indoor con replacement only		3,3,3,3	2	\$19
Hydronic Module	Madela Castler (with Obited Water Cast)	1	0.44.000	70	φο 7 0
M3036CL1-C	Module, Cooling (with Chilled Water Coil)	1	34x16x20	78	\$2,73
M3036CL1-X	Module, Heating (without Hot Water Coil)	1	38x16x19	28	\$42
M3036CL1-H	Module, Heating (with Hot Water Coil)	1	38x16x19	76	\$1,762
HW-3036	Coil, Hot Water (fits M3036CL1-X, M3036V2)	1	45x8x17	48	\$1,29
Vertical Plenum Module					
M3036V2	Module, Vertical Plenum (includes Spacer Module and filters)	1	34x27x20	45	\$1,939
Horizontal Return Air Mo					
M3036R1	Module, Horizontal Multiple Return Air For 3036, (Includes filter)	1	34x16x20	30	\$54
Return Air Components					
UPC-01-3036	Return Air Box with Grille and Filter, 14" x 30"	1	33x8x17	10	\$373
UPC-04-3036	Return Air Duct , R-4.2, 16" D x 10 ft.	1	22x22x29	14	\$43
UPC-04R6-3036	Return Air Duct , R-6.0, 16" D x 10 ft.	1	22x22x29	17	\$616
UPC-04R8-3036	Return Air Duct , R-8.0, 16" D x 10 ft.	1	22x22x29	20	\$597
UPC-59-3036	Return Air Adapter (fits M3036CL1- A, B, C or E coil modules) 16" duct	1	17x38x13	8	\$214
UPC-104-3036	Return Air Adapter (fits M3036CL1-X or HM3036V2 Module) 16" duct	1	39x22x5	9	\$340
Drain Pan					
UPC-27B	Secondary Drain Pan (2 Module 3036)	1	45x42x2	14	\$473
UPC-27C	Secondary Drain Pan (3 Module 3036)	1	45x42x2	20	\$469
Accessories	•	•			
UPC-63-3036	Vertical Installation Kit with 6" spacer module	1	17x38x6	13	\$284
UPC-61-3036	Adapter, Supply, Round, 9	1	11x11x4.5	4	\$10
UPC-62-3036	Adapter, Supply, Square 10.5 " ID	1	20x12x9	3	\$11
UV Module and Accesso					•
UVC1-09	UV Light Module Assembly, Cabinet Only	1	15.25x15.25x14	7	\$620
UVL1-09	UV Light Module Assembly	1	28.25x15x13.25	11	\$1,51
A02647-G01	UV Light	1	11.5x11.5x5.5	4	\$89
A02649-G01	UV Replacement Bulb	1	10x10x10	2	\$13
Replacement Filters	ον ποριασοπιστιτ υπίυ		10.10.10		\$13
A00558-002	Filter, Pleated, 14 x 30 x 1, MERV 7 fits UPC-01-3036, M3036R1	<u> </u>	32x18x8	6	\$2
					\$23
A02654-002	Filter, Pleated, 14 x 30 x 1, MERV 13	1	30.50x15x15	2	
A00558-007	Filter, Pleated, 18 x 30 x 1, MERV 7 fits M3036V2	1	33x29x9	2	\$25
A02654-007	Filter, Pleated, 18 x 30 x 1, MERV 13	1	30.13x21.13x11.6	2	\$48

^{*}For capacity and usage questions call 1-800-527-0896 or email service@unicosystem.com



Part Number	Description	Qty	Carton Dimensions (Inches)	Ship Weight (Pounds)	List Price
r Handlers *n/occo ror	nd descriptions carefully as some parts have been updated				
3.5 Ton Modular U	nit				
Blower Module			,		
M3642BL2-EC2	Module, Blower, SCB Variable Speed ECM, 120/208/230V (Wifi Board)	1	42x16x20	73	\$3,045
M3642BR2-EC2	Module, Blower, SCB Variable Speed ECM, 120/208/230V Right hand (Wifi Board)	1	42x16x20	73	\$3,082
M3642BL2-ST2	Module, Blower, Standard Control, Single Speed, 208/230V only	1	42x16x20	73	\$1,870
	ompliant, TXV must be ordered separately				
M3642CL1-E001	Module, Refrigerant Coil (6 Row)* (AC/HP), A2L Compliant, TXV sold separately	1	42x16x20	78	\$3,225
M3642CL1-E0C1	Module, Refrigerant Coil (6 Row)* (AC/HP), E-Coated, A2L Compliant, TXV sold separately	1	42x16x20	78	\$3,732
M3642CR1-E001	Module, Refrigerant Coil, (6 Row) (AC/HP) Right hand, A2L Compliant, TXV sold separately	1	42x16x20	78	\$3,382
M3642CR1-E0C1	Module, Refrigerant Coil (6 Row)* (AC/HP), Right hand, E-Coated, A2L Compliant, TXV sold separately	1	42x16x20	78	\$3,752
M3642CL1-BA001	Module, Refrigerant Coil (4 Row)* (AC/HP), Aluminum, A2L Compliant, TXV sold separately	1	42x16x20	78	\$3,106
TXV-4T-454	TX Valve Kit, Chatleff, R454b, 3642	1	5x5x5	5	\$214
TXV-4T-32	TX Valve Kit, Chatleff, R32, 3642	1	5x5x5	5	\$214
Replacement Refrigerant	Module for indoor coil replacement only (R410A), unit includes TXV				
M3642CL1-BA-R	Module, Refrigerant Coil (4 Row)*(AC/HP), Aluminum, for indoor coil replacement only	1	42x16x20	78	\$3,005
M3642CL1-E-R	Module, Refrigerant Coil (6 Row)* (AC/HP), for indoor coil replacement only	1	42x16x20	78	\$2,822
M3642CL1-E0C-R	Module, Refrigerant Coil (6 Row)* (AC/HP), E-Coated, for indoor coil replacement only	1	42x16x20	78	\$3,350
M3642CR1-E-R	Module, Refrigerant Coil, (6 Row) (AC/HP) Right hand, for indoor coil replacement only	1	42x16x20	78	\$2,964
TXV-4T-410	TX Valve Kit, Chatleff, R410a, 3642, for indoor coil replacement only	1	5x5x5	2	\$214
Hydronic Module		1			•
M3642CL1-C	Module, Chilled Water Coil	1	42x16x20	78	\$2,898
M3642CL1-X	Module, Heating (without Hot Water Coil)	1	42x14x18	28	\$458
M3642CL1-H	Module, Heating (with Hot Water Coil)	1	42x14x18	76	\$1,956
HW-3642	Coil, Hot Water (fits M3642CL1-X, M3642V2)	1	45x8x17	48	\$1,392
Vertical Plenum Module	Odi, Flot Water (no moo-zoel X, moo-zvel)	<u>. </u>	TOXOXII	40	ψ1,552
M3642V2	Module, Vertical Plenum (includes Spacer & Filter)	1	42x26x20	45	\$2,001
Horizontal Return Air Mod		1.	42,20,20	43	Ψ2;001
M3642R1	Module, Horizontal Multiple Return Air (Includes Filter)	1	42x16x20	30	\$576
Return Air Components	Module, nonzontal Multiple Neturn All (Includes Piner)		42310320	30	\$310
UPC-01-3642	Return Air Box with Grille and Filter, 14" x 30"	1	33x8x17	10	\$373
UPC-04-3642	Return Air Duct , R-4.2, 18" D x 10 ft.	1	22x22x29	14	\$373 \$444
UPC-04R6-3642		1	22x22x29 22x22x29	17	\$650
	Return Air Duct , R-6.0, 18" D x 10 ft.		22x22x29 22x22x29		\$650
UPC-04R8-3642 UPC-59-3642	Return Air Duct , R-8.0, 18" D x 10 ft.	1		20	
	Return Air Adapter (fits to M3642CL1-B, C or E coil module), for 18" duct	1	17x38x13	8	\$263
UPC-104-3642	Return Air Adapter (fits to M3642CL1-X or H, M3642V2), for 18" duct	1	39x22x5	9	\$337
Drain Pan			10.11.0		\$481
UPC-24B	Secondary Drain Pan (2 Module 3642)	1	42x44x2	14	
UPC-24C	Secondary Drain Pan (3 Module 3642)	1	42x44x2	20	\$480
Accessories	- L				
UPC-64A	Vertical Installation Kit with 6" spacer module	1	41x19x8	13	\$472
UPC-62-3642	Adapter, Supply, Square, 10.5" ID	1	11x11x4.5	4	\$113
UPC-61-3642	Adapter, Supply, Round, 9	1	20x12x9	3	\$104
UV Module and Accessor					
UVC1-09	UV Light Module Assembly, Cabinet Only	1	15.25x15.25x14	7	\$620
UVL1-09	UV Light Module Assembly	1	28.25x15x13.25	11	\$1,517
A02647-G01	UV Light	1	11.5x11.5x5.5	4	\$897
A02649-G01	UV Replacement Bulb	1	10x10x10	2	\$138
Replacement Filters					
A00558-002	Filter, Pleated, 14 x 30 x 1, MERV 7, fits UPC-01-3036, MR3036R1	1	32x18x8	6	\$22
A02654-002	Filter, Pleated, 14 x 30 x 1, MERV 13	1	30.50x15x15	2	\$29
A00558-011	Filter, Pleated, 14 x 38 x 1, MERV 7, fits M3642R1	1	39x22x5	2	\$56
A02654-011	Filter, Pleated, 14 x 38 x 1, MERV 13	1	44x30.5x1.5	2	\$59
A00558-003**	Filter, Pleated, 18 x 20 x 1, MERV 7, fits M3642V2	1	21x21x9	2	\$22
A02654-003**	Filter, Pleated, 18 x 20 x 1, MERV 13	1	28.75x18x15.5	2	\$25
A00558-005**	Filter, Pleated, 18 x 18 x 1, MERV 7, fits M3642V2	1	29x19x8	2	\$29
A02654-005**	Filter, Pleated, 18 x 18 x 1, MERV 13	1	19x18x15.5	2	\$27

^{**} M3642V2 requires one of each size

*For capacity and usage questions call 1-800-527-0896 or email service@unicosystem.com



Part Number	Description	Qty	Carton Dimensions	Ship Weight	List Price
			(Inches)	(Pounds)	
Air Handlers *please re	ead descriptions carefully as some parts have been updated				
4 - 5 Ton Modular Un	it each and a second				
Blower Module					
M4860BL2-EC2	Module, Blower, SCB Variable Speed ECM, 120/208/230V (Wifi Board)	1	42x16x20	73	\$3,209
M4860BR2-EC2	Module, Blower, SCB Variable Speed ECM, 120/208/230V Right hand (Wifi Board)	1	42x16x20	73	\$3,317
M4860BL2-ST2	Module, Blower, Standard Control, Single Speed, 208/230V only	1	42x16x20	73	\$2,204
Refrigerant Module A2L	Compliant, TXV must be ordered separately				
M4860CL1-B001	Module, Refrigerant Coil (3 Row)* (AC/HP), A2L Compliant, TXV sold separately	1	42x18x26	88	\$4,289
M4860CL1-B0C1	Module, Refrigerant Coil (3 Row)* (AC/HP), E-Coated, A2L Compliant, TXV sold separately	1	42x18x26	88	\$4,865
M4860CR1-B001	Module, Refrigerant Coil (3 Row)* (AC/HP), Right hand, A2L Compliant, TXV sold separately	1	42x18x26	88	\$4,329
M4860CR1-B0C1	Module, Refrigerant Coil (3 Row)* (AC/HP), Right hand, E-Coated, A2L Compliant, TXV sold separately	1	42x18x26	88	\$4,905
TXV-5T-454	TX Valve Kit, Chatleff, R454b, 4860	1	5x5x5	5	\$214
TXV-5T-32	TX Valve Kit, Chatleff, R32, 4860	1	5x5x5	5	\$214
	clude a Spacer Module				
	t Module for indoor coil replacement only (R410A), unit includes TXV	т.			
M4860CL1-B-R	Module, Refrigerant Coil (3 Row)* (AC/HP), for indoor coil replacement only	1	42x18x26	88	\$3,973
M4860CL1-B0C-R	Module, Refrigerant Coil (3 Row)* (AC/HP), E-Coated, for indoor coil replacement only	1	42x18x26	88	\$4,562
M4860CR1-B-R	Module, Refrigerant Coil, (4 Row) (AC/HP) Right hand, for indoor coil replacement only	1	42x18x26	88	\$3,973
TXV-5T-410	TX Valve Kit, Chatleff, R410a, 4860, for indoor coil replacement only	1	5x5x5	2	\$214
=	clude a Spacer Module				
Hydronic Module	la de como de		10 10 00		40.004
M4860CL1-C M4860CL1-X	Module, Chilled Water Coil	1	42x18x26	88 28	\$3,961 \$458
M4860CL1-X M4860CL1-H	Module, Heating (without Hot Water Coil)	1	45x16x19 45x16x19	28 88	\$458 \$1,956
HW-4860	Module, Heating (with Hot Water Coil) Coil, Hot Water (fits M4860CL1-X, M4860V2)	1	45x16x19 45x8x17	48	\$1,392
	clude a Spacer Module		4580817	40	\$1,592
Vertical Plenum Module	cidue a Spacer Moutile				
M4860V2	Module, Vertical Plenum (includes Filter)	1	42x31x20	45	\$2,121
Horizontal Return Air Mo	· · ·	1 '	42/31/20	40	Ψ2,121
M4860R1	Module, Horizontal Multiple Return Air (Includes Filter)	1	42x16x20	30	\$576
Return Air Components	modalo, Horizoniai malapio recamina (modaco i liter)	<u></u>	42X10X20	00	\$0.0
UPC-01-4860	Return Air Box with Grille and Filter, 24" x 30"	1	8.5x27.5x33	16	\$531
UPC-01-4860NC	Return Air Box with Grille and Filter, 20" x 30"	1	8.5x27.5x33	16	\$473
UPC-04-4860	Return Air Duct, R-4.2, 20" D x 10 ft.	1	22x22x29	18	\$481
UPC-04R6-4860	Return Air Duct, R-6.0, 20" D x 10 ft.	1	23x22x29	21	\$667
UPC-04R8-4860	Return Air Duct, R-8.0 20" D x 10 ft	1	24x22x29	24	\$679
UPC-59-4860	Return Air Adapter (fits to M4860CL1-B, C or E coil module), for 20" duct	1	16x16x36	14	\$265
UPC-104-4860	Return Air Adapter (fits to M4860CL1-X or H, M4860V2) for 20" duct	1	39x22x5	14	\$337
Drain Pan	·				
UPC-24C	Secondary Drain Pan (2 Module 4860)	1	42x44x2	20	\$480
UPC-24D	Secondary Drain Pan (3 Module 4860)	1	44x54x2	24	\$538
A00522-001	Extended Drip Plate	1	40x7x4	5	\$288
Accessories					
UPC-64A	Vertical Installation Kit with 6" spacer module	1	41x19x8	13	\$472
UPC-62-4860	Adapter, Supply, Square, 11.5" ID	1	12x12x12	2	\$114
UPC-61-4860	Adapter, Supply, Round, 10"	1	20x12x9	4	\$113
UV Module and Accesso					
UVC1-09	UV Light Module Assembly, Cabinet Only	1	15.25x15.25x14	7	\$620
UVL1-09	UV Light Module Assembly	1	28.25x15x13.25	11	\$1,517
A02647-G01	UV Light	1	11.5x11.5x5.5	4	\$897
A02649-G01	UV Replacement Bulb	1	10x10x10	2	\$138
Replacement Filters	Ten.				1
A00558-011	Filter, Pleated, 14 x 38 x 1, MERV 7, fits M4860R1	1	39x22x5	2	\$56
A02654-011	Filter, Pleated, 14 x 38 x 1, MERV 13	1	44x30.5x1.5	2	\$59
A00558-012	Filter, Pleated, 20 x 30 x 1, MERV 7 fits UPC-01-4860NC	1	33x28x9	2	\$24
A02654-012	Pleated Filter, 20x30x1, MERV 13	1	30.13x21.13x11.6	2	\$29
A00558-003**	Filter, Pleated, 18 x 20 x 1, MERV 7, fits M4860V2	1	21x21x9	_	\$22
A02654-003** A00558-005**	Filter, Pleated, 18 x 20 x 1, MERV 13	1	28.75x18x15.5	2 2	\$25
	Filter, Pleated, 18 x 18 x 1, MERV 7, fits M4860V2		29x19x8 19x18x15.5		\$29 \$27
A02654-005**	Filter, Pleated, 18 x 18 x 1, MERV 13 Filter, Pleated, 24 x 30 x 1, MERV 7 fits UPC-01-4860	1	19X18X15.5 31x32x5	6	\$27 \$27
A00558-006 A02654-006	Pleated Filter, 24x30x1, MERV 13	+ +	30.75x31x4		\$27
	Pleated Filter, 24x30x1, MERV 13] 1	30.7383184	2	

^{**} M4860V2 require one of each size

^{*}For capacity and usage questions call 1-800-527-0896 or email service@unicosystem.com



Part Number	Description	Qty	Carton Dimensions (Inches)	Ship Weight (Pounds)	List Price
	nch - Twist-Fit System				
d Plastic	Ta				
UPC-56TB-1	Supply Outlet, TFS, w/Toggles and Screws, Face Plate Only	1	5x5x5	1	
UPC-56TB-6	Supply Outlet, TFS, w/Toggles and Screws, Face Plate Only (6 pcs)	6	8x8x5	3	
UPC-56TB-BLK-1	Black Supply Outlet, TFS, w/Toggles and Screws, Face Plate Only	1	5x5x5	1	
UPC-56TB-BLK-6	Black Supply Outlet, TFS, w/Toggles and Screws, Face Plate Only (6 pcs)	6	8x8x5	3	
UPC-56TB-BRS-1 UPC-56TB-BRS-6	Brass Supply Outlet, TFS, w/Toggles and Screws, Face Plate Only	1	5x5x5	1	
	Brass Supply Outlet, TFS, w/Toggles and Screws, Face Plate Only (6 pcs)	6	8x8x5 5x5x5	3	
UPC-56TB-CHR-1 UPC-56TB-CHR-6	Chrome Supply Outlet, TFS, w/Toggles and Screws, Face Plate Only		8x8x5	3	
	Chrome Supply Outlet, TFS, w/Toggles and Screws, Face Plate Only (6 pcs)	6	8X8X5	3	
d Wood	O 11 / T50 W 1 B' 1 E B' 0				
UPC-57T-B-1	Outlet, TFS, Wood, Birch, Face Plate Only	1	5x5x5	1	
UPC-57T-B-6	Outlet, TFS, Wood, Birch, Face Plate Only (6 pcs)	6	8x8x5	3	
UPC-57T-C-1	Outlet, TFS, Wood, Cherry, Face Plate Only	1	5x5x5	1	
UPC-57T-C-6	Outlet, TFS, Wood, Cherry, Face Plate Only (6 pcs)	6	8x8x5	3	
UPC-57T-K-1	Outlet, TFS, Wood, Knotty Pine, Face Plate Only	1	5x5x5	1	
UPC-57T-K-6	Outlet, TFS, Wood, Knotty Pine, Face Plate Only (6 pcs)	6	8x8x5	3	
UPC-57T-MA-1	Outlet, TFS, Wood, Maple, Face Plate Only	1	5x5x5	1	
UPC-57T-MA-6	Outlet, TFS, Wood, Maple, Face Plate Only (6 pcs)	6	8x8x5	3	
UPC-57T-MH-1	Outlet, TFS, Wood, Mahogany, Face Plate Only	1	5x5x5	1	
UPC-57T-MH-6	Outlet, TFS, Wood, Mahogany, Face Plate Only (6 pcs)	6	8x8x5	3	
UPC-57T-PI-1	Outlet, TFS, Wood, Pine, Face Plate Only	1	5x5x5	1	
UPC-57T-PI-6	Outlet, TFS, Wood, Pine, Face Plate Only (6 pcs)	6	8x8x5	3	
UPC-57T-PO-1	Outlet, TFS, Wood, Poplar, Face Plate Only	1	5x5x5	1	
UPC-57T-PO-6	Outlet, TFS, Wood, Poplar, Face Plate Only (6 pcs)	6	8x8x5	3	
UPC-57T-RO-1	Outlet, TFS, Wood, Red Oak, Face Plate Only	1	5x5x5	1	
UPC-57T-RO-6	Outlet, TFS, Wood, Red Oak, Face Plate Only (6 pcs)	6	8x8x5	3	
UPC-57T-WL-1	Outlet, TFS, Wood, Walnut, Face Plate Only	1	5x5x5	1	
UPC-57T-WL-6	Outlet, TFS, Wood, Walnut, Face Plate Only (6 pcs)	6	8x8x5	3	
UPC-57T-WO-1	Outlet, TFS, Wood, White Oak, Face Plate Only	1	5x5x5	1	
UPC-57T-WO-6	Outlet, TFS, Wood, White Oak, Face Plate Only (6 pcs)	6	8x8x5	3	
All wood outlets	are unfinished				
d Flush Mount	In			T	
UPC-57T-B-F-1	Wood Outlet, TFS, Flush Mount, Birch, Face Plate Only	1	5x5x5	1	
UPC-57T-B-F-6	Wood Outlet, TFS, Flush Mount, Birch, Face Plate Only (6 pcs)	6	8x8x5	3	
UPC-57T-C-F-1	Wood Outlet, TFS, Flush Mount, Cherry, Face Plate Only	1	5x5x5	1	
UPC-57T-C-F-6	Wood Outlet, TFS, Flush Mount, Cherry, Face Plate Only (6 pcs)	6	8x8x5	3	
UPC-57T-K-F-1	Wood Outlet, TFS, Flush Mount, Knotty Pine, Face Plate Only	1	5x5x5	1	
UPC-57T-K-F-6	Wood Outlet, TFS, Flush Mount, Knotty Pine, Face Plate Only (6 pcs)	6	8x8x5	3	
UPC-57T-MA-F-1	Wood Outlet, TFS, Flush Mount, Maple, Face Plate Only	1	5x5x5	1	
UPC-57T-MA-F-6	Wood Outlet, TFS, Flush Mount, Maple, Face Plate Only (6 pcs)	6	8x8x5	3	
UPC-57T-MH-F-1	Wood Outlet, TFS, Flush Mount, Mahogany, Face Plate Only	1	5x5x5	1	
UPC-57T-MH-F-6	Wood Outlet, TFS, Flush Mount, Mahogany, Face Plate Only (6 pcs)	6	8x8x5	3	
UPC-57T-PI-F-1	Wood Outlet, TFS, Flush Mount, Pine, Face Plate Only	1	5x5x5	1	
UPC-57T-PI-F-6	Wood Outlet, TFS, Flush Mount, Pine, Face Plate Only (6 pcs)	6	8x8x5	3	
UPC-57T-PO-F-1	Wood Outlet, TFS, Flush Mount, Poplar, Face Plate Only	1	5x5x5	1	
UPC-57T-PO-F-6	Wood Outlet, TFS, Flush Mount, Poplar, Face Plate Only (6 pcs)	6	8x8x5	3	
UPC-57T-RO-F-1	Wood Outlet, TFS, Flush Mount, Red Oak, Face Plate Only	1	5x5x5	1	
UPC-57T-RO-F-6	Wood Outlet, TFS, Flush Mount, Red Oak, Face Plate Only (6 pcs)	6	8x8x5	3	
UPC-57T-WL-F-1	Wood Outlet, TFS, Flush Mount, Walnut, Face Plate Only	1	5x5x5	1	
UPC-57T-WL-F-6	Wood Outlet, TFS, Flush Mount, Walnut, Face Plate Only (6 pcs)	6	8x8x5	3	
UPC-57T-WO-F-1	Wood Outlet, TFS, Flush Mount, White Oak, Face Plate Only	1	5x5x5	1	
UPC-57T-WO-F-6	Wood Outlet, TFS, Flush Mount, White Oak, Face Plate Only (6 pcs)	6	8x8x5	3	



Par	rt Number	Description	Qty	Carton Dimensions (Inches)	Ship Weight (Pounds)	List Price
ly Air	Component	ts - 2 Inch - Twist-Fit System				
artDuct						
	C-26TCH-1	SmartDuct, TFS, 2x12' (1 PCS)	1	25x25x6	5	
UPC	C-26TCH-6	SmartDuct, TFS, 2x12' (6 PCS)	6	24x24x23	28	
.2						
UPO	C-26TCHR4-1	SmartDuct, TFS, 2x12', R4 (1 PCS)	1	32x31x4	6	
UPO	C-26TCHR4-6	SmartDuct, TFS, 2x12', R4 (6 PCS)	6	24x24x23	32	
UPO	C-26TDHR4-1	SmartDuct, TFS, 2x12', R4, Double Barrier (1 PCS)	1	25x25x6	6	
UPO	C-26TDHR4-6	SmartDuct, TFS, 2x12', R4, Double Barrier (6 PCS)	6	26x26x33	36	
					1	
UPO	C-26TCHR6-1	SmartDuct, TFS, 2x12', R6 (1 PCS)	1	25x25x6	6	
	C-26TCHR6-6	SmartDuct, TFS, 2x12', R6 (6 PCS)	6	26x26x33	36	
<u> </u>	0 20101110 0			LONLONGO	1 00	
LIDO	C-26TCHR8-1	SmartDuct, TFS, 2x12', R8 (1 PCS)	1	25x25x6	6	
	C-26TCHR8-6	SmartDuct, TFS, 2x12', R8 (6 PCS)	6	26x26x33	40	
		Siliatubuci, 1FS, 2X12, Ro. (0 FCS)	0	20X20X33	40	
ınd Atte	enuator					
.3						
	C-26TC03-1	Sound Attenuator Tubing, TFS, Couplings Attached 2" ID x 3'L, R-3.3, single length (3 ft. per box)	1	10.5x10.5x10.5	2	
UPC	C-26TC03-6	Sound Attenuator Tubing, TFS, Couplings Attached 2" ID x 3'L, R-3.3, (18 ft. per box)	6	22.5x5.25x38.5	7	
UPO	C-26TC-1	Sound Attenuator Tubing, TFS, Couplings Attached 2" ID x 12'L, R-3.3, single length (12 ft. per box)	1	25x25x6	5	
	C-26TC-6	Sound Attenuator Tubing, TFS, Couplings Attached 2" ID x 12'L, R-3.3 (72 ft. per box)	6	24x24x23	28	
.2			ı ĕ	,,,,_0		
	C-26TC03R4-1	Sound Attenuator Tubing, TFS, Couplings Attached 2" ID x 3'L, R-4.2, single length (3 ft. per box)	1	10.5x10.5x10.5	2	
	C-26TC03R4-6	Sound Attenuator Tubing, TFS, Couplings Attached 2" ID x 3'L, R-4.2 (18 ft. per box)	6	22.5x5.25x38.5	7	
	C-26TCR4-1	Sound Attenuator Tubing, TFS, Couplings Attached 2" ID x 12'L, R-4.2, single length (12 ft. per box)	1	32x31x4	6	
	C-26TCR4-6	Sound Attenuator Tubing, TFS, Couplings Attached 2" ID x 12'L, R-4.2 (72 ft. per box)	6	24x24x23	32	
UPO	C-26TD03R4-1	Sound Attenuator Tubing, Double Vapor Barrier, TFS, Couplings Attached 2" ID x 3'L, R-4.2, single length (3 ft. per box)	1	10.5x10.5x10.5	3	
L			⊥ I		<u> </u>	
UPO	C-26TD03R4-6	Sound Attenuator Tubing, Double Vapor Barrier, TFS, Couplings Attached 2" ID x 3'L, R-4.2 (18 ft. per box)	6	22.5x5.25x38.5	7	
	C-26TDR4-1	Sound Attenuator, Double Vapor Barrier, TFS, Couplings Attached, 2" ID x12'L, R-4.2, single length (12 ft. per box)	1	25x25x6	6	
	C-26TDR4-6	Sound Attenuator, Double Vapor Barrier, TFS, Couplings Attached, 2" ID x12'L, R-4.2 (72 ft. per box)	6	26x26x33	36	
OI*C	C 201D1(4-0	Security Michigan, Deduct Vapor Barrior, 11 o, Godpringe / Macrieu, 2 ID A12 L, IV-4.2 (12 it. per box)	U	20120100	- 55	
ue :	C-26TC03R6-1	Toward Attenuates Tables TEC Countings Attended (III D. C.	1.	40.05::40.5.40.5		
		Sound Attenuator Tubing, TFS, Couplings Attached 2" ID x 3'L, R-6.0, single length (3 ft. per box)	1	10.25x10.5x10.5	2	
	C-26TC03R6-6	Sound Attenuator Tubing, TFS, Couplings Attached 2" ID x 3'L, R-6.0 (18 ft. per box)	6	34.5x6.25x34.5	7	
UPO	C-26TCR6-1	Sound Attenuator Tubing, TFS, Couplings Attached 2" ID x 12'L, R-6.0, single length (12 ft. per box)	1	25x25x6	6	
UPO	C-26TCR6-6	Sound Attenuator Tubing, TFS, Couplings Attached 2" ID x 12'L, R-6.0 (72 ft. per box)	6	26x26x33	36	
LIPO	C-26TC03R8-1	Sound Attenuator Tubing, TFS, Couplings Attached 2" ID x 3'L, R-8.0, single length (3 ft. per box)	1	10.5x10.5x10.5	3	
	C-26TC03R8-6	Sound Attenuator Tubing, TFS, Couplings Attached 2" ID x 3'L, R-8.0 (18 ft. per box)	6	34.5x6.25x34.5	8	
	C-26TCR8-1		1	25x25x6		
		Sound Attenuator Tubing, TFS, Couplings Attached 2" ID x 12"L, R-8.0, single length (12 ft. per box)			6	
	C-26TCR8-6	Sound Attenuator Tubing, TFS, Couplings Attached 2" ID x 12'L, R-8.0 (72 ft. per box)	6	26x26x33	40	
	Supply	_				
	C-25T-1	Supply Tubing, TFS, Couplings Attached, Aluminum, 2" ID x 25'L, R-3.3, single length (25 ft. per box)	1	32x31x4	9	
UPC	C-25T-4	Supply Tubing, TFS, Couplings Attached, Aluminum, 2" ID x 25'L, R-3.3 (100 ft. per box)	4	31x15x31	30	
UPO	C-25T-R4-1	Supply Tubing, TFS, Couplings Attached, Aluminum, 2" ID x 25'L, R-4.2, single length (25 ft. per box)	1	32x31x4	10	
UPO	C-25T-R4-4	Supply Tubing, TFS, Couplings Attached, Aluminum, 2" ID x 25'L, R-4.2 (100 ft. per box)	4	32x30x15	58	
UPO	C-25T-R6-1	Supply Tubing, TFS, Couplings Attached, Aluminum, 2" ID x 25'L, R-6.0, single length (25 ft. per box)	1	32x31x4	10	
	C-25T-R6-4	Supply Tubing, TFS, Couplings Attached, Aluminum, 2" ID x 25'L, R-6.0 (100 ft. per box)	4	37x37x22	58	
	C-25T-R8-1	Supply Tubing, TFS, Couplings Attached, Aluminum, 2" ID x 25'L, R-8.0, single length (25 ft. per box)	1	32x31x4	10	
	C-25T-R8-4	Supply Tubing, TFS, Couplings Attached, Aluminum, 2" ID x 25"L, R-8.0 (100 ft. per box)	4	37x37x22	61	
	- Metal					
UPC	C-89TM-1	Install Kit, 2", Round Metal Plenum, TFS, (1 pk) - Includes (1) Supply Outlets, (1) Take Off for round metal plenum, (1)	1	5.5x5.5x5.5	1	
		Winter Supply Shutoff Caps, (2) Toggles and Screws, (2) extra TFS Gaskets	Ш		ļ	
UPO	C-89TM-6	Install Kit, 2", Round Metal Plenum, TFS, (6 pk) - Includes (6) Supply Outlets, (6) Take offs for round metal plenum, (6)	6	10.5x10.5x5	3	
		Winter Supply Shutoff Caps, (12) Toggles and Screws, (2) extra TFS Gaskets				
LIDO	C-89TMR6-1	Install Kit, 2", R6, Round Metal Plenum, TFS, (1 pk) - Includes (1) Supply Outlets, (1) Take Off for round metal plenum,	1	5.5x5.5x5.5	1	
UPC	O-09 LIVINO-1	(1) Winter Supply Shutoff Caps, (2) Toggles and Screws, (2) extra TFS Gaskets				
LIDO	C-89TMR6-6	Install Kit, 2", R6, Round Metal Plenum, TFS, (6 pk) - Includes (6) Supply Outlets, (6) Take offs for round metal plenum,	6	10.5x10.5x5	3	
		(6) Winter Supply Shutoff Caps, (12) Toggles and Screws, (2) extra TFS Gaskets				
UPO	C-89TMF-1	Install Kit, 2", Flat Metal Plenum, TFS, (1 pk) - Includes (1) Supply Outlets, (1) Take Off for flat metal plenum, (1) Winter	1	5.5x5.5x5.5	1	
		Supply Shutoff Caps, (2) Toggles and Screws, (2) extra TFS Gasket				
UPO	C-89TMF-6	Install Kit, 2", Flat Metal Plenum, TFS, (6 pk) - Includes (6) Supply Outlets, (6) Take offs for flat metal plenum, (6) Winter	6	10.5x10.5x5	3	
L		Supply Shutoff Caps, (12) Toggles and Screws, (2) extra TFS Gaskets	┸╵		<u> </u>	
LID	C-89TMFR6-6	Install Kit, 2", R6 Flat Metal Plenum, TFS, (6 pk) - Includes (6) Supply Outlets, (6) Take offs for flat metal plenum, (6)	6	10 Ev10 EvE	3	
		Winter Supply Shutoff Caps, (12) Toggles and Screws, (2) extra TFS Gaskets	б	10.5x10.5x5	3	
all Kits	- Fiberglass					
	C-89TF-1	Install Kit, 2", 1" Fiberglass Plenum, TFS, (1 pk) - Includes (1) Supply Outlets, (1) Spin-in Take Off, (1) Winter Supply	1	5.5x5.5x5.5	1	
1 .		Shutoff Caps, (2) Toggles and Screws, (2) Aluminum Core Clamps (black), (2) zip ties, (2) extra TFS Gaskets				
1						
	C-89TF-6	Install Kit, 2", 1" Fiberglass Plenum, TFS, (6 pk) - Includes (6) Supply Outlets, (6) Spin-in Take Offs, (6) Winter Supply	6	10.5x10.5x5	3	
I ID	5 5511 -5	Shutoff Caps, (12) Toggles and Screws, (8) Aluminum Core Clamps (black), (8) zip ties, (2) extra TFS Gaskets	٥	10.5810.585		
UPO		States Super, (12) reggiou and Gorone, (0) reasonation Goro Giantips (black), (0) 219 ties, (2) extra 11 G Gaskets				
UPO		Install Kit, 2", 1.5" Fiberglass Plenum, TFS, (1 pk) - Includes (1) Supply Outlets, (1) R6 Spin-in Take Off, (1) Winter	1	E EVE EVE E	1	
	C_80TERS 1		1 1	5.5x5.5x5.5	'	
	C-89TFR6-1					
	C-89TFR6-1	Supply Shutoff Caps, (2) Toggles and Screws, (2) Aluminum Core Clamps (black), (2) zip ties, (2) extra TFS Gaskets			1	
UPO		Supply Shutoff Caps, (2) Toggles and Screws, (2) Aluminum Core Clamps (black), (2) zip ties, (2) extra TFS Gaskets	G	10 5v10 5v5	2	
UPO	C-89TFR6-1		6	10.5x10.5x5	3	



Part Num	mber	Description	Qty	Carton Dimensions (Inches)	Ship Weight (Pounds)	List Price
ccessories - 2						
Supply Air & Ou	utlet Compon			,		
UPC-22		Take-off, Spin-In for 1.5" fiberglass duct board kit	1	5x5x5	1	\$42
UPC-23B		Take-off, Spin-in for 1" fiberglass duct board kit	1	5x5x5	1	\$39
UPC-28T		TFS, Take-off, for round metal plenum Includes gasket	1	5x5x5	1	\$36
UPC-28T		TFS, Take-off, for round metal plenum includes gasket (6 pcs)	6	8x8x5	5	\$166
UPC-28T		TFS, Take-off, for flat metal plenum Includes gasket	1	5x5x5	1	\$36
UPC-28T		TFS, Take-off, for flat metal plenum Includes gasket (6 pcs)	6	8x8x5	5	\$184
UPC-35-1		Balancing Kit for plenum take-offs	15	5x5x5	1	\$91
UPC-36-1		Balancing Kit 2" for round outlets	15	5x5x5	1	\$67
UPC-38T		Coupling Kit, TFS, 2" Duct, 1 Couplings, makes 1 connection	1	5x5x5	1	\$48
UPC-38T		Coupling Kit, TFS, 2" Duct, 6 Couplings, makes 6 connections	6	10x10x11	3	\$276
UPC-38T		Coupling Kit, TFS, 2" Duct, R3.3, Black, 1 Couplings, makes 1 connection	1	5.5x5.5x5.5	1	\$48
UPC-38T		Coupling Kit, TFS, 2" Duct, R3.3, Black, 6 Couplings, makes 6 connections	6	10.5x10.5x10.5	3	\$269
UPC-38T		Coupling Kit, TFS, 2" Duct, R6, Black, 1 Couplings, makes 1 connection	1	8x8x4.375	1	\$48
UPC-38T		Coupling Kit, TFS, 2" Duct, R6, Black, 6 Couplings, makes 6 connections	6	10.5x10.5x10.5	3	\$269
UPC-38T	CR6-W-1	Coupling Kit, TFS, 2" Duct, R6, White, 1 Couplings, makes 1 connection	1	8x8x4.375	1	\$48
UPC-38T	CR6-W-6	Coupling Kit, TFS, 2" Duct, R6, White, 6 Couplings, makes 6 connections	6	10.5x10.5x10.5	3	\$269
UPC-38T	TC-W-1	Coupling Kit, TFS, 2" Duct, R3.3, White, 1 Couplings, makes 1 connection	1	5.5x5.5x5.5	1	\$48
UPC-38T		Coupling Kit, TFS, 2" Duct, R3.3, White, 6 Couplings, makes 6 connections	6	10.5x10.5x10.5	3	\$269
UPC-42-2		Plugs, Winter Shut-off for 2" outlets (20/box)	20	5x5x5	1	\$48
UPC-45-5	5	Deflector, Air, Outlet	5	5x5x5	1	\$193
UPC-51		Hardware Pkg, Outlet Includes (12) toggles and screws	12	5x5x5	1	\$38
UPC-52-5	50	Clamps, Aluminum Supply Tubing (black)	50	5x5x5	1	\$64
UPC-53-5	50	Clamps, Sound Attenuator (silver)	50	5x5x5	1	\$73
UPC-54		Pliers, Clamp	1	5x5x5	1	\$96
UPC-55-5	5	Hole Cutter, fiberglass duct board, 2" ("Cookie-cutter")	5	5x5x5	1	\$126
UPC-84-5	5	Outlet Kit, Short Rigid 1' Attenuator(for 1" duct board plenum)	5	10x11x17	4	\$393
UPC-85-5	5	Outlet Kit, Short Rigid 1' Attenuator(for metal plenum)	5	10x11x17	4	\$393
UPC-86-5	5	Frame-in Kits, 2"	5	10x11x17	5	\$172
UPC-88-2	20	Screen, Outlet, White	20	5x5x5	1	\$69
UPC-88-2	20-BLK	Screen, Outlet, Black	20	5x5x5	1	\$65
A00122-0		Coupling, AL, 2"	1	5x5x5	1	\$7
A00123-0	001	Ring, Tape, 3.5" (no slits)	1	5x5x5	1	\$4
A00123-0		Ring, Tape, 5.0", 2.0" Duct, Red - R6	1	5x5x5	1	\$7
A01102-0		Plugs, Winter Shut-off (Slotted outlet - UPC-67TA & UPC-68T)	1	5x5x5	1	\$6
A01502-0		Gasket, for underside of 2" round, flanged outlet (5 pcs)	5	5x5x5	1	\$37
A01502-0		Gasket, Round, Flanged Outlet, 2"	1	5x5x5	1	\$4
Round Plastic		, · · ·, - · ·, -	1			
UPC-56F	R-1	Supply Outlet, Round, Plastic, White, Fire-Rated 1-hour (UL555C)	1	5x5x5	1	\$98
UPC-58-1		Supply Outlet, Round, Plastic, 15° Sloped	1	5x5x5	1	\$67
UPC-58-1		Supply Outlet, Round, Plastic, 25° Sloped	1	5x5x5	1	\$49
		nclude toggles and screws	1			***
A01729-0		Supply Outlet, Flangeless, Black	1	5x5x5	1	\$8
Slotted Outlet K				ололо		
UPC-67T		UPC-67TA, Twist Fit 90° Slotted Outlet, 2", White, 1/2" x 8" opening	1	16x17x4	2	\$191
UPC-67-E		Mounting Bracket, Outlet, Slot	1	16x17x4	3	\$48
UPC-68T		UPC-68T, Twist Fit Straight Slotted Outlet, 2", White, 1/2" x 8" opening	1	10x10x11	2	\$191
UPC-101		Supply Outlet Kit, Slotted, Plastic, White (for plenum duct)	1	8x8x5	1	\$82
UPC-66		Outlet Assy, Slot, 90deg, Aluminum	1	16x17x4	4	\$279
		only available for 2")		10/11/4	4	ΨΣΙ
A00297-0		Trim Plate for UPC-66/101 (White)	1 1	0v0vE	1	\$9
A00297-0			- 1	8x8x5	1	
A00297-0 A00297-0		Trim Plate for UPC-67TA and UPC-68T (White) Trim Plate Black for, UPC-67TA and UPC-68T	1	8x8x5	1	\$9
		7	1	8x8x5		\$9
A00297-0		Trim Plate Brass for UPC-67TA and UPC-68T	1	8x8x5	1	\$9
A00297-0		Trim Plate Chrome for UPC-67TA and UPC-68T	1	8x8x5	1	\$138
		are included in Supply Outlet Kit				
		nly available for 2")				
A00297-0		Trim Plate, Slotted Outlet, Wood, Birch (for UPC-67TA and UPC-68T)	1	16x7x5	1	\$136
A00297-0		Trim Plate, Slotted, Wood, Cherry (for UPC-67TA and UPC-68T)	1	16x7x5	1	\$136
A00297-0		Trim Plate, Slotted, Wood, Knotty Pine (for UPC-67TA and UPC-68T)	1	16x7x5	1	\$184
A00297-0		Trim Plate, Slotted, Wood, Maple (for UPC-67TA and UPC-68T)	1	16x7x5	1	\$133
A00297-0		Trim Plate, Slotted, Wood, Mahogany (for UPC-67TA and UPC-68T)	1	16x7x5	1	\$135
A00297-0	003-PI	Trim Plate, Slotted, Wood, Pine (for UPC-67TA and UPC-68T)	1	16x7x5	1	\$154
A00297-0	003-PO	Trim Plate, Slotted, Wood, Poplar (for UPC-67TA and UPC-68T)	1	16x7x5	1	\$133
A00297-0	003-RO	Trim Plate, Slotted, Wood, Red Oak (for UPC-67TA and UPC-68T)	1	16x7x5	1	\$130
A00297-0		Trim Plate, Slotted, Wood, Walnuts (for UPC-67TA and UPC-68T)	1	16x7x5	1	\$136
A00297-0		Trim Plate, Slotted, Wood, White Oak (for UPC-67TA and UPC-68T)	1	16x7x5	1	\$123
	ood outlets ar	, ,		. 2.0.7.0		ΨΙΖΟ
		Slotted Outlet Extension Kit 4", for UPC-67TA and UPC-68T	1	17x17x5	1	\$118
A01057-0			1 '	1171170		φ110



	Part Number	Description	Qty	Carton Dimensions (Inches)	Ship Weight (Pounds)	List Price
Supply	Air Outlets - 2.5	inch - Standard		(IIICIICO)	1	
Round						
	UPC-256	Supply Outlet, 2.5", Round, Plastic, White	1	5x5x5	1	\$31
	UPC-256B-BLK	Supply Outlet, 2.5", Round, Plastic, Black	1	5x5x5	1	\$90
	UPC-256B-BRS	Supply Outlet, 2.5", Round, Plastic, Brass Finish	1	5x5x5	1	Non-Stock, Call for Pricing & Lead Time
	UPC-256B-CHR	Supply Outlet, 2.5", Round, Plastic, Chrome Finish	1	5x5x5	1	Non-Stock, Call for Pricing & Lead Time
Ī		ets Include toggles and screws		-	ı	
	A01346-001	Supply Outlet, 2.5", Flangeless, Black	1	5x5x5	1	\$7
Round					1	l
	UPC-257-B	Supply Outlet, 2.5", Round, Wood, Birch	1	5x5x5	1	\$141
	UPC-257-C	Supply Outlet, 2.5", Round, Wood, Cherry	1	5x5x5	1	\$123
	UPC-257-K	Supply Outlet, 2.5", Round, Wood, Knotty Pine	1	5x5x5	1	\$280
	UPC-257-MA	Supply Outlet, 2.5", Round, Wood, Maple	1	5x5x5	1	\$167
	UPC-257-MH	Supply Outlet, 2.5", Round, Wood, Mahogany	1	5x5x5	1	\$156
	UPC-257-PI	Supply Outlet, 2.5", Round, Wood, Pine	1	5x5x5	1	\$200
	UPC-257-PO	Supply Outlet, 2.5", Round, Wood, Poplar	1	5x5x5	1	\$117
	UPC-257-RO	Supply Outlet, 2.5", Round, Wood, Red Oak	1	5x5x5	1	\$180
	UPC-257-WL	Supply Outlet, 2.5", Round, Wood, Walnut	1	5x5x5	1	\$209
	UPC-257-WO	Supply Outlet, 2.5", Round, Wood, White Oak	1	5x5x5	1	\$167
SmartD	uct™ .	s - 2.5 Inch - Standard	1 - 1	04.04.00		
R-4.2	UPC-226H-5	SmartDuct, 2.5"x12' (5 PCS)	5	24x24x23	28	\$536
	UPC-226H-R4-5	SmartDuct, 2.5"x12', R4 (5 PCS)	5	24x24x23	32	\$632
	UPC-226DH-R4-5	SmartDuct, 2.5"x12', R4, Double Barrier (5 PCS)	5	24x24x23	28	\$683
R-6	LIDO ADOLL DO 5					1
R-8	UPC-226H-R6-5	SmartDuct, 2.5"x12', R6 (5 PCS)	5	26x26x33	36	\$856
N-0	UPC-226H-R8-5	SmartDuct, 2.5"x12', R8 (5 PCS)	5	26x26x33	40	\$995
Sound	Attenuator					
	UPC-226-5	Sound Attenuator Tubing, 2.5" ID x 12'L R-3.3(60 ft total)	5	24x24x23	28	\$697
	UPC-226-R4-5	Sound Attenuator Tubing, 2.5" ID x 12'L, R-4.2 (60 ft total)	5	24x24x23	32	\$822
	UPC-226-R6-5	Sound Attenuator Tubing, 2.5" ID x 12'L, R-6.0 (60 ft total)	5	26x26x33	36	\$1,113
	UPC-226-R8-5	Sound Attenuator Tubing, 2.5" ID x 12'L, R-8.0 (60 ft total)	5	26x26x33	40	\$1,294
	UPC-226D-R4-5	Sound Attenuator, Double Vapor Barrier, 2.5"x12' R-4.2 (5 pcs)	5	24x24x23	28	\$887
Alumin	um Supply					•
	UPC-225-1	Supply Tubing, Aluminum, 2.5" ID x 25'L, R-3.3 single length	1	32x31x4	9	\$246
	UPC-225-3	Supply Tubing, Aluminum, 2.5" ID x 25'L R-3.3 (75 ft total)	3	34x34x12	30	\$649
	UPC-225-R4-3	Supply Tubing, Aluminum, 2.5" ID x 25'L, R-4.2 (75 ft total)	3	34x34x12	58	\$818
	UPC-225-R6-3	Supply Tubing, Aluminum, 2.5" ID x 25'L, R-6.0 (75 ft total)	3	38x38x19	58	\$1,107
	UPC-225-R8-3	Supply Tubing, Aluminum, 2.5" ID x 25'L, R-8.0 (75 ft total)	3	38x38x19	61	\$1,211
Install K Metal						
	UPC-280M-1	Outlet Kit, 2.5", Metal Plenum (single outlet) Includes Supply Outlet, 12' R-3.3 Attenuator Tube, Metal Plenum Take Off, Winter Shutoff Cap, (2) Scrim Core Clamps(silver), (2)Aluminum Clamps(black), Coupling with Tape Rings, (1) Balancing Orifice Kit	1	26x22x5	5	\$236
	UPC-280MF-1	Installation Kit, 2.5" Flat Metal Plenum, 1/box	1	24x24x6	5	\$232
	UPC-280MR6-1	Outlet Kit, 2.5", Metal Plenum (single outlet) Includes Supply Outlet, 12' R-6 Attenuator Tube, Metal Plenum Take Off, Winter Shutoff Cap, (2) Scrim Core Clamps, (2) Aluminum Clamps and a Coupling with Tape Rings, Balancing Orifice Kit	1	26x22x5	8	\$379
	UPC-289M-5	Installation Kit, 2.5", Round Metal Plenum (5 outlets) Includes (5) Supply Outlets, (5) Metal Take Offs, (5) Winter Supply Shutoff Caps, (10) Scrim Core Clamps(silver), (10) Toggles and Screws, (10) Aluminum Core Clamps (black), (1) Balancing Orifice Kit, (5) Couplings with (10) Tape Rings	5	10x10x10	5	\$401
	UPC-289MF-5	Installation Kit, 2.5", Rectangular Metal Plenum (5 outlets) Includes (5) Supply Outlets, (5) Metal Take Offs, (5) Winter Supply Shutoff Caps, (10) Scrim Core Clamps(silver), (10) Toggles and Screws, (10) Aluminum Core Clamps (black), (1) Balancing Orifice Kit, (5) Couplings with (10) Tape Rings	5	14x14x14	8	\$401

Accessories - 2.5 Inch

Supply Air & Outlet Components

Remember - With 2.5", fewer outlets are needed for same airflow.

Air & Outlet Comp	oonents				
UPC-228	Take-off, 2.5" for round metal plenum (Includes gasket)	1	5x5x5	1	\$51
UPC-228F	Flat Take-off, 2.5" for square metal plenum (Includes gasket)	1	5x5x5	1	\$54
UPC-235-5	2.5" Balancing Kit for plenum take-offs	5	5x5x5	1	\$104
UPC-238-10	Coupling, Duct, 2.5" Includes Clamps (makes 10 couplings/box)	10	10x10x11	3	\$279
UPC-242-20	Winter shut-off plug, 2.5" Round Outlet, 20pk	20	5x5x5	1	\$48
UPC-245-5	Deflector, Air, 2.5" Outlet	5	5x5x5	1	\$188
UPC-252-50	Clamps, 2.5" Aluminum Supply Tubing (black)	50	5x5x5	1	\$130
UPC-253-50	Clamps, 2.5" Sound Attenuator (silver)	50	5x5x5	1	\$130
UPC-286-5	Frame-in Kits, 2.5"	5	10x11x17	5	\$198
UPC-288-20	Screen, Outlet, 2.5", White	20	5x5x5	1	\$94
UPC-288-20-BLK	Screen, Outlet, 2.5", Black	20	5x5x5	1	\$76
A00123-003	Ring, Tape, 4.0" (no slits)	1	5x5x5	1	\$6
A00123-006	Ring, Tape, 5.0", 2.5" Duct, Red - R6	1	5x5x5	1	\$7
A01502-002-K05	Gasket, Round, Flanged Outlet, 2.5" (5 pieces)	5	5x5x5	1	\$38
A01502-002	Gasket, Round, Flanged Outlet, 2.5"	1	5x5x5	1	\$4



Part Number	Description	Qty	Carton Dimensions	Ship Weight	List Price
r art Nulliber	Bosonpaol	Qiy	(Inches)	(Pounds)	LIST FILE
ico Plenum					
Unico Plenum					
USM-01	Duct, Galv, 7Dx5'x28GA (1 piece)	1	11x11x63	10	Non-Stock, Call for Pricing & Lead Time
USM-02	Duct,Galv,9Dx5'x28GA (1/piece)	1	11x11x63	10	Non-Stock, Call for Pricing & Lead Time
USM-03	Elbow,Galv,7Dx28 GA. (1/piece)	1	23x15x14	5	Non-Stock, Call for Pricing & Lead Time
USM-04	Elbow,Galv,9Dx28GA. (1/piece)	1	23x15x14	5	Non-Stock, Call for Pricing & Lead Time
USM-05	End Cap,Galv,Uncrmp,7" I.D. (1/piece)	1	23x15x14	5	Non-Stock, Call for Pricing & Lead Time
USM-06	End Cap,Galv,Uncrmp,9" I.D. (1/piece)	1	23x15x14	5	Non-Stock, Call for Pricing & Lead Time
USM-07	Tee,Galv,7Dx28GA (1/piece)	1	23x15x14	5	Non-Stock, Call for Pricing & Lead Time
USM-08	Tee,Galv,9Dx28GA (1/piece)	1	23x15x14	5	Non-Stock, Call for Pricing & Lead Time
USM-09	Tee,Reducer,Galv, 9x7x7x28GA (1/piece)	1	23x15x14	5	Non-Stock, Call for Pricing & Lead Time
USM-10	Insul, Sleeve, Silver, 7Dx5'x2" R6 (1/piece)	1	23x15x14	5	Non-Stock, Call for Pricing & Lead Time
USM-10-R8 USM-11	Insul,Sleeve,Silver,7Dx5'x2" R8 (1/piece)	1	23x15x14 23x15x14	5	Non-Stock, Call for Pricing & Lead Time Non-Stock, Call for Pricing & Lead Time
USM-11-R8	Insul,Sleeve,Silver,9Dx5'x2" R6 (1/piece) Insul,Sleeve,Silver,9Dx5'x2" R8 (1/piece)	1	23x15x14 23x15x14	5	Non-Stock, Call for Pricing & Lead Time
USM-12	Reducer,Galv,9x7x28GA (1/piece)	1	23x15x14 23x15x14	5	Non-Stock, Call for Pricing & Lead Time
USM-13	Duct,Galv,10Dx5'x28GA (1/piece)	1	12x12x63	10	Non-Stock, Call for Pricing & Lead Time
USM-14	Elbow,Galv, 10" (1/piece)	1	23x15x14	5	Non-Stock, Call for Pricing & Lead Time
USM-15	Tee,Galv, 10" (1/piece)	1	23x15x14	5	Non-Stock, Call for Pricing & Lead Time
USM-16	Insul,Sleeve,Silver, 10Dx5'x2" R6 (1/piece)	1	23x15x14	5	Non-Stock, Call for Pricing & Lead Time
USM-16-R8	Insul, Sleeve, Silver, 10Dx5'x2" R8 (1/piece)	1	23x15x14	5	Non-Stock, Call for Pricing & Lead Time
USM-17	Reducer, Galv, 10" X 9" (1/piece)	1	23x15x14	5	Non-Stock, Call for Pricing & Lead Time
USM-18	End Cap,Galv, Galv, 10" (1/piece)	1	23x15x14	5	Non-Stock, Call for Pricing & Lead Time
USM-19	Tee,Galv, Reducer, 10 X 9 X 9" (1/piece)	1	23x15x14	5	Non-Stock, Call for Pricing & Lead Time
				1	
ctric Furnace and	I Replacement Parts				
Single Phase 240V					
WON0202-C	Furnace, Electric, 2 kW, 1P/230V (matches all models)**	1	16x20x29	22	\$1,0
WON0502-C	Furnace, Electric, 5 kW, 1P/230V (matches all models)**	1	16x20x29	22	\$1,0
WON0752-C	Furnace, Electric, 7.5 kW, 1P/230V (matches all models)**	1	16x20x29	29	\$1,2
WON1002-C	Furnace, Electric, 10 kW, 1P/230V (matches 2430, 3036, 3642 4860)**	1	16x20x29	35	\$1,
WON1502-C	Furnace, Electric, 15 kW, 1P/230V (matches 2430, 3036, 3642, 4860)**	1	16x20x29	36	\$2,
WON2002-C	Furnace, Electric, 20 kW, 1P/230V (matches 3036, 3642, 4860)**	1	39x19x13	51	\$2,3
Three Phase 240V		•		•	
WON0754-C	Furnace, Electric, 7.5 kW, 3P/230V (matches all models)**	1	16x20x29	29	\$1,2
WON1004-C	Furnace, Electric, 10 kW, 3P/230V (matches 2430, 3036, 3642, 4860)**	1	16x20x29	28	\$1,
WON1504-C	Furnace, Electric, 15 kW, 3P/230V (matches 2430, 3036, 3642, 4860)**	1	16x20x29	36	\$2,
Accessories					
A01007-G01	Adapter, Supply, WON Heater, 7" diameter	1	13x13x4	2	:
	Adapter, Supply, WON Heater, 7 diameter			2	
A01007-G02	Adapter, Supply, WON Heater, 9" diameter	1	13x13x4		
A01007-G02 A01007-G03	· · · · · ·		13x13x4 13x13x4	2	
	Adapter, Supply, WON Heater, 9" diameter	1			
A01007-G03	Adapter, Supply, WON Heater, 9" diameter Adapter, Supply, WON Heater, 10" diameter**	1	13x13x4	2	
A01007-G03 A01008-G01 A01008-G02	Adapter, Supply, WON Heater, 9" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, (for 6.5" sq. fiberglass)	1 1 1	13x13x4 13x13x3	2 2	
A01007-G03 A01008-G01 A01008-G02 ** WON Electric Fi	Adapter, Supply, WON Heater, 9" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, (for 6.5" sq. fiberglass) Adapter, Supply, WON Heater, (for 8.5" sq. fiberglass) urnace comes with both 10" Dia and 9.5" sq. supply adapter, mounting collar, and restrictor plate.	1 1 1 1 1 1	13x13x4 13x13x3 13x13x3	2 2	
A01007-G03 A01008-G01 A01008-G02 ** WON Electric Fi Replacement Parts A00257-001	Adapter, Supply, WON Heater, 9" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, (for 6.5" sq. fiberglass) Adapter, Supply, WON Heater, (for 8.5" sq. fiberglass) urnace comes with both 10" Dia and 9.5" sq. supply adapter, mounting collar, and restrictor plate. Fuse Link (for WUN series - Temp. 305.6°F/152°C	1 1 1 1	13x13x4 13x13x3 13x13x3 5x5x5	2 2	
A01007-G03 A01008-G01 A01008-G02 ** WON Electric Fr **Replacement Parts A00257-001 A00257-002	Adapter, Supply, WON Heater, 9" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, (for 6.5" sq. fiberglass) Adapter, Supply, WON Heater, (for 8.5" sq. fiberglass) urnace comes with both 10" Dia and 9.5" sq. supply adapter, mounting collar, and restrictor plate. Fuse Link (for WUN series - Temp. 305.6°F/152°C Fuse Link (for WON series - Temp. 249.8°F/121°C	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	13x13x4 13x13x3 13x13x3 5x5x5 5x5x5	2 2 4	
A01007-G03 A01008-G01 A01008-G02 ** WON Electric Fi Replacement Parts A00257-001 A00257-002 A00802-003	Adapter, Supply, WON Heater, 9" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, (10" diameter** Adapter, Supply, WON Heater, (for 8.5" sq. fiberglass) Adapter, Supply, WON Heater, (for 8.5" sq. fiberglass) urnace comes with both 10" Dia and 9.5" sq. supply adapter, mounting collar, and restrictor plate. Fuse Link (for WUN series - Temp. 305.6"F/152"C Fuse Link (for WON series - Temp. 249.8"F/121"C Fan Interlock Relay, 1-pole	1 1 1 1 1 1	13x13x4 13x13x3 13x13x3 5x5x5 5x5x5 5x5x5	2 2 4	
A01007-G03 A01008-G01 A01008-G02 ** WON Electric Fi Replacement Parts A00257-001 A00257-002 A00802-003 A01011-001	Adapter, Supply, WON Heater, 9" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, (for 6.5" sq. fiberglass) Adapter, Supply, WON Heater, (for 8.5" sq. fiberglass) urnace comes with both 10" Dia and 9.5" sq. supply adapter, mounting collar, and restrictor plate. Fuse Link (for WUN series - Temp. 305.6"F/152"C Fuse Link (for WON series - Temp. 249.8"F/121"C Fan Interlock Relay, 1-pole Auto Limit, L-145 (WUN series)	1 1 1 1 1 1 1 1	13x13x4 13x13x3 13x13x3 5x5x5 5x5x5 5x5x5 5x5x5	2 2 4 1 1 1 1	
A01007-G03 A01008-G01 A01008-G02 ** WON Electric Fi Replacement Parts A00257-001 A00257-002 A00802-003 A01011-001 A01011-002	Adapter, Supply, WON Heater, 9" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, (10" diameter** Adapter, Supply, WON Heater, (for 6.5" sq. fiberglass) Adapter, Supply, WON Heater, (for 8.5" sq. fiberglass) urnace comes with both 10" Dia and 9.5" sq. supply adapter, mounting collar, and restrictor plate. Fuse Link (for WUN series - Temp. 305.6°F/152°C Fuse Link (for WON series - Temp. 249.8°F/121°C Fan Interlock Relay, 1-pole Auto Limit, L-145 (WUN series) Auto Limit, 2-PL65 (WON series)	1 1 1 1 1 1 1 1 1	13x13x4 13x13x3 13x13x3 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5	2 2 4	
A01007-G03 A01008-G01 A01008-G02 ** WON Electric Ft Replacement Parts A00257-001 A00257-002 A00802-003 A01011-001 A01011-002 A01012-001	Adapter, Supply, WON Heater, 9" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, (10" diameter** Adapter, Supply, WON Heater, (for 6.5" sq. fiberglass) Adapter, Supply, WON Heater, (for 8.5" sq. fiberglass) urnace comes with both 10" Dia and 9.5" sq. supply adapter, mounting collar, and restrictor plate. Fuse Link (for WUN series - Temp. 305.6"F/152"C Fuse Link (for WON series - Temp. 249.8"F/121"C Fan Interlock Relay, 1-pole Auto Limit, L-145 (WUN series) Auto Limit, 2-PL65 (WON series) Sequencer, 1-pole (WUN or WON series)	1 1 1 1 1 1 1 1 1 1	13x13x4 13x13x3 13x13x3 5x5x5 5x5x6 5x5x6 5x5x5 5x5x5 5x5x5 5x5x5	2 2 4	
A01007-G03 A01008-G01 A01008-G02 ** WON Electric Fi Replacement Parts A00257-001 A00257-002 A00802-003 A01011-001 A01011-002 A01012-001 A01012-002	Adapter, Supply, WON Heater, 9" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, (10" diameter** Adapter, Supply, WON Heater, (for 8.5" sq. fiberglass) Adapter, Supply, WON Heater, (for 8.5" sq. fiberglass) urnace comes with both 10" Dia and 9.5" sq. supply adapter, mounting collar, and restrictor plate. Fuse Link (for WUN series - Temp. 305.6"F/152"C Fuse Link (for WON series - Temp. 249.8"F/121"C Fan Interlock Relay, 1-pole Auto Limit, L-145 (WUN series) Auto Limit, L-2-165 (WON series) Sequencer, 1-pole (WUN or WON series) Sequencer, 2-pole (WUN or WON series)	1 1 1 1 1 1 1 1 1 1 1 1	13x13x4 13x13x3 13x13x3 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5	2 2 4	\$
A01007-G03 A01008-G01 A01008-G02 ** WON Electric Fi Replacement Parts A00257-001 A00257-002 A00802-003 A01011-001 A01011-002 A01012-002 A01012-002 A01013-001	Adapter, Supply, WON Heater, 9" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, (10" diameter** Adapter, Supply, WON Heater, (for 8.5" sq. fiberglass) Adapter, Supply, WON Heater, (for 8.5" sq. fiberglass) urnace comes with both 10" Dia and 9.5" sq. supply adapter, mounting collar, and restrictor plate. Fuse Link (for WUN series - Temp. 305.6"F/152"C Fuse Link (for WON series - Temp. 249.8"F/121"C Fan Interlock Relay, 1-pole Auto Limit, L-145 (WUN series) Auto Limit, L-9L65 (WON series) Sequencer, 1-pole (WUN or WON series) Sequencer, 2-pole (WUN or WON series) Contactor, Heater Element, 1-pole	1 1 1 1 1 1 1 1 1 1 1 1 1	13x13x4 13x13x3 13x13x3 13x13x3 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5	2 2 4	\$
A01007-G03 A01008-G01 A01008-G02 ** WON Electric Fi Replacement Parts A00257-001 A00257-002 A00802-003 A01011-001 A01011-002 A01012-001 A01012-002 A01013-001 A01013-002	Adapter, Supply, WON Heater, 9" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, (for 6.5" sq. fiberglass) Adapter, Supply, WON Heater, (for 8.5" sq. fiberglass) urnace comes with both 10" Dia and 9.5" sq. supply adapter, mounting collar, and restrictor plate. Fuse Link (for WUN series - Temp. 305.6°F/152°C Fuse Link (for WON series - Temp. 249.8°F/121°C Fan Interlock Relay, 1-pole Auto Limit, L-145 (WUN series) Auto Limit, 2-PL65 (WON series) Sequencer, 1-pole (WUN or WON series) Sequencer, 2-pole (WUN or WON series) Contactor, Heater Element, 1-pole Contactor, Heater Element, 2-pole	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	13x13x4 13x13x3 13x13x3 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5	2 2 4	\$
A01007-G03 A01008-G01 A01008-G02 ** WON Electric Fi Replacement Parts A00257-001 A00257-002 A00802-003 A01011-001 A01011-002 A01012-001 A01012-002 A01013-002 A01013-002 A01013-002 A01013-002 A01015-215	Adapter, Supply, WON Heater, 9" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, (10" diameter** Adapter, Supply, WON Heater, (for 6.5" sq. fiberglass) Adapter, Supply, WON Heater, (for 8.5" sq. fiberglass) urnace comes with both 10" Dia and 9.5" sq. supply adapter, mounting collar, and restrictor plate. Fuse Link (for WUN series - Temp. 305.6"F/152"C Fuse Link (for WON series - Temp. 249.8"F/121"C Fan Interlock Relay, 1-pole Auto Limit, L-145 (WUN series) Auto Limit, 2-PL65 (WON series) Sequencer, 1-pole (WUN or WON series) Sequencer, 2-pole (WUN or WON series) Contactor, Heater Element, 1-pole Contactor, Heater Element, 2-pole Breaker, 2-pole, 15 amp (blower circuit - WON series)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	13x13x4 13x13x3 13x13x3 5x5x5 5x5x5 5x5x5 5x5x6 5x5x6 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5	2 2 4	\$
A01007-G03 A01008-G01 A01008-G02 ** WON Electric Fi Replacement Parts A00257-001 A00257-002 A00802-003 A01011-001 A01011-002 A01012-001 A01012-002 A01013-001 A01013-001 A01013-002 A01051-215 A01051-250	Adapter, Supply, WON Heater, 9" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, (10" diameter** Adapter, Supply, WON Heater, (for 6.5" sq. fiberglass) Adapter, Supply, WON Heater, (for 8.5" sq. fiberglass) urnace comes with both 10" Dia and 9.5" sq. supply adapter, mounting collar, and restrictor plate. Fuse Link (for WUN series - Temp. 305.6"F/152"C Fuse Link (for WON series - Temp. 249.8"F/121"C Fan Interlock Relay, 1-pole Auto Limit, L-145 (WUN series) Auto Limit, L-145 (WUN series) Sequencer, 1-pole (WUN or WON series) Sequencer, 1-pole (WUN or WON series) Contactor, Heater Element, 1-pole Contactor, Heater Element, 2-pole Brakker, 2-pole, 15 amp (blower circuit - WON series) Breaker, 2-pole, 50 amp (WON**02 series)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	13x13x4 13x13x3 13x13x3 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5	2 2 4	\$ \$
A01007-G03 A01008-G01 A01008-G02 ** WON Electric Fi Replacement Parts A00257-001 A00257-001 A00802-003 A01011-001 A01011-002 A01012-001 A01013-001 A01013-001 A01013-002 A01013-001 A01051-250 A01051-250 A01241-001	Adapter, Supply, WON Heater, 9" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, (for 6.5" sq. fiberglass) Adapter, Supply, WON Heater, (for 8.5" sq. fiberglass) urnace comes with both 10" Dia and 9.5" sq. supply adapter, mounting collar, and restrictor plate. Fuse Link (for WUN series - Temp. 305.6"F/152"C Fuse Link (for WON series - Temp. 249.8"F/121"C Fan Interlock Relay, 1-pole Auto Limit, L-145 (WUN series) Auto Limit, L-9L65 (WON series) Sequencer, 1-pole (WUN or WON series) Sequencer, 2-pole (WUN or WON series) Contactor, Heater Element, 1-pole Contactor, Heater Element, 2-pole Breaker, 2-pole, 15 amp (blower circuit - WON series) Breaker, 2-pole, 50 amp (WON**02 series) Jumper Bar, Heater, 4 pole	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	13x13x4 13x13x3 13x13x3 13x13x3 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5	2 2 4	\$ \$ \$ \$ \$
A01007-G03 A01008-G01 A01008-G02 ** WON Electric Fi Replacement Parts A00257-001 A00257-002 A00802-003 A01011-001 A01011-002 A01012-001 A01013-001 A01013-002 A01051-215 A01051-250 A01241-001 A01241-002	Adapter, Supply, WON Heater, 9" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, (for 6.5" sq. fiberglass) Adapter, Supply, WON Heater, (for 8.5" sq. fiberglass) urnace comes with both 10" Dia and 9.5" sq. supply adapter, mounting collar, and restrictor plate. Fuse Link (for WUN series - Temp. 305.6"F/152"C Fuse Link (for WON series - Temp. 249.8"F/121"C Fan Interlock Relay, 1-pole Auto Limit, L-145 (WUN series) Auto Limit, L-145 (WUN series) Sequencer, 1-pole (WUN or WON series) Sequencer, 1-pole (WUN or WON series) Contactor, Heater Element, 1-pole Contactor, Heater Element, 2-pole Breaker, 2-pole, 15 amp (blower circuit - WON series) Breaker, 2-pole, 50 amp (WON**02 series) Jumper Bar, Heater, 4 pole Jumper Bar, Heater, 6 pole	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	13x13x4 13x13x3 13x13x3 13x13x3 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5	2 2 4	\$ \$ \$ \$ \$ \$ \$
A01007-G03 A01008-G01 A01008-G02 ** WON Electric Fi Replacement Parts A00257-001 A00257-002 A00802-003 A01011-001 A01011-002 A01012-001 A01012-001 A01013-001 A01013-002 A01051-215 A01051-250 A01241-001 A01241-001 A01241-002 A01484-001	Adapter, Supply, WON Heater, 9" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, (10" diameter** Adapter, Supply, WON Heater, (for 6.5" sq. fiberglass) Adapter, Supply, WON Heater, (for 8.5" sq. fiberglass) urnace comes with both 10" Dia and 9.5" sq. supply adapter, mounting collar, and restrictor plate. Fuse Link (for WUN series - Temp. 305.6"F/152"C Fuse Link (for WON series - Temp. 249.8"F/121"C Fan Interlock Relay, 1-pole Auto Limit, L-145 (WUN series) Auto Limit, 2-PL65 (WON series) Sequencer, 1-pole (WUN or WON series) Sequencer, 2-pole (WUN or WON series) Contactor, Heater Element, 1-pole Contactor, Heater Element, 2-pole Breaker, 2-pole, 50 amp (blower circuit - WON series) Breaker, 2-pole, 50 amp (WON**02 series) Jumper Bar, Heater, 4 pole Jumper Bar, Heater, 6 pole Relay, 1 Pole (Requires A01485 rectifier)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	13x13x4 13x13x3 13x13x3 13x13x3 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5 5x5x5	2 2 4	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$
A01007-G03 A01008-G01 A01008-G02 ** WON Electric Fit Replacement Parts A00257-001 A00257-002 A00802-003 A01011-001 A01011-002 A01012-001 A01013-001 A01013-002 A010151-215 A01051-250 A01241-001 A01241-001 A01241-002 A01484-001 A01484-002	Adapter, Supply, WON Heater, 9" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, (for 6.5" sq. fiberglass) Adapter, Supply, WON Heater, (for 8.5" sq. fiberglass) urnace comes with both 10" Dia and 9.5" sq. supply adapter, mounting collar, and restrictor plate. Fuse Link (for WUN series - Temp. 305.6"F/152"C Fuse Link (for WON series - Temp. 249.8"F/121"C Fan Interlock Relay, 1-pole Auto Limit, L-145 (WUN series) Auto Limit, L-19-L65 (WON series) Sequencer, 1-pole (WUN or WON series) Sequencer, 2-pole (WUN or WON series) Contactor, Heater Element, 1-pole Contactor, Heater Element, 2-pole Brakker, 2-pole, 15 amp (blower circuit - WON series) Breaker, 2-pole, 50 amp (WON*02 series) Jumper Bar, Heater, 4 pole Jumper Bar, Heater, 6 pole Relay, 1 Pole (Requires A012141 rectifier) Relay, 2 Pole (Requires A02141 rectifier)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	13x13x4 13x13x3 13x13x3 13x13x3 5x5x5	2 2 4	\$ \$ \$ \$ \$ \$ \$ \$
A01007-G03 A01008-G01 A01008-G02 ** WON Electric Fi Replacement Parts A00257-001 A00257-001 A00802-003 A01011-001 A01011-002 A01012-002 A01013-001 A01013-002 A01013-001 A01015-215 A01051-250 A01241-001 A01241-002 A01484-001 A01484-001 A01484-001 A01488-001	Adapter, Supply, WON Heater, 9" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, (for 6.5" sq. fiberglass) Adapter, Supply, WON Heater, (for 8.5" sq. fiberglass) urnace comes with both 10" Dia and 9.5" sq. supply adapter, mounting collar, and restrictor plate. Fuse Link (for WUN series - Temp. 305.6"F/152"C Fuse Link (for WON series - Temp. 249.8"F/121"C Fan Interlock Relay, 1-pole Auto Limit, L-145 (WUN series) Auto Limit, L-9L65 (WON series) Sequencer, 1-pole (WUN or WON series) Sequencer, 2-pole (WUN or WON series) Contactor, Heater Element, 1-pole Contactor, Heater Element, 2-pole Breaker, 2-pole, 15 amp (blower circuit - WON series) Breaker, 2-pole, 50 amp (WON**02 series) Jumper Bar, Heater, 6 pole Alumper Bar, Heater, 6 pole Relay, 1 Pole (Requires A01485 rectifier) Rectifier, 5 Second Delay - CRR9-5 (Requires A01484-001 relay)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	13x13x4 13x13x3 13x13x3 13x13x3 13x13x3 5x5x5	2 2 4	\$ \$ \$ \$ \$ \$
A01007-G03 A01008-G01 A01008-G02 ** WON Electric Fi Replacement Parts A00257-001 A00257-002 A00802-003 A01011-001 A01011-002 A01012-001 A01013-001 A01013-002 A01051-215 A01051-250 A01241-001 A01241-002 A01484-001 A01484-002 A01485-001 A01485-003	Adapter, Supply, WON Heater, 9" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, (10" 6.5" sq. fiberglass) Adapter, Supply, WON Heater, (for 8.5" sq. fiberglass) Adapter, Supply, WON Heater, (for 8.5" sq. fiberglass) urnace comes with both 10" Dia and 9.5" sq. supply adapter, mounting collar, and restrictor plate. Fuse Link (for WUN series - Temp. 305.6"F/152"C Fuse Link (for WON series - Temp. 249.8"F/121"C Fan Interlock Relay, 1-pole Auto Limit, L-145 (WUN series) Auto Limit, 2-PL65 (WON series) Sequencer, 1-pole (WUN or WON series) Sequencer, 2-pole (WUN or WON series) Contactor, Heater Element, 1-pole Contactor, Heater Element, 2-pole Breaker, 2-pole, 15 amp (blower circuit - WON series) Breaker, 2-pole, 50 amp (WON**02 series) Jumper Bar, Heater, 4 pole Jumper Bar, Heater, 6 pole Relay, 1 Pole (Requires A01485 rectifier) Relay, 2 Pole (Requires A01485 rectifier) Rectifier, 5 Second Delay - CRR9-9 (Requires A01484-001 relay) Rectifier, 9 Second Delay - CRR9-9 (Requires A01484-001 relay)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	13x13x4 13x13x3 13x13x3 13x13x3 13x13x3 5x5x5	2 2 4	\$ \$ \$ \$ \$ \$
A01007-G03 A01008-G01 A01008-G02 ** WON Electric Fi Replacement Parts A00257-001 A00257-001 A00802-003 A01011-001 A01011-002 A01012-002 A01013-001 A01013-002 A01013-001 A01015-215 A01051-250 A01241-001 A01241-002 A01484-001 A01484-001 A01484-001 A01488-001	Adapter, Supply, WON Heater, 9" diameter Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, 10" diameter** Adapter, Supply, WON Heater, (for 6.5" sq. fiberglass) Adapter, Supply, WON Heater, (for 8.5" sq. fiberglass) urnace comes with both 10" Dia and 9.5" sq. supply adapter, mounting collar, and restrictor plate. Fuse Link (for WUN series - Temp. 305.6"F/152"C Fuse Link (for WON series - Temp. 249.8"F/121"C Fan Interlock Relay, 1-pole Auto Limit, L-145 (WUN series) Auto Limit, L-9L65 (WON series) Sequencer, 1-pole (WUN or WON series) Sequencer, 2-pole (WUN or WON series) Contactor, Heater Element, 1-pole Contactor, Heater Element, 2-pole Breaker, 2-pole, 15 amp (blower circuit - WON series) Breaker, 2-pole, 50 amp (WON**02 series) Jumper Bar, Heater, 6 pole Alumper Bar, Heater, 6 pole Relay, 1 Pole (Requires A01485 rectifier) Rectifier, 5 Second Delay - CRR9-5 (Requires A01484-001 relay)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	13x13x4 13x13x3 13x13x3 13x13x3 13x13x3 5x5x5	2 2 4	



Part N	Number	Description	Qty	Carton Dimensions (Inches)	Ship Weight (Pounds)	List Price
Electric Furn	nace and Re	eplacement Parts, continued				
Replacement						
A0240		Stack, Element, Complete, 3.75 (No Revision - Model # WON0752)	1	10x10x10	3	\$239
	01-G04	Stack, Element, Complete, 4.8k (No Revision - Model # WON0502, WON1002, WON1502 and WON2002	1	10x10x10	3	\$239
	01-G08	Stack, Element, Complete, 4.8k (Revision A - Model #'s WON0502-A, WON1002-A, WON1502-A and WON2002-A)	1	10x10x10	3	\$239
	01-G08X	Heater Element Stack, Complete, 2 Section, 4.8kW each section (Revision A - Model # WON1002-A)	1	10x10x10	6	\$476
	01-G13	Stack, Element, Complete, 4.8k (Revision B or C - Model #s WON0502-B or C, WON1002-B or C, WON1502-B or C and WON2002-B or C		10x10x10	3	\$239
A0240	01-G13X	Heater Element Stack, Complete, 2 Section, 4.8kW each section (Revision B and C - Model # WON1002-B or C)	1	16.75x11x 9	6	\$476
A0240	01-G14X	Heater, Element Stack, Complete, 3 Section, 4.8kW each section (Revision B and C - Model # WON1502-B or C)	1	16.75x11x 9	9	\$714
A0240	01-G15X	Heater Element Stack, Complete, 4 Section, 4.8kW each section (Revision B and C - Model # WON2002-B or C)	1	16.75x11x9	12	\$953
A0214	41-001	Rectifier, 5 Second Delay (Requires A01484-002 relay)	1	5x5x6	1	\$20
A0214		Rectifier, 9 Second Delay, (WON0752-C, 1002-C, 1502-C) (Requires A01484-002 relay)	1	5x5x5	1	\$20
A0214		Rectifier, 18 Second Delay, (All WON1502-C, 2002-C) (Requires A01484-002 relay)	1	5x5x5	1	\$20
Accessories		, , , , , , , , , , , , , , , , , , , ,			1	
Thermostats						
	15-G03	Thermostat, Universal, Single-Stage 1-Heat/1-Cool, Programmable	1	8x8x4	2	\$199
	15-G04	Thermostat, Universal, Multi-Stage 2-Heat/1-Cool, Programmable	1	8x8x4	2	\$325
	15-G05	Thermostat, Universal, Multi-Stage, Touch-Screen, 3-Heat/2-Cool, Programmable	1	8x8x4	2	\$635
Round Plenur		memostat, Onversal, Muti-Otage, Touch-Otreen, O-near2-Ood, Frogrammable	<u> </u>	0.00.4		φυσσ
	19V-090707	Tee, Reducer, Galv., 9" x 7" x 7" (with Turning Vane)	1	23x15x13	4	\$224
	19V-100909	Galvanized Reducer Tee, 10" x 9" x 9" (with turning vane)	1	23x15x13	5	\$214
		, ,				\$214 \$632
	11-07R-4	Turning Vane, Round Duct, 7"	4	10x10x11	5	-
	11-09R-4	Turning Vane, Round Duct, 9"	4	13x13x10.5	5	\$603
	11-10R-4	Turning Vane, Round Duct, 10"	4	13x13x10.5	5	\$505
Duct Tape						201
	17B-FX	Tape, Pressure Sensitive (aluminum), UL 181A-P - 181B-F/X, 2.5" x 180'	1	8x8x4	2	\$94
Square Plenu						2400
UPC-6	62	Adapter Kit, Supply Collar, 8.5" sq	1	10x10x2.5	2	\$129
Replacement Mild Weather UPC-6	r Kits	Mild Weather Kits, R-410A only (recommended for heat pumps)	T 1 I	5x5x5	I 1 I	\$248]
UPC-6		Mild Weather Kits, R-22 only (recommended for heat pumps)	1	5x5x5	1	\$143
Coil Assembly	nly	il assemblies do NOT ship with valves	1 - 1		<u> </u>	, , , ,
	26-K03	Coil Assy, M1218CL2-E, Non-Coated, For 1218 coil w/ Chatleff threads	1	26x13x19	26	\$938
A00326		Coil Assy, M1218CL2-E, E-Coated, For 1218 coil w/ Chatleff threads	1	26x13x20	26	\$1,250
A0039		Coil Assy, Chilled Water, U1218, M1218	1	26x13x20	26	\$791
A0079		Coil Assy, M2430CL1-E or MC2436H or MC2430H,X	1	30x14x22	34	\$1,254
A0079		Coil Assy, M2430CL1-E or MC2436H or MC2430H,X, E-Coated	1	30x14x22	34	\$1,607
A0079		Coil Assy, M2430CR1-E,X, E-Coated	1	30x14x22	34	\$1,446
A0079		Coil Assy, M3642CL1-E or MC4260H or MC3642H,X	1	43x14x22	52	\$1,478
A0079		Coil Assy, M3642CL1-E or MC4260H or MC3642H,X, E-Coated	1	43x14x22	52	\$2.006
A0079		Coil Assy, M3642CR1-E, X, E-Coated	1	43x14x22	52	\$1,916
A0079.		Coil Assy, M4860CL1-B or MC4860C,X	1	45x29x20	52	\$1,728
A0001		Coil Assy, M4600CL1-B or MC4600C,X Coil Assy, M4860CL1-B or MC4860C,X, E-Coated	1	45x29x20 45x29x20	52	\$2,433
Δ0001		Coil Assy, Chilled Water, M4860CL1-C or MC4860W	1	45x29x20 45x29x20	58	\$2,112
A0081			1	30x14x22	58 42	\$2,112 \$1,455
A01126		Coil Acov Kit M2420CL C (Chilled Water Coil)			4/	φ1,455
A01126	65-K02	Coil Assy Kit, M2430CL-C (Chilled Water Coil)				64.074
A01120 A01668 A01668	65-K02 65-K01	Coil Assy Kit, M3036CL-C (Chilled Water Coil)	1	35x14x22	42	\$1,671
A01126 A01669 A01736	65-K02 65-K01 36-K02	Coil Assy Kit, M3036CL-C (Chilled Water Coil) Coil Assy Kit, M3036CL-E	1	35x14x22 35x14x22	42 29	\$1,602
A01126 A01669 A01736	65-K02 65-K01 36-K02 36-K04	Coil Assy Kit, M3036CL-C (Chilled Water Coil)	1	35x14x22	42	



Part Number	Description	Qty	Carton Dimensions (Inches)	Ship Weight (Pounds)	List Price
ement Parts, o					
A01665-K03	Coil Assy Kit, M3642CL-C (Chilled Water Coil)	1	43x14x22	42	
A01948-G01	Coil Assy, V2430-B	1	23x23x22	30	3
A01948-G01-C	Coil Assy, V2430-B, E-Coated	1	23x23x22	30	9
A01914-G01	Coil Assy, V2430-H	1	25x20x17	30	3
A01914-G01-C	Coil Assy, V2430-H, E-Coated	1	25x20x17	30	9
A01951-G01	Coil Assy, V3036-B	1	29x21x17	34	
	·	1		34	
A01951-G01-C	Coil Assy, V3036-B, E-Coated		29x21x17		
A01950-G01	Coil Assy, V3036-E	1	29x21x17	34	
A01950-G01-C	Coil Assy, V3036-E, E-Coated	1	29x21x17	34	
A01958-G01	Coil Assy, V3642-B	1	32x30x24	40	
A01958-G01-C	Coil Assy, V3642-B, E-Coated	1	32x30x24	40	
A01957-G01	Coil Assy, V3642-E	1	32x30x24	38	
A01957-G01-C	Coil Assy, V3642-E, E-Coated	1	32x30x24	38	
A02389-G01	Coil Assy, V2430-C (Chilled Water)	1	34x16x18	29	
A02395-G01	Coil Assy, V3036-C (Chilled Water)	1	29x22x18	36	
A02396-G01	Coil Assy, V3642-C (Chilled Water)	1	28x21x20	36	
A02776-K01	Coil Assy, Refrigerant, Aluminum, 4-row, 2430, LH	1	43x14x22	42	
				42	
A02778-K01	Coil Assy, Refrigerant, Aluminum, 4-row, 3036, LH	1	43x14x22		
A02780-K01	Coil Assy, Refrigerant, Aluminum, 4-row, 3642, LH	1	43x14x22	42	
A02735-G01	Line, Liquid 1218 (For M1218CL2-E which has chatleff connections)	1	5x5x5	1	
A01023-G01	Line, Liquid, AC, 2430, 3036, 3642	1	5x5x5	1	
A01024-G01	Line, Liquid, HP, 2430, 3036, 3642	1	5x5x5	1	
A01044-G01	Line, Liquid, 4860	1	5x5x5	1	
ves and parts			0,10,10		
	Value TV D 22 IVE 2 F CA MC2426/UD2426 avect		Ev.F.·F		
A00031-003	Valve, TX, R-22, IVE-2.5-GA, MC2436/HP2436 sweat	1	5x5x5	2	
A00031-004	Valve, TX, R-22, IVE-4-GA, MC4260/HP4860 sweat	1	5x5x5	2	
A00366-002	Valve, TX, R-410A, CBIZE-1.5 (U1218, M1218), flare, (AC/HP)	1	5x5x5	2	
A00809-001	Seal, TXV, O-Ring, Teflon	1	5x5x5	1	
TXV-1T-32	TX Valve Kit, Chatleff, R32, 1218	1	5x5x5	2	
TXV-1T-410	TX Valve Kit, Chatleff, R410a, 1218, for indoor coil replacement only	1	5x5x5	2	
TXV-1T-454	TX Valve Kit, Chatleff, R454b, 1218	1	5x5x5	2	
TXV-2T-32	TX Valve Kit, Chatleff, R32, 2430	1	5x5x5	2	
TXV-2T-410	TX Valve Kit, Chatleff, R410a, 2430, for indoor coil replacement only	1	5x5x5	2	
TXV-2T-454	TX Valve Kit, Chatleff, R454b, 2430	1	5x5x5	2	
TXV-3T-32	TX Valve Kit, Chatleff, R32, 3036	1	5x5x5	2	
TXV-3T-410	TX Valve Kit, Chatleff, R410a, 3036, for indoor coil replacement only	1	5x5x5	2	
TXV-3T-454	TX Valve Kit, Chatleff, R454b, 3036	1	5x5x5	2	
TXV-4T-32	TX Valve Kit, Chatleff, R32, 3642	1	5x5x5	2	
TXV-4T-410	TX Valve Kit, Chatleff, R410a, 3642, for indoor coil replacement only	1	5x5x5	2	
TXV-4T-454	TX Valve Kit, Chatleff, R454b, 3642	1	5x5x5	2	
TXV-5T-32	TX Valve Kit, Chatleff, R32, 4860	1	5x5x5	2	
TXV-5T-410	TX Valve Kit, Chatleff, R410a, 4860, for indoor coil replacement only	1	5x5x5	2	
TXV-5T-454	TX Valve Kit, Chatleff, R454b, 4860	1	5x5x5	2	
ol Box	TX valve Nit, Onation, 14040, 4000		3,3,3		
A00175-K03	Control Box Assembly (ST2 models)	1	11x11x5	10	
A00175-K04	Control Box Assembly (ACB models) includes A00987-G01 wiring harness	1	15x8x5.5	6	
A00175-K07	SCB Control Box Assembly for 120/230V (EC1/EC2 model)	1	15.5x6.5x5	6	
A00175-K07-W1	SCB Control Box Assembly for 120/230V, (EC1/EC2) AHU, Vertical	1	15x8x6	10	
A00175-K16	Control Box Replacement (M1218ST2 models)	1	11x11x5	10	
A00175-K17	Control Box Kit, SCB, 120/208/230V, WiFi	1	11x11x5	10	
A01469-K03	Circuit Board, SCB (All EC1 & EC2 Products)	1	11x11x5	6	
A01470-K01		_		0	
	Control Board, USB for SCB (daughter board)	1	5x5x5	1	
A01802-K01	Circuit Board, Replacement Board for all blowers with ACB	1	10x10x5	3	
A00985-G01	Harness, adapter, ACB to MP motor	1	5x5x5	1	
A01473-G01	Harness, Wire, SCB/USB to ECM wiring harness (A02624-G01)	1	5x5x5	1	
A01474-G01	Harness, Wire, SCB to USB	1	5x5x5	1	
A01525-G01	Cable Extension, ECM (CE), 59"	1	10x10x11	3	
	· \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \				
A02624-G01	Harness, Wiring, ECM 120/208/230V	1	5x5x5	1	
A02622-K01	ECM Tester Kit	1	5x5x5	1	
A02701-K01	Dual voltage transformer, 120-208-230V/24V, For all model blowers	1	5x5x5	1	
When ordering a r	eplacement wire harness for EC motor, please contact Customer Service.				
A00795-001	Control, Variable Speed, 5 amp (for A00175-G02)	1	5x5x5	1	
A01002-013	Slow blow fuse, 2.5 amps (for ACB boards)	1	5x5x5	1	
A01412-001	Slow blow fuse, 2 amps (for SCB & ACB2 boards)	1	5x5x6	1	
	Sien Sien (abo, 2 umps (for GOD & MODE boards)		JAJAU		
101010 000	N. 101 444 445 455 50 44440 455 155 155 155 155 155 155 155 155 155	- r	44 44 44		
A01018-G20	Motor Kit, 1218, 2430 ,EC (A01426-002, A02523-002)	1	10x10x10	20	
A01018-G21	Motor Kit, 3036/3642/4860 ,EC (A01426-003, A02523-003)	1	10x10x10	20	
A00138-001	Motor, MB2436L 1625 RPM, 1/2 HP (capacitor included) (8WV09)	1	10x10x11	21	
A00139-001	Motor, MB4260L 1625 RPM, 1 HP (capacitor included) (9AKR6)	1	10x10x11	23	
A00139-001 A01373-G01		1		2	
	Motor mount kit, U1218, M1218		10x10x11		
A01373-G02	Motor mount kit, M2430, M3642, M3036, M4860	1	10x10x11	2	
A01018-G01	Motor, M1218 (3-speed) (7.5uf capacitor included) (A00331-001)	1	10x10x11	18	
A01018-G05	Motor, M2430BL1-ST2 (10uf capacitor included) (A00579-002)	1	10x10x11	20	
A01018-G09	Motor, M3036BL1-ST2, M3642BL1-ST2 and M4860BL1-ST2 (10uf capacitor included) (9MTVBC) (A00579-003)	1	10x10x11	23	
A01018-G03	Motor, MP High, M1218+CB (10uf capacitor included) (A00974-001)	1	10x10x11	23	
			IUXIUXII	۷۷	
BALL HIGH Efficiency	Motor is compatible with Advanced Control Board Only				
	Motor is Compatible with SMART Control Board Only				
	motor is compatible with district Control Board Grity				
EC Variable Speed					
EC Variable Speed	ule and Parts	1	10x10x11	21	
EC Variable Speed		1	10x10x11 10x11x11	21 25	



Part Number	Description	Qty	Carton Dimensions (Inches)	Ship Weight (Pounds)	List Price
A00036-002	Wheel, Blower, 6.3D x 3.8W SWSI (VP / HP4860)	1	10x10x11	4	\$167
A00082-002	Wheel, Blower, 6.3D x 2.0W SWSI (MB2436H & VP/HP 2436)	1	10x10x9	4	\$217
A00082-004	Wheel, Blower, 6.3D x 3.3W SWSI (MB4260H)	1	10x10x10	4	\$229



				Carton	Ship Weight	
	Part Number	Description	Qt	Dimensions (Inches)	(Pounds)	List Price
Replace	ement Parts, co	ontinued				
Restric	ctor Plate					
	A00533-001	Plate, Restrictor, Round Duct, M2430BL1-ST2	1		1	\$15
	A00589-001	Plate, Restrictor, Round Duct, M3036BL1-ST2 and M3642BL1-ST2	1		1	\$15
	A00590-001	Plate, Restrictor, Round Duct, M4860BL1-ST2	1		1	\$14
	A00590-002	Plate, Restrictor (for all WON series heaters)	1		1	\$22
	A00921-001	Plate, Restrictor, Square Duct, M2430BL1-ST2		8x8x4	1	\$15
	A00922-001 A00923-001	Plate, Restrictor, Square Duct, M3036BL1-ST2 and M3642BL1-ST2 Plate, Restrictor, Square Duct, M4860BL1-ST2	1		1	\$15 \$22
	A00923-001	Plate, Restrictor, Square Duct, M4000BL1-512		13X13X3	1	\$22
Blowe	r Wheels					
	A00584-K03	Wheel, Blower, EC, M2430BL1-EC2/1	1		4	\$146
	A00582-K03	Wheel, Blower, EC, M3642BL1-EC2/1, M3036BL1-EC2/1	1		4	\$170
	A00580-K03	Wheel, Blower, EC, M4860BL1-EC2/1	1		4	\$156
	A00757-001	Wheel, Blower, 9.5D x 1.50 SWSI (U1218, M1218), for ACB, EC2/1, and ST2	1	10x10x11	4	\$172
	A00137-001	Wheel, Blower, 9.5D x 3.00 SWSI (MB2436L)	1		4	\$149
	A00137-002	Wheel, Blower, 9.5D x 4.50 SWSI (MB4260L)	1		4	\$160
	A00584-K01	Wheel, Blower, 9.5D x 3.75 DWDI (M2430BL1-ST2 & +CB)	1		4	\$117
	A00582-K01	Wheel, Blower, 9.5D x 5.00 DWDI (M3036 and 3642BL1-ST2 & +CB)			4	\$127
	A00580-K01	Wheel, Blower, 9.5D x 7.75 DWDI (M4860BL1-ST2 & +CB)		10x10x11	4	\$131
Capac		10		1	1	640
	A00351-003 A00351-001	Capacitor, Oval, 10 mfd (for motors A001018-G03, G05, G07, G09, G14) Capacitor, Oval, 7.5 mfd (for motor A01018-G01)	1		1 1	\$48 \$22
	A00351-001	Capacitor, Ovar, 7.5 mile (for motor Actions-Sert)	1	3X3X3		\$22
Relays	and Switches	1450 D D. L. 163	1.	1		670
	A00244-K01 A00056-G02	AFS Bypass Relay Kit Relay, Fan (for MB2436, MB4260 & all 1218 and BL2 ST2 model)	1		1 1	\$73 \$65
	A00030-G02 A00802-001	Relay, Fan (for M2430, 3036, 3642 and 4860 ST2 models)	1		1	\$38
	A00002-001 A00060-K03	AFS (Anti Frost Switch), Single (for MC2436, MC4260 & M1218)	1		1	\$30 \$67
	A00060-K03	AFS (Anti Frost Switch), Double (for all refrigerant coils)	1		1	\$93
	A00060-K04	AFS (Anti Flost Switch), Double (for all reinigerant coils)		эхэхэ		ֆ ઝ
U-Trap	os					
	A00924-G05	Kit, U-Trap w/Float Switch, Cooling Module (EZT - 241-3/4")	1		4	\$133
	A00924-G06	Kit, U-Trap w/Float Switch, M1218 (EZT - 242-1/2")	1	10x10x11	4	\$136
Return	Filter Grilles					
7101477	A00051-005	Grille, Filter, UPC-01-1218, 14" x 20"	1	25x22x5	4	\$134
	A00051-003	Grille, Filter, UPC-01-2430, 14" x 25"	1	30x22x5	4	\$157
	A00051-004	Grille, Filter, UPC-01-3036, UPC-01-3642, 14" x 30"	1	34x19x8	4	\$205
	A00051-006	Grille, Filter, UPC-01-4860, 24" x 30"	1	35x35x12	6	\$276
	A00051-007	Grille, Filter, UPC-01-4860NC, 20" x 30"	1	35x35x12	6	\$216
Misc.	Panels, Latches & G	Saskets				
	A00218-002	Panel, Access, Modular, Solid	1		2	\$19
	A00176-002	Latch, Keeper	1		1	\$5
	A00176-001	Latch, Draw		5x5x5	1	\$6
Prima	ry Drain Pans					
	A00095-K01	Primary Drain Pan M2430	1	23x8x17	10	\$154
	A00095-K02	Primary Drain Pan M3642	1	33x8x17	10	\$167
	A00095-K05	Primary Drain Pan M3036	1	31x7x4	10	\$158
	A00332-K01	Primary Drain Pan U1218, M1218	1		15	\$412
	A00835-G01	Primary Drain Pan M4860		42x18x26	25	\$428
		ard Upgrade Kits & S.M.A.R.T. Control Board (SCB)				
Spyra	A01543-K22	Kit, Upgrade, SCB with EC Motor, for M2430	1 1	16x20x29	20	\$2,502
	A01543-K23	Kit, Upgrade, SCB with EC Motor, for M3642	1		20	\$2,852
	A01543-K24	Kit, Upgrade, SCB with EC Motor, for M4860	1		20	\$2,909
	A01543-K25	Kit, Upgrade, SCB (Wifi) with EC Motor, for M2430	1		20	\$2,806
	A01543-K26	Kit, Upgrade, SCB (Wifi) with EC Motor, for M3036/M3642	1		20	\$3,176
	A01543-K27	Kit, Upgrade, SCB (Wifi) with EC Motor, for M4860	1	16x20x29	20	\$3,192
		Be Installed On Blower Modules M2430, M3642, M4860				
Unaro	EC Upgrade Kit cont de Kit to WIFI Board	ains Wheel, Motor, Control Box for 230V blowers, USB cable, software CD, and cable				
opgra	A02695-K01	Circuit Board Kit, Upgrade, WiFi, SCB	1	5x5x5	2	\$393
						+300



	Part Number	Description	Qty	Carton Dimensions (Inches)	Ship Weight (Pounds)	List Price
Square	Fireboard Plen	um Components				
	UPC-11-065S-4	Turning Vane, Square, 6.5"	4	13x13x10.5	5	\$133
	UPC-11-085S-4	Turning Vane, Square, 8.5"	4	23x10x11	5	\$182
	UPC-11-095S-4	Turning Vane, Square, 9.5"	4	23x10x11	6	\$198
	UPC-12-065S6-4	Duct, Fiberglass, 6.5" x 6.5" I.D. x 6' long	4	18x18x72	30	\$1,359
	UPC-12-085S6-4	Duct, Fiberglass, 8.5" x 8.5" x 6' long	4	21.5x21.5x72	34	\$1,379
	UPC-12-095S6-4	Duct, Fiberglass, 9.5" x 9.5" x 6' long	4	24x24x72	40	\$1,368
	UPC-12-065S6-8F	Duct, Fiberglass, 6.5" x 6.5" x 6' long, Flat (unassembled)	8	34x8x72	60	\$1,171
	UPC-12-085S6-8F	Duct, Fiberglass, 8.5" x 8.5" x 6' long, Flat (unassembled)	8	42x8x72	68	\$1,332
	UPC-15-065S-4	End Caps, Fiberglass for 6.5" x 6.5" duct	4	8x8x5	1	\$318
	UPC-15-085S-4	End Caps, Fiberglass for 8.5" x 8.5" duct	4	10x10x5	2	\$331
	UPC-15-095S-4	End Caps, Fiberglass for 9.5" x 9.5" duct	4	10x11x17	2	\$334
	UPC-16V-065S-1	Tee, Full Flow, Fiberglass, 6.5" x 6.5" l.D. (w/ Turning Vane)	1	14x16x9	4	\$202
	UPC-16V-065S-4	Tee, Full Flow, Fiberglass, 6.5" x 6.5" l.D., 4 pack (w/ Turning Vane)	4	32x21x18	12	\$1,257
	UPC-16V-085S-1	Tee, Full Flow, Fiberglass, 8.5" x 8.5" l.D. (w/ Turning Vane)	1	29x16x20	5	\$355
	UPC-16V-085S-4	Tee, Full Flow, Fiberglass, 8.5" x 8.5" l.D., 4 pack (w/ Turning Vane)	4	27x20.5x47	14	\$679
	UPC-16V-095S-1	Tee, Full Flow, Fiberglass, 9.5" x 9.5" l.D. (w/ Turning Vane)	1	29x16x20	6	\$376
	UPC-16V-095S-4	Tee, Full Flow, Fiberglass, 9.5" x 9.5" I.D., 4 pack (w/ Turning Vane)	4	27x20.5x47	15	\$757
	UPC-18-065S-1	Elbow, 90°, Fiberglass, 6.5" x 6.5" l.D.	1	14x14x9	2	\$134
	UPC-18-065S-4	Elbow, 90°, Fiberglass, 6.5" x 6.5" l.D., 4 pack	4	30x18x18	9	\$455
	UPC-18-085S-1	Elbow, 90°, Fiberglass, 8.5" x 8.5" I.D	1	29x16x20	3	\$136
	UPC-18-085S-4	Elbow, 90°, Fiberglass, 8.5" x 8.5" l.D, 4 pack	4	24x23.5x45	15	\$1,198
	UPC-18-095S-1	Elbow, 90°, Fiberglass, 9.5" x 9.5" I.D.	1	29x16x20	3	\$171
	UPC-18-095S-4	Elbow, 90°, Fiberglass, 9.5" x 9.5" l.D., 4 pack	4	24x23.5x45	15	\$1,219
	UPC-29-9585S-1	Reducer, Fiberglass, 9.5" sq. x 8.5" sq.	1	23x15x14	3	\$124
	UPC-29-9565S-1	Reducer, Fiberglass, 9.5" sq. x 6.5" sq.	1	23x15x14	3	\$644
	UPC-29-8565S-1	Reducer, Fiberglass, 8.5" sq. x 6.5" sq.	1	23x12x11	3	\$643
		nd fittings are made of 1" thick fiberglass duct board.				
R-6.0	UPC-12-065R6-4	Duct, Fiberglass, 6.5" x 6.5" l.D. x 6' long	4	73x19x19	40	\$1,469
	UPC-12-085R6-4	Duct, Fiberglass, 8.5" x 8.5" x 6' long	4	73x22x22	51	\$1,591
	UPC-15-065R6-4	End Caps, Fiberglass for 6.5" x 6.5" duct	4	11x11x16	2	\$331
	UPC-15-085R6-4	End Caps, Fiberglass for 8.5" x 8.5" duct	4	12x12x16	2	\$338
	UPC-15-095R6-4	End Caps, Fiberglass for 9.5" x 9.5" duct	4	12x12x16	2	\$461
	UPC-16V-065R6-4	Tee, Full Flow, Fiberglass, 6.5" x 6.5" l.D., 4 pack (w/ Turning Vane)	4	36x25x22	20	\$1,305
	UPC-16V-085R6-4	Tee, Full Flow, Fiberglass, 8.5" x 8.5" l.D., 4 pack (w/ Turning Vane)	4	40x28x24	35	\$1,445
	UPC-16V-095R6-4	Tee, Full Flow, Fiberglass, 9.5" x 9.5" l.D., 4 pack (w/ Turning Vane)	4	44x32x26	40	\$973
	UPC-18-065R6-4	Elbow, 90°, Fiberglass, 6.5" x 6.5" l.D, 4 pack	4	26x25x24	14	\$1,180
	UPC-18-085R6-4	Elbow, 90°, Fiberglass, 8.5" x 8.5" l.D, 4 pack	4	28x25x27	20	\$1,257
	UPC-18-095R6-4	Elbow, 90°, Fiberglass, 9.5" x 9.5" l.D, 4 pack	4	32x20x26	22	\$683
	UPC-29-9585R6-1	Reducer, Fiberglass, 9.5" sq. x 8.5" sq.	1	23x15x14	5	\$184
	UPC-29-9565R6-1	Reducer, Fiberglass, 9.5" sq. x 6.5" sq.	1	23x15x14	5	\$644
	UPC-29-8565R6-1	Reducer, Fiberglass, 8.5" sq. x 6.5" sq.	1	23x15x14	5	\$654
	t by Unico Air-to-Water Heat P	ump and Other				
	CX35	Chiltrix, Outdoor Unit, 2T Cooling Unit/2.7 Ton Heating w/pump	1	46x20x44	280	\$11,576
	CX50	Chiltrix Outdoor Unit, CX50 Air-To-Water Heat Pump 3.5 Tons Cooling / 4.75 Tons Heating w/pump	1	46x20x62	312	\$16,203
	DN25	Chiltrix Motorized 3 way valve (1") DN32/G1/G3 (used for DHW with the CX35)	1	5x3x3	3	\$616
	DN32	Chiltrix Motorized 3 way valve (1 1/4") DN25/G1/G3 (used for DHW with the CX50)	1	5x3x3	3	\$788
	DHW40	Chiltrix All-Stainless Steel w/ Duplex 2205 Inner Tank / 304 Outer Tank Enclosure, 40 gallons	1	19x19x57	80	\$3,201
	DHW80	Chiltrix All-Stainless Steel w/ Duplex 2205 Inner Tank / 304 Outer Tank Enclosure, 80 gallons	1	24x24x88	88	\$4,187
	VCT19	Chiltrix 304 SS Multi-Purpose Water Tank - 19 Gallons	1	19x19x39	51	\$1,946
	VCT37C	Chiltrix 304 SS Multi-Purpose Water Tank - 37 Gallons	1	19x19x56	74	\$3,411
	VCT60	Chiltrix 304 SS Multi-Purpose Water Tank - 58 gallons	1	22x22x60	102	\$4,062
	A1/2/10 A1					

10x10x10

10x10x10

29x7x29

37x7x29

45x7x29

51x7x29

7x7x19

1

1

1

1

1

1

10

32

42 49

57

\$1,574

\$388

\$1,360

\$1,504

\$1,644

\$2,262

\$792

CXDHC-SA

CXI Valve CXI34

CXI65 CXI85

CXI120

V18B

Chiltrix CXDHC-SA Psychrologix DHC Controlle

Chiltrix, Universal Indoor Unit, DC Inverter Fan Coil Unit (3Kbtu)

Chiltrix Universal Indoor Unit, DC Inverter Fan Coil Unit (6kbtu)
Chiltrix Universal Indoor Unit, DC Inverter Fan Coil Unit (8kbtu)

Chiltrix Universal Indoor Unit, DC Inverter Fan Coil Unit (11kbtu)
Chiltrix Variable Backup Heater

Chiltrix CXI Valve 24V AC Valve for Fan Coil

Customer Care WE'RE HERE TO HELP



Please call us at (800) 527-0896 or send us an email at sales@unicosystem.com with any questions you may have.

Business Hours:

Monday-Friday

7:00 a.m. – 5:00 p.m. CST

DESIGN SERVICES

Unico can help with commercial or residential HVAC Projects in new or existing structures and will layout the ductwork, outlets, equipment location,

and provide a material list. Unico can receive plans in Auto-Cad (can receive files up to 50 mb if larger, please share the file via Drop Box), PDF, JPEG, and hard copy of plans.



Please go on line and fill out the Load Calculation Form

<u>www.unicosystem.com/design-services</u> for large files (10mb or higher) <u>designplans@unicosystem.com</u> or call us at 800-527-0896, option 4.

If opting to send hard-copies of your drawings, please mail to:

Unico System
Attn: Design Services
1120 Intagliata Drive
Arnold, MO 63010

Unico, Inc. reserves the right to use our design of your plans in our marketing materials. Unico makes no claims that the information given to us is correct or complete. It is the responsibility of the installing contractor, design, design engineer, or architect to verify the design conditions and performance. Thank you for your support

UNICO UNIVERSITY

Being an HVAC professional is a true commitment to excellence. However, staying up to date with the latest product improvements and industry trends can be a daunting challenge. That is why we set up Unico University as your "one-stop-shop" for all things Unico.

Unico University offers a choice of three types of training programs to get you on board and help keep you informed about new installation innovations and methods: Online Training, Field Training, or In-Factory Training. The In-Factory training now qualifies for continuing education credits though NATE.



ONLINE TRAINING

Available at your convenience and on your time schedule, our online training modules are an easy way to familiarize yourself with the Unico System, its innovative components, the latest installation and troubleshooting methods, and the marketing and sales tools available to help grow your business with Unico. Take them in your skivvies, over a beer, or at your favorite hunting blind – it is up to you.

FIELD TRAINING

We also offer several training locations around the country with courses conducted by our local Unico representatives throughout the year. More hands-on than our online modules but not quite as immersive as Unico University In-Factory Training our Field Training sessions allow you and your employees to gain a comprehensive understanding of the Unico System and proper installation techniques.

IN-FACTORY TRAINING

Hosted at our factory in St. Louis, this immersive, in-person training is held once a month and includes demonstrations, hands-on instruction, and a tour of the factory. Unico trainer, Matt Gordon, will cover everything you need to know about the Unico System, including start-up, layout, design and troubleshooting. Unico provides lodging and lunch – you only need cover your cost for travel to St. Louis.

To view upcoming training classes, please visit: www.unicosystem.com/unico-university

NOTES

The Unico System®



Unico, Inc.

1120 Intagliata Drive Arnold, MO 63010 800-527-0896 (toll-free) 314-481-9000 (local) www.unicosystem.com

Unico, Inc. is the leader in Small-Duct High-Velocity (SDHV) heating and cooling systems and other preferred indoor air quality HVAC systems. The company manufactures all its products in St. Louis MO, within its 125,000 square foot modern manufacturing facility. The Unico System is well known for extensive use in high performance and low load residential construction, home renovation, architecturally unique homes and buildings, as well as various commercial applications. The company is family owned and operated and sells in all 50 United States, all provinces of Canada, and in over 28 countries around the world.





Follow us on











Place orders by email at orderentry@unicosystem.com OR Order Online at www.unicosystem.com